


# Profile of New York State Physicians

*April 2001*



## **The Center for Health Workforce Studies**

School of Public Health  
University at Albany  
State University of New York  
One University Place  
Rensselaer, NY 12144-3456  
Phone: (518) 402-0250  
Fax: (518) 402-0252  
Web: <http://chws.albany.edu>



## PREFACE

This report provides extensive data on primary care physicians, obstetricians/gynecologists, and psychiatrists in New York State. It is designed to provide planners, policy makers, and the public with better information with which to assess the adequacy of the physician workforce in their community and region.

The report presents data for each of the 7 regions defined by the New York Area Health Education Center (AHEC), each county, as well as cities with populations greater than 50,000 in 1999. This includes data on the absolute number of physicians and the full-time equivalents (FTEs) in each of the above specialties, with changes from 1995 to 1999. The report also presents the number of physicians per 100,000 population in each specialty, which facilitates comparisons between and among cities, counties, regions, and the state as a whole. Also included are age and race/ethnicity profiles of physicians in each geographic area.<sup>1</sup> Please refer to the Appendices at the end of this report for detailed information about the data used to generate this report; data limitations; and supplemental summary data tables.

This report was prepared for the New York Area Health Education Center (AHEC). AHEC regional offices are being established across the state to promote effective health professions education, training, and practice to better meet the needs of New Yorkers.

The Center for Health Workforce Studies at the School of Public Health, University at Albany, State University of New York is dedicated to the collection, analysis, and distribution of health workforce data to assist health, professional and educational organizations, policy makers, and the public understand issues related to the supply, demand, and use of health workers. This report was prepared by Gaetano J. Forte, Mark Dionne, Mark Beaulieu, and Edward Salsberg. The views expressed in this report are those of the Center for Health Workforce Studies and do not necessarily represent positions or policies of the School of Public Health, University at Albany, the State University of New York, the New York State Education Department, or the New York State Area Health Education Center.

Additional information on the New York State health workforce is available at the Center for Health Workforce Studies website: <http://chws.albany.edu>.

---

<sup>1</sup>In order to protect the privacy of individual physicians, specialty-specific demographic distributions are only reported in areas that have 5 or more physicians practicing in the specialty.

## **ACKNOWLEDGMENTS**

The New York State Education Department coordinated the distribution and collection of the survey questionnaires used to gather the data presented in this report as part of the re-registration of physician licenses in New York State.

Partial funding for this report was provided by the New York State Area Health Education Center and the federal Bureau of the Health Professions in the Health Resources and Services Administration of the Department of Health and Human Services.

# CONTENTS

**Background ..... 1**

**State Profile ..... 3**

**AHEC Region Profiles ..... 7**

**County Profiles ..... 23**

**City Profiles ..... 149**

**Appendix A: 1997-2000 NYS Physician Licensure Re-registration Survey Instrument..... A-1**

**Appendix B: Technical Data Details ..... B-1**

**Appendix C: Item Response Rates ..... C-1**

**Appendix D: Components of Geographical Regions ..... D-1**

**Appendix E: Summary Tables ..... E-1**



## BACKGROUND

Based on an analysis of a variety of sources of physician data, the Center for Health Workforce Studies determined that in 1999, there were 55,541 physicians actively providing patient care services in New York State. This was equal to 305 physicians per 100,000 population or 328 persons per physician. New York State has the second highest number of physicians per population of any state in the nation. Yet, despite this abundance of physicians in terms of statewide numbers, there are many areas and communities in New York where the supply of physicians is so low that access to needed services is limited.

This maldistribution is of particular concern for physician specialties that provide basic medical services and entry into the health care system. These include such specialties as family practice, internal medicine, pediatrics, obstetrics/gynecology, and psychiatry. The following tables show that, while the total supply of physicians in New York is above the number that health workforce researchers have suggested is needed or appropriate, there are many counties in the state that fall below these benchmarks.<sup>2</sup>

***Physician Supply Benchmarks: FTEs per 100,000 Population***

| Specialty                        | GMENAC* | Hart** | NYS Level | Number of<br>NYS Counties<br>Below 1 |
|----------------------------------|---------|--------|-----------|--------------------------------------|
|                                  |         |        |           | Benchmark                            |
| Family Practice/General Practice | 34.5    | 42.6   | 18.0      | 60                                   |
| Internal Medicine                | 28.8    | 20.0   | 42.7      | 42                                   |
| Pediatrics                       | 12.4    | 15.5   | 19.7      | 45                                   |
| Obstetrics/Gynecology            | 9.9     | 11.3   | 13.6      | 43                                   |
| Psychiatry                       | 19.5    | 7.2    | 23.9      | 55                                   |

\* Graduate Medical Education National Advisory Council. Summary Report. Washington: Government Printing Office; 1981. Pub No. (HRA) 81-651.

\*\* Hart L, Wagner E, Pizada S, Nelson A, Rosenblatt R. Physician Staffing Ratios in Staff-Model HMOs: A Cautionary Tale. *Health Affairs* 1997;16(1):55-70.

<sup>2</sup>This is not meant to imply that the county is the only appropriate geographical unit of analysis for assessing the adequacy of the supply of physicians by specialty. Perhaps a more appropriate analysis would be based on market areas or use patterns since service areas often cross county boundary lines.

**Physician Supply Benchmarks: Physicians per 100,000 Population**

| Specialty                        | Number of<br>NYS Counties<br>Below 1<br>Benchmark |             |           |    |
|----------------------------------|---|-------------|-----------|----|
|                                  | Weiner*   | McClendon** | NYS Level |    |
| Family Practice/General Practice | 11.0  | 24.5        | 22.7      | 27 |
| Internal Medicine                | 30.3  | 27.0        | 51.8      | 39 |
| Pediatrics                       | 16.0  | 14.2        | 24.2      | 43 |
| Obstetrics/Gynecology            | 9.6   | 11.2        | 15.5      | 36 |
| Psychiatry                       | 4.1   | 5.7         | 32.0      | 20 |

\* Weiner J. Forecasting the Effects of Health Reform on U.S. Physician Workforce Requirements. *JAMA* 1994; 272:222-230.

\*\* McClendon B, Politzer R, Christian E, Fernandez E. Downsizing the Physician Workforce. *Public Health Reports* 1997; 112:231-239.


While an examination of the number of physicians per capita can help identify areas that appear to be underserved, only an in-depth analysis that includes additional data (e.g., health status indicators) can accurately assess the adequacy of the physician workforce in a community.



# STATE PROFILE



# New York State




## Physician Supply, 1999

| Specialty                    | Counts     |                        |          | Per 100,000 Population |      |
|------------------------------|------------|------------------------|----------|------------------------|------|
|                              | Physicians | Percent Trained in NYS | FTEs     | Physicians             | FTEs |
| <b>Primary Care</b>          | 17,959     | 80%                    | 14,618.8 | 98.7                   | 80.3 |
| <i>Family Practice</i>       | 3,042      | 72%                    | 2,509.4  | 16.7                   | 13.8 |
| <i>General Practice</i>      | 1,087      | 75%                    | 759.9    | 6.0                    | 4.2  |
| <i>Internal Medicine</i>     | 9,428      | 83%                    | 7,762.0  | 51.8                   | 42.7 |
| <i>Pediatrics</i>            | 4,402      | 81%                    | 3,587.5  | 24.2                   | 19.7 |
| <b>Obstetrics/Gynecology</b> | 2,812      | 81%                    | 2,472.4  | 15.5                   | 13.6 |
| <b>Psychiatry</b>            | 5,829      | 84%                    | 4,341.5  | 32.0                   | 23.9 |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |         | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |      |
|------------------------------|----------------------------|---------|---------------------------|------|--|------|
|                              | Physicians                 | FTEs    | Physicians                | FTEs | Physicians                                       | FTEs |
| <b>Primary Care</b>          | 2,127                      | 1,828.4 | 13%                       | 14%  | 13%  | 14%  |
| <i>Family Practice</i>       | 527                        | 431.2   | 21%                       | 21%  | 21%  | 20%  |
| <i>General Practice</i>      | -76                        | -283.6  | -7%                       | -27% | -7%  | -27% |
| <i>Internal Medicine</i>     | 1,051                      | 1,161.0 | 13%                       | 18%  | 12%  | 17%  |
| <i>Pediatrics</i>            | 625                        | 519.8   | 17%                       | 17%  | 16%  | 17%  |
| <b>Obstetrics/Gynecology</b> | 392                        | 534.2   | 16%                       | 28%  | 16%  | 27%  |
| <b>Psychiatry</b>            | 166                        | 87.7    | 3%                        | 2%   | 3%   | 2%   |

***Physician Age Distribution, 1999***




***Physician Race/Ethnicity Distribution, 1999***



# AHEC REGION PROFILES



# Western



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | Region FTEs | NYS FTEs | Physicians             | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 1,259      | 69%                    | 1,043.9     | 14,618.8 | 82.9                   | <b>68.8</b> | 80.3     |
| <i>Family Practice</i>       | 287        | 59%                    | 235.2       | 2,509.4  | 18.9                   | <b>15.5</b> | 13.8     |
| <i>General Practice</i>      | 52         | 55%                    | 34.7        | 759.9    | 3.4                    | <b>2.3</b>  | 4.2      |
| <i>Internal Medicine</i>     | 654        | 79%                    | 556.0       | 7,762.0  | 43.1                   | <b>36.6</b> | 42.7     |
| <i>Pediatrics</i>            | 266        | 60%                    | 218.0       | 3,587.5  | 17.5                   | <b>14.4</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 191        | 72%                    | 167.2       | 2,472.4  | 12.6                   | <b>11.0</b> | 13.6     |
| <b>Psychiatry</b>            | 231        | 69%                    | 177.8       | 4,341.5  | 15.2                   | <b>11.7</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 127                        | 146.8 | 11%                       | 16%  | 12%  | <b>17%</b>  | 14%      |
| <i>Family Practice</i>       | 52                         | 40.9  | 22%                       | 21%  | 23%  | <b>22%</b>  | 20%      |
| <i>General Practice</i>      | -15                        | -24.0 | -22%                      | -41% | -22%   | <b>-40%</b> | -27%     |
| <i>Internal Medicine</i>     | 58                         | 92.7  | 10%                       | 20%  | 11%  | <b>21%</b>  | 17%      |
| <i>Pediatrics</i>            | 32                         | 37.4  | 14%                       | 21%  | 15%  | <b>22%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 19                         | 37.9  | 11%                       | 29%  | 12%  | <b>30%</b>  | 27%      |
| <b>Psychiatry</b>            | 1                          | 3.6   | < 1%                      | 2%   | 1%   | <b>3%</b>   | 2%       |

## Physician Age Distribution, 1999

### Western AHEC




### New York State




## Physician Race/Ethnicity Distribution, 1999

### Western AHEC




### New York State





# Erie/Niagara



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | Region FTEs | NYS FTEs | Physicians             | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 965        | 78%                    | 785.9       | 14,618.8 | 84.5                   | <b>68.8</b> | 80.3     |
| <i>Family Practice</i>       | 255        | 77%                    | 216.5       | 2,509.4  | 22.3                   | <b>19.0</b> | 13.8     |
| <i>General Practice</i>      | 46         | 71%                    | 33.6        | 759.9    | 4.0                    | <b>2.9</b>  | 4.2      |
| <i>Internal Medicine</i>     | 444        | 78%                    | 357.0       | 7,762.0  | 38.9                   | <b>31.3</b> | 42.7     |
| <i>Pediatrics</i>            | 220        | 82%                    | 178.8       | 3,587.5  | 19.3                   | <b>15.7</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 141        | 85%                    | 125.2       | 2,472.4  | 12.3                   | <b>11.0</b> | 13.6     |
| <b>Psychiatry</b>            | 172        | 70%                    | 129.0       | 4,341.5  | 15.1                   | <b>11.3</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 118                        | 111.6 | 14%                       | 17%  | 18%  | <b>21%</b>  | 14%      |
| <i>Family Practice</i>       | 41                         | 45.3  | 19%                       | 26%  | 23%  | <b>31%</b>  | 20%      |
| <i>General Practice</i>      | -20                        | -25.5 | -30%                      | -43% | -28%   | <b>-41%</b> | -27%     |
| <i>Internal Medicine</i>     | 50                         | 49.8  | 13%                       | 16%  | 17%  | <b>20%</b>  | 17%      |
| <i>Pediatrics</i>            | 47                         | 41.9  | 27%                       | 31%  | 31%  | <b>35%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 21                         | 28.8  | 18%                       | 30%  | 21%  | <b>34%</b>  | 27%      |
| <b>Psychiatry</b>            | 8                          | 4.0   | 5%                        | 3%   | 8%   | <b>7%</b>   | 2%       |

## Physician Age Distribution, 1999

### Erie/Niagara AHEC




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Erie/Niagara AHEC



### New York State



# Northern



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | Region FTEs | NYS FTEs | Physicians             | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 478        | 51%                    | 413.2       | 14,618.8 | 60.1                   | <b>52.0</b> | 80.3     |
| <i>Family Practice</i>       | 170        | 55%                    | 148.3       | 2,509.4  | 21.4                   | <b>18.6</b> | 13.8     |
| <i>General Practice</i>      | 41         | 52%                    | 29.1        | 759.9    | 5.2                    | <b>3.7</b>  | 4.2      |
| <i>Internal Medicine</i>     | 195        | 51%                    | 173.7       | 7,762.0  | 24.5                   | <b>21.8</b> | 42.7     |
| <i>Pediatrics</i>            | 72         | 43%                    | 62.2        | 3,587.5  | 9.1                    | <b>7.8</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 63         | 49%                    | 59.7        | 2,472.4  | 7.9                    | <b>7.5</b>  | 13.6     |
| <b>Psychiatry</b>            | 90         | 56%                    | 75.4        | 4,341.5  | 11.3                   | <b>9.5</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 49                         | 44.4  | 11%                       | 12%  | 15%  | <b>16%</b>  | 14%      |
| <i>Family Practice</i>       | 19                         | 19.3  | 13%                       | 15%  | 16%  | <b>19%</b>  | 20%      |
| <i>General Practice</i>      | -25                        | -31.1 | -38%                      | -52% | -36%   | <b>-50%</b> | -27%     |
| <i>Internal Medicine</i>     | 37                         | 40.5  | 23%                       | 30%  | 28%  | <b>35%</b>  | 17%      |
| <i>Pediatrics</i>            | 18                         | 15.1  | 33%                       | 32%  | 38%  | <b>37%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 7                          | 7.5   | 13%                       | 14%  | 16%  | <b>18%</b>  | 27%      |
| <b>Psychiatry</b>            | -7                         | -11.3 | -7%                       | -13% | -4%  | <b>-10%</b> | 2%       |

## Physician Age Distribution, 1999

### Northern AHEC




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Northern AHEC



### New York State



# South Central



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | Region FTEs | NYS FTEs | Physicians             | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 925        | 60%                    | 780.1       | 14,618.8 | 77.4                   | <b>65.2</b> | 80.3     |
| <i>Family Practice</i>       | 347        | 66%                    | 295.6       | 2,509.4  | 29.0                   | <b>24.7</b> | 13.8     |
| <i>General Practice</i>      | 43         | 63%                    | 30.3        | 759.9    | 3.6                    | <b>2.5</b>  | 4.2      |
| <i>Internal Medicine</i>     | 349        | 59%                    | 303.3       | 7,762.0  | 29.2                   | <b>25.4</b> | 42.7     |
| <i>Pediatrics</i>            | 186        | 54%                    | 151.1       | 3,587.5  | 15.6                   | <b>12.6</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 138        | 64%                    | 126.4       | 2,472.4  | 11.5                   | <b>10.6</b> | 13.6     |
| <b>Psychiatry</b>            | 201        | 65%                    | 155.4       | 4,341.5  | 16.8                   | <b>13.0</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 136                        | 132.5 | 17%                       | 20%  | 20%  | <b>23%</b>  | 14%      |
| <i>Family Practice</i>       | 72                         | 72.4  | 26%                       | 32%  | 29%  | <b>36%</b>  | 20%      |
| <i>General Practice</i>      | 8                          | -2.4  | 23%                       | -7%  | 26%  | <b>-5%</b>  | -27%     |
| <i>Internal Medicine</i>     | 47                         | 56.7  | 16%                       | 23%  | 18%  | <b>26%</b>  | 17%      |
| <i>Pediatrics</i>            | 9                          | 6.0   | 5%                        | 4%   | 8%   | <b>7%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | 14                         | 21.6  | 11%                       | 21%  | 14%  | <b>23%</b>  | 27%      |
| <b>Psychiatry</b>            | 3                          | 1.5   | 2%                        | 1%   | 4%   | <b>3%</b>   | 2%       |

## Physician Age Distribution, 1999

### South Central AHEC




### New York State




## Physician Race/Ethnicity Distribution, 1999


### South Central AHEC



### New York State



# Adirondack



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | Region FTEs | NYS FTEs | Physicians             | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 397        | 66%                    | 339.3       | 14,618.8 | 65.0                   | <b>55.5</b> | 80.3     |
| <i>Family Practice</i>       | 169        | 66%                    | 148.7       | 2,509.4  | 27.7                   | <b>24.3</b> | 13.8     |
| <i>General Practice</i>      | 35         | 80%                    | 23.9        | 759.9    | 5.7                    | <b>3.9</b>  | 4.2      |
| <i>Internal Medicine</i>     | 122        | 65%                    | 105.1       | 7,762.0  | 20.0                   | <b>17.2</b> | 42.7     |
| <i>Pediatrics</i>            | 71         | 61%                    | 61.7        | 3,587.5  | 11.6                   | <b>10.1</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 65         | 62%                    | 59.4        | 2,472.4  | 10.6                   | <b>9.7</b>  | 13.6     |
| <b>Psychiatry</b>            | 68         | 56%                    | 54.1        | 4,341.5  | 11.1                   | <b>8.9</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 57                         | 45.2  | 17%                       | 15%  | 17%  | <b>16%</b>  | 14%      |
| <i>Family Practice</i>       | 31                         | 32.2  | 22%                       | 28%  | 23%  | <b>28%</b>  | 20%      |
| <i>General Practice</i>      | -7                         | -13.3 | -17%                      | -36% | -16%   | <b>-35%</b> | -27%     |
| <i>Internal Medicine</i>     | 30                         | 25.9  | 33%                       | 33%  | 33%  | <b>33%</b>  | 17%      |
| <i>Pediatrics</i>            | 3                          | 0.0   | 4%                        | 0%   | 5%   | <b>0%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | 15                         | 13.4  | 30%                       | 29%  | 31%  | <b>30%</b>  | 27%      |
| <b>Psychiatry</b>            | 4                          | -2.8  | 6%                        | -5%  | 7%   | <b>-5%</b>  | 2%       |

## Physician Age Distribution, 1999

### Adirondack AHEC




### New York State




## Physician Race/Ethnicity Distribution, 1999

### Adirondack AHEC




### New York State





# Hudson



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | Region FTEs | NYS FTEs | Physicians             | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 1,597      | 68%                    | 1,326.5     | 14,618.8 | 83.5                   | <b>69.4</b> | 80.3     |
| <i>Family Practice</i>       | 379        | 61%                    | 315.7       | 2,509.4  | 19.8                   | <b>16.5</b> | 13.8     |
| <i>General Practice</i>      | 119        | 65%                    | 80.2        | 759.9    | 6.2                    | <b>4.2</b>  | 4.2      |
| <i>Internal Medicine</i>     | 720        | 69%                    | 614.6       | 7,762.0  | 37.7                   | <b>32.1</b> | 42.7     |
| <i>Pediatrics</i>            | 379        | 73%                    | 316.2       | 3,587.5  | 19.8                   | <b>16.5</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 231        | 73%                    | 207.4       | 2,472.4  | 12.1                   | <b>10.9</b> | 13.6     |
| <b>Psychiatry</b>            | 492        | 74%                    | 385.4       | 4,341.5  | 25.7                   | <b>20.2</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 223                        | 134.2 | 16%                       | 11%  | 15%  | <b>10%</b>  | 14%      |
| <i>Family Practice</i>       | 69                         | 50.3  | 22%                       | 19%  | 21%  | <b>18%</b>  | 20%      |
| <i>General Practice</i>      | -21                        | -45.6 | -15%                      | -36% | -16%   | <b>-37%</b> | -27%     |
| <i>Internal Medicine</i>     | 94                         | 77.5  | 15%                       | 14%  | 14%  | <b>13%</b>  | 17%      |
| <i>Pediatrics</i>            | 81                         | 51.3  | 27%                       | 19%  | 26%  | <b>18%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 16                         | 18.4  | 7%                        | 10%  | 6%   | <b>9%</b>   | 27%      |
| <b>Psychiatry</b>            | -2                         | -18.0 | < -1%                     | -4%  | -1%  | <b>-5%</b>  | 2%       |

## Physician Age Distribution, 1999

### Hudson AHEC




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Hudson AHEC



### New York State



# New York Metropolitan



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | Region FTEs | NYS FTEs | Physicians             | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 12,326     | 85%                    | 9,929.8     | 14,618.8 | 111.8                  | <b>90.1</b> | 80.3     |
| <i>Family Practice</i>       | 1,431      | 80%                    | 1,149.5     | 2,509.4  | 13.0                   | <b>10.4</b> | 13.8     |
| <i>General Practice</i>      | 750        | 80%                    | 528.1       | 759.9    | 6.8                    | <b>4.8</b>  | 4.2      |
| <i>Internal Medicine</i>     | 6,940      | 87%                    | 5,652.3     | 7,762.0  | 63.0                   | <b>51.3</b> | 42.7     |
| <i>Pediatrics</i>            | 3,205      | 87%                    | 2,599.6     | 3,587.5  | 29.1                   | <b>23.6</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 1,982      | 86%                    | 1,727.1     | 2,472.4  | 18.0                   | <b>15.7</b> | 13.6     |
| <b>Psychiatry</b>            | 4,573      | 88%                    | 3,364.4     | 4,341.5  | 41.5                   | <b>30.5</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |         | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|---------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs    | Physicians                | FTEs | Physicians                                       | Region FTEs | NYS FTEs |
| <b>Primary Care</b>          | 1,416                      | 1,213.7 | 13%                       | 14%  | 12%  | <b>13%</b>  | 14%      |
| <i>Family Practice</i>       | 241                        | 170.8   | 20%                       | 17%  | 19%  | <b>16%</b>  | 20%      |
| <i>General Practice</i>      | 6                          | -141.8  | 1%                        | -21% | 0%   | <b>-22%</b> | -27%     |
| <i>Internal Medicine</i>     | 734                        | 817.9   | 12%                       | 17%  | 10%  | <b>15%</b>  | 17%      |
| <i>Pediatrics</i>            | 435                        | 368.1   | 16%                       | 16%  | 14%  | <b>15%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 301                        | 406.4   | 18%                       | 31%  | 16%  | <b>29%</b>  | 27%      |
| <b>Psychiatry</b>            | 160                        | 110.7   | 4%                        | 3%   | 2%   | <b>2%</b>   | 2%       |

## Physician Age Distribution, 1999

### New York Metropolitan AHEC




### New York State




## Physician Race/Ethnicity Distribution, 1999

### New York Metropolitan AHEC




### New York State



## COUNTY PROFILES



# Albany



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 354        | 67%                    | 291.6       | 14,618.8 | 121.2                  | <b>99.8</b> | 80.3     |
| <i>Family Practice</i>       | 82         | 67%                    | 70.4        | 2,509.4  | 28.1                   | <b>24.1</b> | 13.8     |
| <i>General Practice</i>      | 22         | 40%                    | 16.6        | 759.9    | 7.5                    | <b>5.7</b>  | 4.2      |
| <i>Internal Medicine</i>     | 172        | 69%                    | 144.3       | 7,762.0  | 58.9                   | <b>49.4</b> | 42.7     |
| <i>Pediatrics</i>            | 78         | 69%                    | 60.3        | 3,587.5  | 26.7                   | <b>20.6</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 50         | 78%                    | 44.1        | 2,472.4  | 17.1                   | <b>15.1</b> | 13.6     |
| <b>Psychiatry</b>            | 94         | 68%                    | 72.7        | 4,341.5  | 32.2                   | <b>24.9</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 80                         | 72.1 | 29%                       | 33%  | 32%  | <b>36%</b>  | 14%      |
| <i>Family Practice</i>       | 24                         | 25.5 | 41%                       | 57%  | 44%  | <b>60%</b>  | 20%      |
| <i>General Practice</i>      | 7                          | 3.1  | 47%                       | 23%  | 50%  | <b>26%</b>  | -27%     |
| <i>Internal Medicine</i>     | 27                         | 28.8 | 19%                       | 25%  | 21%  | <b>28%</b>  | 17%      |
| <i>Pediatrics</i>            | 22                         | 14.8 | 39%                       | 32%  | 42%  | <b>35%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 3                          | 8.3  | 6%                        | 23%  | 9%   | <b>26%</b>  | 27%      |
| <b>Psychiatry</b>            | 5                          | 7.8  | 6%                        | 12%  | 8%   | <b>14%</b>  | 2%       |

## *Physician Age Distribution, 1999*

### **Albany County**




### **New York State**




## *Physician Race/Ethnicity Distribution, 1999*

### **Albany County**




### **New York State**





# Allegany



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 25         | 73%                    | 22.7        | 14,618.8 | 49.5                   | <b>44.9</b> | 80.3     |
| <i>Family Practice</i>       | 11         | 73%                    | 10.5        | 2,509.4  | 21.8                   | <b>20.7</b> | 13.8     |
| <i>General Practice</i>      | 5          | 75%                    | 3.4         | 759.9    | 9.9                    | <b>6.7</b>  | 4.2      |
| <i>Internal Medicine</i>     | 8          | 83%                    | 7.8         | 7,762.0  | 15.8                   | <b>15.5</b> | 42.7     |
| <i>Pediatrics</i>            | 1          | 0%                     | 1.0         | 3,587.5  | 2.0                    | <b>2.0</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 1          | 100%                   | 1.0         | 2,472.4  | 2.0                    | <b>2.0</b>  | 13.6     |
| <b>Psychiatry</b>            | 0          | --                     | 0.0         | 4,341.5  | 0.0                    | <b>0.0</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 5                          | 3.1  | 25%                       | 16%  | 28%  | <b>18%</b>  | 14%      |
| <i>Family Practice</i>       | 0                          | 1.2  | 0%                        | 13%  | 2%   | <b>15%</b>  | 20%      |
| <i>General Practice</i>      | 1                          | -1.3 | 25%                       | -27% | 28%  | <b>-26%</b> | -27%     |
| <i>Internal Medicine</i>     | 3                          | 2.1  | 60%                       | 37%  | 63%  | <b>40%</b>  | 17%      |
| <i>Pediatrics</i>            | 1                          | 1.0  | --                        | --   | --   | --          | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | 0.2  | 0%                        | 31%  | 2%   | <b>34%</b>  | 27%      |
| <b>Psychiatry</b>            | 0                          | 0.0  | --                        | --   | --   | --          | 2%       |

## *Physician Age Distribution, 1999*

### *Allegany County*




### *New York State*




## *Physician Race/Ethnicity Distribution, 1999*


### *Allegany County*



### *New York State*



# Bronx



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 1,053      | 86%                    | 813.5       | 14,618.8 | 88.2                   | <b>68.1</b> | 80.3     |
| <i>Family Practice</i>       | 123        | 84%                    | 94.1        | 2,509.4  | 10.3                   | <b>7.9</b>  | 13.8     |
| <i>General Practice</i>      | 63         | 83%                    | 42.5        | 759.9    | 5.3                    | <b>3.6</b>  | 4.2      |
| <i>Internal Medicine</i>     | 546        | 87%                    | 429.1       | 7,762.0  | 45.7                   | <b>35.9</b> | 42.7     |
| <i>Pediatrics</i>            | 321        | 87%                    | 247.8       | 3,587.5  | 26.9                   | <b>20.8</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 121        | 78%                    | 100.0       | 2,472.4  | 10.1                   | <b>8.4</b>  | 13.6     |
| <b>Psychiatry</b>            | 223        | 86%                    | 164.3       | 4,341.5  | 18.7                   | <b>13.8</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | -128                       | -66.3 | -11%                      | -8%  | -11%   | <b>-8%</b>  | 14%      |
| <i>Family Practice</i>       | 2                          | -1.1  | 2%                        | -1%  | 2%   | <b>-1%</b>  | 20%      |
| <i>General Practice</i>      | -4                         | -13.5 | -6%                       | -24% | -6%  | <b>-24%</b> | -27%     |
| <i>Internal Medicine</i>     | -56                        | -5.0  | -9%                       | -1%  | -9%  | <b>-1%</b>  | 17%      |
| <i>Pediatrics</i>            | -70                        | -46.4 | -18%                      | -16% | -18%   | <b>-16%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | -5                         | 12.9  | -4%                       | 15%  | -4%  | <b>15%</b>  | 27%      |
| <b>Psychiatry</b>            | -85                        | -51.6 | -28%                      | -24% | -28%   | <b>-24%</b> | 2%       |

## Physician Age Distribution, 1999

### Bronx County




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Bronx County



### New York State



# Broome



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 167        | 60%                    | 144.5       | 14,618.8 | 85.5                   | <b>74.0</b> | 80.3     |
| <i>Family Practice</i>       | 54         | 74%                    | 44.5        | 2,509.4  | 27.7                   | <b>22.8</b> | 13.8     |
| <i>General Practice</i>      | 7          | 67%                    | 5.1         | 759.9    | 3.6                    | <b>2.6</b>  | 4.2      |
| <i>Internal Medicine</i>     | 80         | 55%                    | 71.5        | 7,762.0  | 41.0                   | <b>36.6</b> | 42.7     |
| <i>Pediatrics</i>            | 26         | 46%                    | 23.4        | 3,587.5  | 13.3                   | <b>12.0</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 23         | 48%                    | 21.8        | 2,472.4  | 11.8                   | <b>11.2</b> | 13.6     |
| <b>Psychiatry</b>            | 42         | 62%                    | 32.5        | 4,341.5  | 21.5                   | <b>16.6</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 2                          | 10.0 | 1%                        | 7%   | 6%   | <b>12%</b>  | 14%      |
| <i>Family Practice</i>       | -8                         | -1.1 | -13%                      | -2%  | -9%  | <b>2%</b>   | 20%      |
| <i>General Practice</i>      | 2                          | -0.6 | 40%                       | -10% | 47%  | <b>-6%</b>  | -27%     |
| <i>Internal Medicine</i>     | 10                         | 12.9 | 14%                       | 22%  | 20%  | <b>28%</b>  | 17%      |
| <i>Pediatrics</i>            | -2                         | -1.2 | -7%                       | -5%  | -3%  | <b>0%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | -5                         | -3.7 | -18%                      | -14% | -14%   | <b>-10%</b> | 27%      |
| <b>Psychiatry</b>            | 1                          | -1.9 | 2%                        | -6%  | 7%   | <b>-1%</b>  | 2%       |

## Physician Age Distribution, 1999

### Broome County




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Broome County



### New York State



# Cattaraugus



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 45         | 52%                    | 37.0        | 14,618.8 | 53.3                   | <b>43.8</b> | 80.3     |
| <i>Family Practice</i>       | 16         | 44%                    | 14.7        | 2,509.4  | 18.9                   | <b>17.4</b> | 13.8     |
| <i>General Practice</i>      | 4          | 75%                    | 2.6         | 759.9    | 4.7                    | <b>3.0</b>  | 4.2      |
| <i>Internal Medicine</i>     | 15         | 64%                    | 11.4        | 7,762.0  | 17.8                   | <b>13.4</b> | 42.7     |
| <i>Pediatrics</i>            | 10         | 40%                    | 8.4         | 3,587.5  | 11.8                   | <b>9.9</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 5          | 40%                    | 4.5         | 2,472.4  | 5.9                    | <b>5.4</b>  | 13.6     |
| <b>Psychiatry</b>            | 3          | 67%                    | 2.8         | 4,341.5  | 3.6                    | <b>3.3</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 12                         | 4.0  | 36%                       | 12%  | 38%  | <b>13%</b>  | 14%      |
| <i>Family Practice</i>       | 5                          | 4.0  | 45%                       | 38%  | 47%  | <b>39%</b>  | 20%      |
| <i>General Practice</i>      | 1                          | -0.6 | 33%                       | -20% | 35%  | <b>-19%</b> | -27%     |
| <i>Internal Medicine</i>     | 4                          | 0.1  | 36%                       | < 1% | 38%  | <b>1%</b>   | 17%      |
| <i>Pediatrics</i>            | 2                          | 0.6  | 25%                       | 7%   | 26%  | <b>9%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | 3                          | 2.2  | 150%                      | 98%  | 153%   | <b>100%</b> | 27%      |
| <b>Psychiatry</b>            | 1                          | 0.5  | 50%                       | 20%  | 52%  | <b>22%</b>  | 2%       |

## *Physician Age Distribution, 1999*

### *Cattaraugus County*




### *New York State*




## *Physician Race/Ethnicity Distribution, 1999*

### *Cattaraugus County*




### *New York State*





# Cayuga



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 31         | 60%                    | 26.3        | 14,618.8 | 37.9                   | <b>32.2</b> | 80.3     |
| <i>Family Practice</i>       | 4          | 25%                    | 4.0         | 2,509.4  | 4.9                    | <b>4.8</b>  | 13.8     |
| <i>General Practice</i>      | 2          | 100%                   | 0.9         | 759.9    | 2.4                    | <b>1.0</b>  | 4.2      |
| <i>Internal Medicine</i>     | 18         | 67%                    | 16.7        | 7,762.0  | 22.0                   | <b>20.5</b> | 42.7     |
| <i>Pediatrics</i>            | 7          | 57%                    | 4.7         | 3,587.5  | 8.6                    | <b>5.8</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 8          | 38%                    | 7.5         | 2,472.4  | 9.8                    | <b>9.2</b>  | 13.6     |
| <b>Psychiatry</b>            | 3          | 67%                    | 2.9         | 4,341.5  | 3.7                    | <b>3.6</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 10                         | 6.2  | 48%                       | 31%  | 50%  | <b>33%</b>  | 14%      |
| <i>Family Practice</i>       | 1                          | 0.5  | 33%                       | 15%  | 35%  | <b>17%</b>  | 20%      |
| <i>General Practice</i>      | 2                          | 0.9  | --                        | --   | --   | --          | -27%     |
| <i>Internal Medicine</i>     | 5                          | 5.3  | 38%                       | 46%  | 40%  | <b>48%</b>  | 17%      |
| <i>Pediatrics</i>            | 2                          | -0.5 | 40%                       | -9%  | 42%  | <b>-7%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 3                          | 2.4  | 60%                       | 47%  | 62%  | <b>49%</b>  | 27%      |
| <b>Psychiatry</b>            | -1                         | -0.9 | -25%                      | -24% | -24%   | <b>-23%</b> | 2%       |

## *Physician Age Distribution, 1999*

### *Cayuga County*




### *New York State*




## *Physician Race/Ethnicity Distribution, 1999*


### *Cayuga County*



### *New York State*



# Chautauqua



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 78         | 42%                    | 64.2        | 14,618.8 | 56.8                   | <b>46.7</b> | 80.3     |
| <i>Family Practice</i>       | 22         | 36%                    | 17.9        | 2,509.4  | 16.0                   | <b>13.1</b> | 13.8     |
| <i>General Practice</i>      | 11         | 50%                    | 7.7         | 759.9    | 8.0                    | <b>5.6</b>  | 4.2      |
| <i>Internal Medicine</i>     | 37         | 38%                    | 32.8        | 7,762.0  | 26.9                   | <b>23.9</b> | 42.7     |
| <i>Pediatrics</i>            | 8          | 62%                    | 5.8         | 3,587.5  | 5.8                    | <b>4.2</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 9          | 100%                   | 8.7         | 2,472.4  | 6.5                    | <b>6.3</b>  | 13.6     |
| <b>Psychiatry</b>            | 8          | 25%                    | 6.5         | 4,341.5  | 5.8                    | <b>4.7</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 13                         | 7.7  | 20%                       | 14%  | 23%  | <b>17%</b>  | 14%      |
| <i>Family Practice</i>       | -1                         | -1.6 | -4%                       | -8%  | -2%  | <b>-6%</b>  | 20%      |
| <i>General Practice</i>      | 2                          | 0.2  | 22%                       | 3%   | 25%  | <b>6%</b>   | -27%     |
| <i>Internal Medicine</i>     | 12                         | 10.9 | 48%                       | 50%  | 52%  | <b>54%</b>  | 17%      |
| <i>Pediatrics</i>            | 0                          | -1.9 | 0%                        | -25% | 3%   | <b>-23%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 5                          | 4.1  | 125%                      | 89%  | 131%   | <b>94%</b>  | 27%      |
| <b>Psychiatry</b>            | 3                          | 1.1  | 60%                       | 21%  | 64%  | <b>25%</b>  | 2%       |

## Physician Age Distribution, 1999

### Chautauqua County




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Chautauqua County



### New York State



# Chemung




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 75         | 41%                    | 64.9        | 14,618.8 | 81.8                   | <b>70.7</b> | 80.3     |
| <i>Family Practice</i>       | 21         | 25%                    | 19.1        | 2,509.4  | 22.9                   | <b>20.8</b> | 13.8     |
| <i>General Practice</i>      | 5          | 40%                    | 3.2         | 759.9    | 5.5                    | <b>3.5</b>  | 4.2      |
| <i>Internal Medicine</i>     | 36         | 53%                    | 30.5        | 7,762.0  | 39.2                   | <b>33.3</b> | 42.7     |
| <i>Pediatrics</i>            | 13         | 31%                    | 12.1        | 3,587.5  | 14.2                   | <b>13.1</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 11         | 55%                    | 10.5        | 2,472.4  | 12.0                   | <b>11.5</b> | 13.6     |
| <b>Psychiatry</b>            | 20         | 37%                    | 18.6        | 4,341.5  | 21.8                   | <b>20.2</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 13                         | 7.1  | 21%                       | 12%  | 24%  | <b>15%</b>  | 14%      |
| <i>Family Practice</i>       | 11                         | 9.3  | 110%                      | 95%  | 115%   | <b>99%</b>  | 20%      |
| <i>General Practice</i>      | 3                          | 1.2  | 150%                      | 59%  | 156%   | <b>63%</b>  | -27%     |
| <i>Internal Medicine</i>     | 1                          | -1.2 | 3%                        | -4%  | 5%   | <b>-1%</b>  | 17%      |
| <i>Pediatrics</i>            | -2                         | -2.1 | -13%                      | -15% | -11%   | <b>-13%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 1                          | 0.5  | 10%                       | 6%   | 13%  | <b>8%</b>   | 27%      |
| <b>Psychiatry</b>            | 7                          | 6.6  | 54%                       | 56%  | 58%  | <b>59%</b>  | 2%       |


## Physician Age Distribution, 1999 Chemung County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Chemung County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Chenango




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 24         | 62%                    | 22.1        | 14,618.8 | 47.3                   | <b>43.6</b> | 80.3     |
| <i>Family Practice</i>       | 17         | 47%                    | 15.3        | 2,509.4  | 33.5                   | <b>30.2</b> | 13.8     |
| <i>General Practice</i>      | 0          | --                     | 0.0         | 759.9    | 0.0                    | <b>0.0</b>  | 4.2      |
| <i>Internal Medicine</i>     | 5          | 100%                   | 4.9         | 7,762.0  | 9.9                    | <b>9.7</b>  | 42.7     |
| <i>Pediatrics</i>            | 2          | 100%                   | 1.9         | 3,587.5  | 3.9                    | <b>3.7</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 1          | 0%                     | 1.0         | 2,472.4  | 2.0                    | <b>2.0</b>  | 13.6     |
| <b>Psychiatry</b>            | 2          | 50%                    | 1.4         | 4,341.5  | 3.9                    | <b>2.7</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 3                          | 3.6  | 14%                       | 20%  | 17%  | <b>22%</b>  | 14%      |
| <i>Family Practice</i>       | 1                          | 2.1  | 6%                        | 16%  | 9%   | <b>18%</b>  | 20%      |
| <i>General Practice</i>      | 0                          | 0.0  | --                        | --   | --   | --          | -27%     |
| <i>Internal Medicine</i>     | 2                          | 1.7  | 67%                       | 54%  | 70%  | <b>57%</b>  | 17%      |
| <i>Pediatrics</i>            | 0                          | -0.2 | 0%                        | -9%  | 2%   | <b>-7%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | -1                         | -1.2 | -50%                      | -54% | -49%   | <b>-53%</b> | 27%      |
| <b>Psychiatry</b>            | 1                          | 0.5  | 100%                      | 50%  | 104%   | <b>54%</b>  | 2%       |


**Physician Age Distribution, 1999**  
**Chenango County**




**New York State**



**Physician Race/Ethnicity Distribution, 1999**  
**Chenango County**




**New York State**





# Clinton




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 54         | 30%                    | 46.2        | 14,618.8 | 67.7                   | <b>58.0</b> | 80.3     |
| <i>Family Practice</i>       | 19         | 42%                    | 16.1        | 2,509.4  | 23.8                   | <b>20.2</b> | 13.8     |
| <i>General Practice</i>      | 4          | 25%                    | 2.7         | 759.9    | 5.0                    | <b>3.4</b>  | 4.2      |
| <i>Internal Medicine</i>     | 21         | 24%                    | 18.3        | 7,762.0  | 26.3                   | <b>23.0</b> | 42.7     |
| <i>Pediatrics</i>            | 10         | 20%                    | 9.1         | 3,587.5  | 12.5                   | <b>11.4</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 9          | 13%                    | 8.1         | 2,472.4  | 11.3                   | <b>10.2</b> | 13.6     |
| <b>Psychiatry</b>            | 13         | 46%                    | 10.9        | 4,341.5  | 16.3                   | <b>13.7</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 4                          | 4.5  | 8%                        | 11%  | 12%  | <b>15%</b>  | 14%      |
| <i>Family Practice</i>       | -5                         | -5.9 | -21%                      | -27% | -18%   | <b>-24%</b> | 20%      |
| <i>General Practice</i>      | 2                          | 1.2  | 100%                      | 79%  | 108%   | <b>86%</b>  | -27%     |
| <i>Internal Medicine</i>     | 6                          | 7.4  | 40%                       | 67%  | 45%  | <b>74%</b>  | 17%      |
| <i>Pediatrics</i>            | 1                          | 1.8  | 11%                       | 25%  | 15%  | <b>30%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 3                          | 2.0  | 50%                       | 32%  | 56%  | <b>37%</b>  | 27%      |
| <b>Psychiatry</b>            | 1                          | -1.0 | 8%                        | -8%  | 13%  | <b>-5%</b>  | 2%       |


## Physician Age Distribution, 1999 Clinton County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Clinton County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Columbia




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 48         | 61%                    | 42.9        | 14,618.8 | 76.2                   | <b>68.1</b> | 80.3     |
| <i>Family Practice</i>       | 18         | 53%                    | 16.6        | 2,509.4  | 28.6                   | <b>26.3</b> | 13.8     |
| <i>General Practice</i>      | 4          | 75%                    | 2.0         | 759.9    | 6.3                    | <b>3.2</b>  | 4.2      |
| <i>Internal Medicine</i>     | 20         | 70%                    | 19.1        | 7,762.0  | 31.7                   | <b>30.4</b> | 42.7     |
| <i>Pediatrics</i>            | 6          | 40%                    | 5.1         | 3,587.5  | 9.5                    | <b>8.2</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 2          | 50%                    | 1.1         | 2,472.4  | 3.2                    | <b>1.7</b>  | 13.6     |
| <b>Psychiatry</b>            | 8          | 63%                    | 3.4         | 4,341.5  | 12.7                   | <b>5.4</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 14                         | 10.7 | 41%                       | 33%  | 43%  | <b>35%</b>  | 14%      |
| <i>Family Practice</i>       | 7                          | 6.5  | 64%                       | 64%  | 65%  | <b>66%</b>  | 20%      |
| <i>General Practice</i>      | -3                         | -3.9 | -43%                      | -66% | -42%   | <b>-66%</b> | -27%     |
| <i>Internal Medicine</i>     | 9                          | 8.5  | 82%                       | 79%  | 84%  | <b>81%</b>  | 17%      |
| <i>Pediatrics</i>            | 1                          | -0.4 | 20%                       | -7%  | 21%  | <b>-6%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | -1                         | -2.1 | -33%                      | -66% | -33%   | <b>-66%</b> | 27%      |
| <b>Psychiatry</b>            | -4                         | -7.9 | -33%                      | -70% | -33%   | <b>-70%</b> | 2%       |


## Physician Age Distribution, 1999 Columbia County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Columbia County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Cortland




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 28         | 52%                    | 22.0        | 14,618.8 | 58.3                   | <b>45.7</b> | 80.3     |
| <i>Family Practice</i>       | 12         | 50%                    | 10.1        | 2,509.4  | 25.0                   | <b>21.0</b> | 13.8     |
| <i>General Practice</i>      | 1          | 100%                   | 1.0         | 759.9    | 2.1                    | <b>2.1</b>  | 4.2      |
| <i>Internal Medicine</i>     | 9          | 62%                    | 6.9         | 7,762.0  | 18.7                   | <b>14.3</b> | 42.7     |
| <i>Pediatrics</i>            | 6          | 33%                    | 4.0         | 3,587.5  | 12.5                   | <b>8.4</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 4          | 50%                    | 4.0         | 2,472.4  | 8.3                    | <b>8.3</b>  | 13.6     |
| <b>Psychiatry</b>            | 4          | 75%                    | 3.4         | 4,341.5  | 8.3                    | <b>7.1</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 8                          | 3.4  | 40%                       | 18%  | 42%  | <b>20%</b>  | 14%      |
| <i>Family Practice</i>       | 4                          | 3.2  | 50%                       | 47%  | 52%  | <b>49%</b>  | 20%      |
| <i>General Practice</i>      | 0                          | -0.2 | 0%                        | -14% | 2%   | <b>-13%</b> | -27%     |
| <i>Internal Medicine</i>     | 1                          | -0.4 | 13%                       | -6%  | 14%  | <b>-5%</b>  | 17%      |
| <i>Pediatrics</i>            | 3                          | 0.8  | 100%                      | 25%  | 103%   | <b>27%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 3                          | 3.2  | 300%                      | 381% | 306%   | <b>388%</b> | 27%      |
| <b>Psychiatry</b>            | -2                         | -0.7 | -33%                      | -16% | -32%   | <b>-15%</b> | 2%       |


## Physician Age Distribution, 1999 Cortland County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Cortland County



## New York State



# Delaware



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 25         | 67%                    | 21.9        | 14,618.8 | 53.9                   | <b>47.2</b> | 80.3     |
| <i>Family Practice</i>       | 13         | 42%                    | 11.4        | 2,509.4  | 28.0                   | <b>24.6</b> | 13.8     |
| <i>General Practice</i>      | 2          | 100%                   | 1.6         | 759.9    | 4.3                    | <b>3.3</b>  | 4.2      |
| <i>Internal Medicine</i>     | 8          | 100%                   | 7.0         | 7,762.0  | 17.3                   | <b>15.1</b> | 42.7     |
| <i>Pediatrics</i>            | 2          | 50%                    | 1.9         | 3,587.5  | 4.3                    | <b>4.1</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 2          | 50%                    | 1.9         | 2,472.4  | 4.3                    | <b>4.0</b>  | 13.6     |
| <b>Psychiatry</b>            | 3          | 67%                    | 2.9         | 4,341.5  | 6.5                    | <b>6.2</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 9                          | 6.2  | 56%                       | 39%  | 60%  | <b>43%</b>  | 14%      |
| <i>Family Practice</i>       | 8                          | 6.4  | 160%                      | 126% | 167%   | <b>132%</b> | 20%      |
| <i>General Practice</i>      | 1                          | 0.4  | 100%                      | 33%  | 105%   | <b>37%</b>  | -27%     |
| <i>Internal Medicine</i>     | 0                          | -0.2 | 0%                        | -2%  | 3%   | <b>0%</b>   | 17%      |
| <i>Pediatrics</i>            | 0                          | -0.4 | 0%                        | -17% | 3%   | <b>-15%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | -2                         | -2.1 | -50%                      | -53% | -49%   | <b>-52%</b> | 27%      |
| <b>Psychiatry</b>            | 1                          | 0.9  | 50%                       | 45%  | 54%  | <b>49%</b>  | 2%       |

## Physician Age Distribution, 1999

### Delaware County




### New York State




## Physician Race/Ethnicity Distribution, 1999

### Delaware County




### New York State





# Dutchess




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 224        | 58%                    | 184.4       | 14,618.8 | 83.5                   | <b>68.7</b> | 80.3     |
| <i>Family Practice</i>       | 62         | 55%                    | 49.6        | 2,509.4  | 23.1                   | <b>18.5</b> | 13.8     |
| <i>General Practice</i>      | 12         | 70%                    | 7.5         | 759.9    | 4.5                    | <b>2.8</b>  | 4.2      |
| <i>Internal Medicine</i>     | 102        | 57%                    | 86.5        | 7,762.0  | 38.0                   | <b>32.2</b> | 42.7     |
| <i>Pediatrics</i>            | 48         | 60%                    | 40.8        | 3,587.5  | 17.9                   | <b>15.2</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 35         | 71%                    | 30.3        | 2,472.4  | 13.0                   | <b>11.3</b> | 13.6     |
| <b>Psychiatry</b>            | 86         | 73%                    | 70.2        | 4,341.5  | 32.1                   | <b>26.2</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 33                         | 16.0  | 17%                       | 10%  | 14%  | <b>7%</b>   | 14%      |
| <i>Family Practice</i>       | 19                         | 12.2  | 44%                       | 33%  | 40%  | <b>29%</b>  | 20%      |
| <i>General Practice</i>      | -7                         | -10.6 | -37%                      | -59% | -38%   | <b>-60%</b> | -27%     |
| <i>Internal Medicine</i>     | 15                         | 11.5  | 17%                       | 15%  | 14%  | <b>12%</b>  | 17%      |
| <i>Pediatrics</i>            | 6                          | 2.7   | 14%                       | 7%   | 11%  | <b>4%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | -2                         | -3.7  | -5%                       | -11% | -8%  | <b>-13%</b> | 27%      |
| <b>Psychiatry</b>            | -7                         | -10.8 | -8%                       | -13% | -10%   | <b>-16%</b> | 2%       |


## Physician Age Distribution, 1999 Dutchess County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Dutchess County



## New York State



# Erie




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 845        | 78%                    | 689.0       | 14,618.8 | 91.3                   | <b>74.4</b> | 80.3     |
| <i>Family Practice</i>       | 213        | 75%                    | 182.6       | 2,509.4  | 23.0                   | <b>19.7</b> | 13.8     |
| <i>General Practice</i>      | 40         | 72%                    | 27.9        | 759.9    | 4.3                    | <b>3.0</b>  | 4.2      |
| <i>Internal Medicine</i>     | 393        | 77%                    | 319.2       | 7,762.0  | 42.4                   | <b>34.5</b> | 42.7     |
| <i>Pediatrics</i>            | 199        | 82%                    | 159.3       | 3,587.5  | 21.5                   | <b>17.2</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 127        | 87%                    | 112.4       | 2,472.4  | 13.7                   | <b>12.1</b> | 13.6     |
| <b>Psychiatry</b>            | 157        | 71%                    | 115.7       | 4,341.5  | 17.0                   | <b>12.5</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 106                        | 109.2 | 14%                       | 19%  | 19%  | <b>23%</b>  | 14%      |
| <i>Family Practice</i>       | 35                         | 41.3  | 20%                       | 29%  | 24%  | <b>34%</b>  | 20%      |
| <i>General Practice</i>      | -19                        | -24.4 | -32%                      | -47% | -30%   | <b>-45%</b> | -27%     |
| <i>Internal Medicine</i>     | 44                         | 52.5  | 13%                       | 20%  | 17%  | <b>24%</b>  | 17%      |
| <i>Pediatrics</i>            | 46                         | 39.6  | 30%                       | 33%  | 35%  | <b>38%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 17                         | 25.6  | 15%                       | 30%  | 20%  | <b>34%</b>  | 27%      |
| <b>Psychiatry</b>            | 2                          | -1.7  | 1%                        | -1%  | 5%   | <b>2%</b>   | 2%       |


## Physician Age Distribution, 1999 Erie County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Erie County



## New York State



# Essex




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 23         | 65%                    | 20.2        | 14,618.8 | 61.3                   | <b>53.9</b> | 80.3     |
| <i>Family Practice</i>       | 14         | 58%                    | 13.3        | 2,509.4  | 37.3                   | <b>35.4</b> | 13.8     |
| <i>General Practice</i>      | 2          | 100%                   | 2.0         | 759.9    | 5.3                    | <b>5.3</b>  | 4.2      |
| <i>Internal Medicine</i>     | 5          | 80%                    | 3.3         | 7,762.0  | 13.3                   | <b>8.7</b>  | 42.7     |
| <i>Pediatrics</i>            | 2          | 50%                    | 1.7         | 3,587.5  | 5.3                    | <b>4.5</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 1          | 0%                     | 1.0         | 2,472.4  | 2.7                    | <b>2.7</b>  | 13.6     |
| <b>Psychiatry</b>            | 1          | 0%                     | 0.8         | 4,341.5  | 2.7                    | <b>2.1</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 5                          | 3.5  | 28%                       | 21%  | 28%  | <b>21%</b>  | 14%      |
| <i>Family Practice</i>       | 4                          | 4.2  | 40%                       | 46%  | 40%  | <b>46%</b>  | 20%      |
| <i>General Practice</i>      | 0                          | -0.3 | 0%                        | -14% | 0%   | <b>-14%</b> | -27%     |
| <i>Internal Medicine</i>     | 2                          | 1.3  | 67%                       | 64%  | 67%  | <b>65%</b>  | 17%      |
| <i>Pediatrics</i>            | -1                         | -1.6 | -33%                      | -49% | -33%   | <b>-49%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 1                          | 1.0  | --                        | --   | --   | <b>--</b>   | 27%      |
| <b>Psychiatry</b>            | 0                          | -0.2 | 0%                        | -24% | 0%   | <b>-24%</b> | 2%       |


## Physician Age Distribution, 1999 Essex County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Essex County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Franklin




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 36         | 29%                    | 29.7        | 14,618.8 | 74.2                   | <b>61.2</b> | 80.3     |
| <i>Family Practice</i>       | 11         | 20%                    | 8.8         | 2,509.4  | 22.7                   | <b>18.1</b> | 13.8     |
| <i>General Practice</i>      | 3          | 0%                     | 1.2         | 759.9    | 6.2                    | <b>2.5</b>  | 4.2      |
| <i>Internal Medicine</i>     | 17         | 38%                    | 15.1        | 7,762.0  | 35.0                   | <b>31.1</b> | 42.7     |
| <i>Pediatrics</i>            | 5          | 40%                    | 4.6         | 3,587.5  | 10.3                   | <b>9.5</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 2          | 100%                   | 2.0         | 2,472.4  | 4.1                    | <b>4.1</b>  | 13.6     |
| <b>Psychiatry</b>            | 7          | 29%                    | 5.4         | 4,341.5  | 14.4                   | <b>11.1</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 2                          | 0.2  | 6%                        | 1%   | 8%   | <b>2%</b>   | 14%      |
| <i>Family Practice</i>       | -1                         | -1.1 | -8%                       | -12% | -7%  | <b>-10%</b> | 20%      |
| <i>General Practice</i>      | 0                          | -2.2 | 0%                        | -64% | 2%   | <b>-64%</b> | -27%     |
| <i>Internal Medicine</i>     | -1                         | 0.0  | -6%                       | 0%   | -4%  | <b>2%</b>   | 17%      |
| <i>Pediatrics</i>            | 4                          | 3.5  | 400%                      | 303% | 409%   | <b>310%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | -2                         | -2.6 | -50%                      | -56% | -49%   | <b>-56%</b> | 27%      |
| <b>Psychiatry</b>            | 2                          | -0.1 | 40%                       | -1%  | 42%  | <b>1%</b>   | 2%       |


## Physician Age Distribution, 1999 Franklin County




## Physician Age Distribution, 1999 New York State



## Physician Race/Ethnicity Distribution, 1999 Franklin County




## Physician Race/Ethnicity Distribution, 1999 New York State





# Fulton




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 44         | 52%                    | 37.1        | 14,618.8 | 83.3                   | <b>70.2</b> | 80.3     |
| <i>Family Practice</i>       | 14         | 50%                    | 12.6        | 2,509.4  | 26.5                   | <b>23.8</b> | 13.8     |
| <i>General Practice</i>      | 10         | 70%                    | 5.8         | 759.9    | 18.9                   | <b>10.9</b> | 4.2      |
| <i>Internal Medicine</i>     | 15         | 47%                    | 14.6        | 7,762.0  | 28.4                   | <b>27.7</b> | 42.7     |
| <i>Pediatrics</i>            | 5          | 40%                    | 4.1         | 3,587.5  | 9.5                    | <b>7.8</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 2          | 100%                   | 1.6         | 2,472.4  | 3.8                    | <b>2.9</b>  | 13.6     |
| <b>Psychiatry</b>            | 3          | 0%                     | 3.0         | 4,341.5  | 5.7                    | <b>5.6</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 7                          | 1.5  | 19%                       | 4%   | 22%  | <b>7%</b>   | 14%      |
| <i>Family Practice</i>       | 5                          | 4.0  | 56%                       | 47%  | 59%  | <b>50%</b>  | 20%      |
| <i>General Practice</i>      | 2                          | -1.2 | 25%                       | -18% | 28%  | <b>-16%</b> | -27%     |
| <i>Internal Medicine</i>     | -1                         | -1.0 | -6%                       | -6%  | -4%  | <b>-4%</b>  | 17%      |
| <i>Pediatrics</i>            | 1                          | -0.3 | 25%                       | -8%  | 28%  | <b>-6%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | -1                         | -1.5 | -33%                      | -50% | -32%   | <b>-48%</b> | 27%      |
| <b>Psychiatry</b>            | 0                          | -0.5 | 0%                        | -14% | 2%   | <b>-12%</b> | 2%       |


## Physician Age Distribution, 1999 Fulton County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Fulton County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Genesee




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 28         | 74%                    | 23.3        | 14,618.8 | 46.3                   | <b>38.6</b> | 80.3     |
| <i>Family Practice</i>       | 8          | 75%                    | 7.3         | 2,509.4  | 13.2                   | <b>12.0</b> | 13.8     |
| <i>General Practice</i>      | 1          | 0%                     | 0.1         | 759.9    | 1.7                    | <b>0.2</b>  | 4.2      |
| <i>Internal Medicine</i>     | 16         | 73%                    | 13.0        | 7,762.0  | 26.5                   | <b>21.4</b> | 42.7     |
| <i>Pediatrics</i>            | 3          | 100%                   | 3.0         | 3,587.5  | 5.0                    | <b>5.0</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 4          | 50%                    | 3.5         | 2,472.4  | 6.6                    | <b>5.7</b>  | 13.6     |
| <b>Psychiatry</b>            | 4          | 50%                    | 3.7         | 4,341.5  | 6.6                    | <b>6.1</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 6                          | 3.4  | 27%                       | 17%  | 28%  | <b>18%</b>  | 14%      |
| <i>Family Practice</i>       | 5                          | 4.5  | 167%                      | 162% | 169%   | <b>165%</b> | 20%      |
| <i>General Practice</i>      | 0                          | -1.1 | 0%                        | -91% | 1%   | <b>-91%</b> | -27%     |
| <i>Internal Medicine</i>     | 1                          | -0.2 | 7%                        | -2%  | 8%   | <b>-1%</b>  | 17%      |
| <i>Pediatrics</i>            | 0                          | 0.2  | 0%                        | 5%   | 1%   | <b>6%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | 1                          | 0.2  | 33%                       | 8%   | 35%  | <b>9%</b>   | 27%      |
| <b>Psychiatry</b>            | 2                          | 1.4  | 100%                      | 62%  | 102%   | <b>63%</b>  | 2%       |


## Physician Age Distribution, 1999 Genesee County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Genesee County



## New York State



# Greene




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 18         | 61%                    | 15.4        | 14,618.8 | 37.2                   | <b>31.8</b> | 80.3     |
| <i>Family Practice</i>       | 5          | 40%                    | 4.2         | 2,509.4  | 10.3                   | <b>8.7</b>  | 13.8     |
| <i>General Practice</i>      | 2          | 100%                   | 1.0         | 759.9    | 4.1                    | <b>2.0</b>  | 4.2      |
| <i>Internal Medicine</i>     | 8          | 62%                    | 7.7         | 7,762.0  | 16.5                   | <b>15.8</b> | 42.7     |
| <i>Pediatrics</i>            | 3          | 67%                    | 2.6         | 3,587.5  | 6.2                    | <b>5.3</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 3          | 33%                    | 3.0         | 2,472.4  | 6.2                    | <b>6.2</b>  | 13.6     |
| <b>Psychiatry</b>            | 0          | --                     | 0.0         | 4,341.5  | 0.0                    | <b>0.0</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |       | Percent Change per 100,000 Population, 1995-1999 |              |          |
|------------------------------|----------------------------|------|---------------------------|-------|--|--------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs  | Physicians                                       | County FTEs  | NYS FTEs |
| <b>Primary Care</b>          | 3                          | 0.8  | 20%                       | 5%    | 18%  | <b>3%</b>    | 14%      |
| <i>Family Practice</i>       | 2                          | 1.6  | 67%                       | 64%   | 63%  | <b>61%</b>   | 20%      |
| <i>General Practice</i>      | -2                         | -3.7 | -50%                      | -80%  | -51%   | <b>-80%</b>  | -27%     |
| <i>Internal Medicine</i>     | 2                          | 2.2  | 33%                       | 39%   | 31%  | <b>36%</b>   | 17%      |
| <i>Pediatrics</i>            | 1                          | 0.6  | 50%                       | 32%   | 47%  | <b>30%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | 2                          | 2.0  | 200%                      | 195%  | 194%   | <b>189%</b>  | 27%      |
| <b>Psychiatry</b>            | -1                         | -1.1 | -100%                     | -100% | -100%  | <b>-100%</b> | 2%       |


## Physician Age Distribution, 1999 Greene County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Greene County



## New York State



# Hamilton




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 5          | 50%                    | 4.6         | 14,618.8 | 96.3                   | <b>89.3</b> | 80.3     |
| <i>Family Practice</i>       | 3          | 67%                    | 2.8         | 2,509.4  | 57.8                   | <b>53.6</b> | 13.8     |
| <i>General Practice</i>      | 1          | 0%                     | 0.9         | 759.9    | 19.3                   | <b>16.4</b> | 4.2      |
| <i>Internal Medicine</i>     | 0          | --                     | 0.0         | 7,762.0  | 0.0                    | <b>0.0</b>  | 42.7     |
| <i>Pediatrics</i>            | 1          | 0%                     | 1.0         | 3,587.5  | 19.3                   | <b>19.3</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 1          | 100%                   | 1.0         | 2,472.4  | 19.3                   | <b>19.3</b> | 13.6     |
| <b>Psychiatry</b>            | 0          | --                     | 0.0         | 4,341.5  | 0.0                    | <b>0.0</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 2                          | 1.2  | 67%                       | 35%  | 66%  | <b>34%</b>  | 14%      |
| <i>Family Practice</i>       | 1                          | 0.5  | 50%                       | 21%  | 50%  | <b>21%</b>  | 20%      |
| <i>General Practice</i>      | 0                          | -0.3 | 0%                        | -27% | 0%   | <b>-27%</b> | -27%     |
| <i>Internal Medicine</i>     | 0                          | 0.0  | --                        | --   | --   | --          | 17%      |
| <i>Pediatrics</i>            | 1                          | 1.0  | --                        | --   | --   | --          | 17%      |
| <b>Obstetrics/Gynecology</b> | 1                          | 1.0  | --                        | --   | --   | --          | 27%      |
| <b>Psychiatry</b>            | 0                          | 0.0  | --                        | --   | --   | --          | 2%       |


## Physician Age Distribution, 1999 Hamilton County




## New York State



## Physician Race/Ethnicity Distribution, 1999 Hamilton County




## New York State





# Herkimer




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 30         | 60%                    | 27.4        | 14,618.8 | 47.4                   | <b>43.3</b> | 80.3     |
| <i>Family Practice</i>       | 13         | 62%                    | 12.0        | 2,509.4  | 20.5                   | <b>18.9</b> | 13.8     |
| <i>General Practice</i>      | 1          | 100%                   | 1.0         | 759.9    | 1.6                    | <b>1.6</b>  | 4.2      |
| <i>Internal Medicine</i>     | 10         | 60%                    | 8.9         | 7,762.0  | 15.8                   | <b>14.1</b> | 42.7     |
| <i>Pediatrics</i>            | 6          | 50%                    | 5.5         | 3,587.5  | 9.5                    | <b>8.7</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 4          | 50%                    | 3.6         | 2,472.4  | 6.3                    | <b>5.6</b>  | 13.6     |
| <b>Psychiatry</b>            | 2          | 50%                    | 1.8         | 4,341.5  | 3.2                    | <b>2.8</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 8                          | 6.2  | 36%                       | 29%  | 42%  | <b>35%</b>  | 14%      |
| <i>Family Practice</i>       | 3                          | 2.3  | 30%                       | 24%  | 36%  | <b>29%</b>  | 20%      |
| <i>General Practice</i>      | -1                         | -1.3 | -50%                      | -57% | -48%   | <b>-55%</b> | -27%     |
| <i>Internal Medicine</i>     | 2                          | 1.7  | 25%                       | 23%  | 30%  | <b>28%</b>  | 17%      |
| <i>Pediatrics</i>            | 4                          | 3.5  | 200%                      | 179% | 213%   | <b>191%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | -1.0 | 0%                        | -22% | 4%   | <b>-18%</b> | 27%      |
| <b>Psychiatry</b>            | 0                          | 0.3  | 0%                        | 18%  | 4%   | <b>23%</b>  | 2%       |


## Physician Age Distribution, 1999 Herkimer County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Herkimer County



## New York State



# Jefferson




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 52         | 38%                    | 43.2        | 14,618.8 | 47.3                   | <b>39.3</b> | 80.3     |
| <i>Family Practice</i>       | 12         | 10%                    | 9.8         | 2,509.4  | 10.9                   | <b>8.9</b>  | 13.8     |
| <i>General Practice</i>      | 6          | 40%                    | 4.1         | 759.9    | 5.5                    | <b>3.7</b>  | 4.2      |
| <i>Internal Medicine</i>     | 20         | 39%                    | 17.1        | 7,762.0  | 18.2                   | <b>15.6</b> | 42.7     |
| <i>Pediatrics</i>            | 14         | 57%                    | 12.2        | 3,587.5  | 12.7                   | <b>11.1</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 6          | 67%                    | 6.0         | 2,472.4  | 5.5                    | <b>5.5</b>  | 13.6     |
| <b>Psychiatry</b>            | 5          | 80%                    | 4.4         | 4,341.5  | 4.5                    | <b>4.0</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 12                         | 6.5  | 30%                       | 18%  | 35%  | <b>23%</b>  | 14%      |
| <i>Family Practice</i>       | 1                          | 1.4  | 9%                        | 17%  | 14%  | <b>22%</b>  | 20%      |
| <i>General Practice</i>      | -2                         | -3.2 | -25%                      | -44% | -22%   | <b>-42%</b> | -27%     |
| <i>Internal Medicine</i>     | 9                          | 6.1  | 82%                       | 55%  | 89%  | <b>61%</b>  | 17%      |
| <i>Pediatrics</i>            | 4                          | 2.2  | 40%                       | 22%  | 46%  | <b>27%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | -0.2 | 0%                        | -4%  | 4%   | <b>0%</b>   | 27%      |
| <b>Psychiatry</b>            | 1                          | 0.9  | 25%                       | 24%  | 30%  | <b>29%</b>  | 2%       |


## Physician Age Distribution, 1999 Jefferson County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Jefferson County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Kings




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 1,994      | 88%                    | 1,662.8     | 14,618.8 | 87.9                   | <b>73.3</b> | 80.3     |
| <i>Family Practice</i>       | 214        | 86%                    | 174.9       | 2,509.4  | 9.4                    | <b>7.7</b>  | 13.8     |
| <i>General Practice</i>      | 116        | 77%                    | 84.2        | 759.9    | 5.1                    | <b>3.7</b>  | 4.2      |
| <i>Internal Medicine</i>     | 1,123      | 90%                    | 956.0       | 7,762.0  | 49.5                   | <b>42.1</b> | 42.7     |
| <i>Pediatrics</i>            | 541        | 86%                    | 447.7       | 3,587.5  | 23.9                   | <b>19.7</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 271        | 89%                    | 239.3       | 2,472.4  | 11.9                   | <b>10.5</b> | 13.6     |
| <b>Psychiatry</b>            | 366        | 87%                    | 280.5       | 4,341.5  | 16.1                   | <b>12.4</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 31                         | 34.8  | 2%                        | 2%   | 2%   | <b>2%</b>   | 14%      |
| <i>Family Practice</i>       | 26                         | 22.0  | 14%                       | 14%  | 14%  | <b>15%</b>  | 20%      |
| <i>General Practice</i>      | -34                        | -54.1 | -23%                      | -39% | -22%   | <b>-39%</b> | -27%     |
| <i>Internal Medicine</i>     | 66                         | 97.9  | 6%                        | 11%  | 7%   | <b>12%</b>  | 17%      |
| <i>Pediatrics</i>            | -27                        | -31.1 | -5%                       | -6%  | -5%  | <b>-6%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | -2                         | 33.6  | -1%                       | 16%  | 0%   | <b>17%</b>  | 27%      |
| <b>Psychiatry</b>            | -37                        | -43.0 | -9%                       | -13% | -9%  | <b>-13%</b> | 2%       |


## Physician Age Distribution, 1999 Kings County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Kings County



## New York State



# Lewis



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 19         | 68%                    | 17.1        | 14,618.8 | 69.6                   | <b>62.5</b> | 80.3     |
| <i>Family Practice</i>       | 14         | 57%                    | 12.3        | 2,509.4  | 51.3                   | <b>44.9</b> | 13.8     |
| <i>General Practice</i>      | 1          | 100%                   | 1.0         | 759.9    | 3.7                    | <b>3.7</b>  | 4.2      |
| <i>Internal Medicine</i>     | 4          | 100%                   | 3.8         | 7,762.0  | 14.7                   | <b>13.9</b> | 42.7     |
| <i>Pediatrics</i>            | 0          | --                     | 0.0         | 3,587.5  | 0.0                    | <b>0.0</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 5          | 80%                    | 4.3         | 2,472.4  | 18.3                   | <b>15.9</b> | 13.6     |
| <b>Psychiatry</b>            | 0          | --                     | 0.0         | 4,341.5  | 0.0                    | <b>0.0</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |       | Percent Change per 100,000 Population, 1995-1999 |              |          |
|------------------------------|----------------------------|------|---------------------------|-------|--|--------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs  | Physicians                                       | County FTEs  | NYS FTEs |
| <b>Primary Care</b>          | -1                         | -1.9 | -5%                       | -10%  | -4%  | <b>-9%</b>   | 14%      |
| <i>Family Practice</i>       | 3                          | 2.1  | 27%                       | 20%   | 29%  | <b>22%</b>   | 20%      |
| <i>General Practice</i>      | -1                         | -1.2 | -50%                      | -54%  | -49%   | <b>-54%</b>  | -27%     |
| <i>Internal Medicine</i>     | -2                         | -1.6 | -33%                      | -30%  | -33%   | <b>-29%</b>  | 17%      |
| <i>Pediatrics</i>            | -1                         | -1.1 | -100%                     | -100% | -100%  | <b>-100%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 2                          | 1.1  | 67%                       | 36%   | 69%  | <b>38%</b>   | 27%      |
| <b>Psychiatry</b>            | 0                          | 0.0  | --                        | --    | --   | <b>--</b>    | 2%       |

## Physician Age Distribution, 1999

### Lewis County




### New York State




## Physician Race/Ethnicity Distribution, 1999

### Lewis County




### New York State





# Livingston



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 28         | 46%                    | 25.7        | 14,618.8 | 42.5                   | <b>39.0</b> | 80.3     |
| <i>Family Practice</i>       | 15         | 47%                    | 14.5        | 2,509.4  | 22.8                   | <b>22.0</b> | 13.8     |
| <i>General Practice</i>      | 3          | 0%                     | 2.6         | 759.9    | 4.6                    | <b>3.9</b>  | 4.2      |
| <i>Internal Medicine</i>     | 5          | 80%                    | 5.0         | 7,762.0  | 7.6                    | <b>7.6</b>  | 42.7     |
| <i>Pediatrics</i>            | 5          | 40%                    | 3.7         | 3,587.5  | 7.6                    | <b>5.6</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 3          | 100%                   | 2.9         | 2,472.4  | 4.6                    | <b>4.4</b>  | 13.6     |
| <b>Psychiatry</b>            | 0          | --                     | 0.0         | 4,341.5  | 0.0                    | <b>0.0</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 5                          | 4.3  | 22%                       | 20%  | 21%  | <b>19%</b>  | 14%      |
| <i>Family Practice</i>       | 5                          | 6.4  | 50%                       | 79%  | 49%  | <b>77%</b>  | 20%      |
| <i>General Practice</i>      | -2                         | -3.3 | -40%                      | -56% | -41%   | <b>-57%</b> | -27%     |
| <i>Internal Medicine</i>     | 2                          | 2.2  | 67%                       | 82%  | 65%  | <b>81%</b>  | 17%      |
| <i>Pediatrics</i>            | 0                          | -1.1 | 0%                        | -23% | -1%  | <b>-24%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 1                          | 0.8  | 50%                       | 35%  | 49%  | <b>34%</b>  | 27%      |
| <b>Psychiatry</b>            | 0                          | 0.0  | --                        | --   | --   | <b>--</b>   | 2%       |

## Physician Age Distribution, 1999

### Livingston County




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Livingston County



### New York State



# Madison



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 40         | 55%                    | 34.5        | 14,618.8 | 56.2                   | <b>48.5</b> | 80.3     |
| <i>Family Practice</i>       | 23         | 52%                    | 20.1        | 2,509.4  | 32.3                   | <b>28.3</b> | 13.8     |
| <i>General Practice</i>      | 3          | 67%                    | 2.4         | 759.9    | 4.2                    | <b>3.3</b>  | 4.2      |
| <i>Internal Medicine</i>     | 10         | 60%                    | 8.9         | 7,762.0  | 14.1                   | <b>12.5</b> | 42.7     |
| <i>Pediatrics</i>            | 4          | 50%                    | 3.2         | 3,587.5  | 5.6                    | <b>4.4</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 8          | 50%                    | 6.9         | 2,472.4  | 11.2                   | <b>9.7</b>  | 13.6     |
| <b>Psychiatry</b>            | 3          | 67%                    | 2.1         | 4,341.5  | 4.2                    | <b>3.0</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 9                          | 5.0  | 29%                       | 17%  | 29%  | <b>17%</b>  | 14%      |
| <i>Family Practice</i>       | 4                          | 3.1  | 21%                       | 18%  | 21%  | <b>18%</b>  | 20%      |
| <i>General Practice</i>      | 3                          | 2.4  | --                        | --   | --   | --          | -27%     |
| <i>Internal Medicine</i>     | 4                          | 2.4  | 67%                       | 36%  | 67%  | <b>36%</b>  | 17%      |
| <i>Pediatrics</i>            | -2                         | -2.8 | -33%                      | -47% | -33%   | <b>-47%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 4                          | 3.0  | 100%                      | 78%  | 100%   | <b>78%</b>  | 27%      |
| <b>Psychiatry</b>            | 2                          | 1.0  | 200%                      | 86%  | 200%   | <b>86%</b>  | 2%       |

## Physician Age Distribution, 1999

### Madison County




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Madison County



### New York State



# Monroe




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 809        | 76%                    | 666.1       | 14,618.8 | 113.6                  | <b>93.5</b> | 80.3     |
| <i>Family Practice</i>       | 125        | 68%                    | 95.3        | 2,509.4  | 17.5                   | <b>13.4</b> | 13.8     |
| <i>General Practice</i>      | 14         | 71%                    | 8.9         | 759.9    | 2.0                    | <b>1.3</b>  | 4.2      |
| <i>Internal Medicine</i>     | 468        | 83%                    | 396.2       | 7,762.0  | 65.7                   | <b>55.6</b> | 42.7     |
| <i>Pediatrics</i>            | 202        | 65%                    | 165.7       | 3,587.5  | 28.4                   | <b>23.3</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 136        | 76%                    | 115.7       | 2,472.4  | 19.1                   | <b>16.2</b> | 13.6     |
| <b>Psychiatry</b>            | 183        | 73%                    | 138.1       | 4,341.5  | 25.7                   | <b>19.4</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 57                         | 107.8 | 8%                        | 19%  | 9%   | <b>21%</b>  | 14%      |
| <i>Family Practice</i>       | 11                         | 6.3   | 10%                       | 7%   | 11%  | <b>8%</b>   | 20%      |
| <i>General Practice</i>      | -8                         | -9.8  | -36%                      | -52% | -36%   | <b>-52%</b> | -27%     |
| <i>Internal Medicine</i>     | 29                         | 75.1  | 7%                        | 23%  | 8%   | <b>25%</b>  | 17%      |
| <i>Pediatrics</i>            | 25                         | 36.8  | 14%                       | 29%  | 16%  | <b>30%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 8                          | 26.4  | 6%                        | 30%  | 8%   | <b>31%</b>  | 27%      |
| <b>Psychiatry</b>            | -4                         | 1.7   | -2%                       | 1%   | -1%  | <b>3%</b>   | 2%       |


## Physician Age Distribution, 1999 Monroe County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Monroe County



## New York State



# Montgomery



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 28         | 89%                    | 25.1        | 14,618.8 | 55.6                   | <b>49.9</b> | 80.3     |
| <i>Family Practice</i>       | 11         | 91%                    | 9.8         | 2,509.4  | 21.8                   | <b>19.5</b> | 13.8     |
| <i>General Practice</i>      | 1          | 100%                   | 1.0         | 759.9    | 2.0                    | <b>2.0</b>  | 4.2      |
| <i>Internal Medicine</i>     | 9          | 89%                    | 8.0         | 7,762.0  | 17.9                   | <b>15.9</b> | 42.7     |
| <i>Pediatrics</i>            | 7          | 86%                    | 6.3         | 3,587.5  | 13.9                   | <b>12.5</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 4          | 50%                    | 4.0         | 2,472.4  | 7.9                    | <b>7.9</b>  | 13.6     |
| <b>Psychiatry</b>            | 5          | 80%                    | 4.0         | 4,341.5  | 9.9                    | <b>7.9</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | -1                         | -2.2 | -3%                       | -8%  | 0%   | <b>-5%</b>  | 14%      |
| <i>Family Practice</i>       | 2                          | 1.3  | 22%                       | 15%  | 26%  | <b>19%</b>  | 20%      |
| <i>General Practice</i>      | -6                         | -5.9 | -86%                      | -85% | -85%   | <b>-85%</b> | -27%     |
| <i>Internal Medicine</i>     | 4                          | 2.6  | 80%                       | 49%  | 86%  | <b>54%</b>  | 17%      |
| <i>Pediatrics</i>            | -1                         | -0.4 | -13%                      | -6%  | -10%   | <b>-3%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | -0.6 | 0%                        | -13% | 3%   | <b>-10%</b> | 27%      |
| <b>Psychiatry</b>            | 1                          | -0.3 | 25%                       | -8%  | 29%  | <b>-5%</b>  | 2%       |

## Physician Age Distribution, 1999

### Montgomery County




### New York State




## Physician Race/Ethnicity Distribution, 1999

### Montgomery County




### New York State





# Nassau




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |              |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|--------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs  | NYS FTEs |
| <b>Primary Care</b>          | 1,787      | 89%                    | 1,454.2     | 14,618.8 | 136.9                  | <b>111.4</b> | 80.3     |
| <i>Family Practice</i>       | 218        | 84%                    | 178.7       | 2,509.4  | 16.7                   | <b>13.7</b>  | 13.8     |
| <i>General Practice</i>      | 106        | 76%                    | 72.3        | 759.9    | 8.1                    | <b>5.5</b>   | 4.2      |
| <i>Internal Medicine</i>     | 957        | 90%                    | 797.7       | 7,762.0  | 73.3                   | <b>61.1</b>  | 42.7     |
| <i>Pediatrics</i>            | 506        | 92%                    | 405.3       | 3,587.5  | 38.8                   | <b>31.1</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 316        | 89%                    | 283.9       | 2,472.4  | 24.2                   | <b>21.8</b>  | 13.6     |
| <b>Psychiatry</b>            | 459        | 90%                    | 352.0       | 4,341.5  | 35.2                   | <b>27.0</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 396                        | 302.3 | 28%                       | 26%  | 28%  | <b>26%</b>  | 14%      |
| <i>Family Practice</i>       | 20                         | 13.1  | 10%                       | 8%   | 10%  | <b>7%</b>   | 20%      |
| <i>General Practice</i>      | 35                         | 7.8   | 49%                       | 12%  | 49%  | <b>12%</b>  | -27%     |
| <i>Internal Medicine</i>     | 207                        | 177.3 | 28%                       | 29%  | 27%  | <b>28%</b>  | 17%      |
| <i>Pediatrics</i>            | 134                        | 104.6 | 36%                       | 35%  | 35%  | <b>34%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 56                         | 69.1  | 22%                       | 32%  | 21%  | <b>32%</b>  | 27%      |
| <b>Psychiatry</b>            | 88                         | 69.1  | 24%                       | 24%  | 23%  | <b>24%</b>  | 2%       |


## Physician Age Distribution, 1999 Nassau County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Nassau County



## New York State



# New York




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |              |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|--------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs  | NYS FTEs |
| <b>Primary Care</b>          | 2,882      | 83%                    | 2,233.2     | 14,618.8 | 185.7                  | <b>143.9</b> | 80.3     |
| <i>Family Practice</i>       | 166        | 71%                    | 126.1       | 2,509.4  | 10.7                   | <b>8.1</b>   | 13.8     |
| <i>General Practice</i>      | 186        | 79%                    | 132.1       | 759.9    | 12.0                   | <b>8.5</b>   | 4.2      |
| <i>Internal Medicine</i>     | 1,890      | 85%                    | 1,468.6     | 7,762.0  | 121.8                  | <b>94.6</b>  | 42.7     |
| <i>Pediatrics</i>            | 640        | 83%                    | 506.0       | 3,587.5  | 41.2                   | <b>32.6</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 559        | 86%                    | 481.9       | 2,472.4  | 36.0                   | <b>31.1</b>  | 13.6     |
| <b>Psychiatry</b>            | 2,151      | 90%                    | 1,546.3     | 4,341.5  | 138.6                  | <b>99.6</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 293                        | 362.3 | 11%                       | 19%  | 9%   | <b>17%</b>  | 14%      |
| <i>Family Practice</i>       | 51                         | 34.2  | 44%                       | 37%  | 42%  | <b>35%</b>  | 20%      |
| <i>General Practice</i>      | 19                         | -18.1 | 11%                       | -12% | 9%   | <b>-14%</b> | -27%     |
| <i>Internal Medicine</i>     | 106                        | 212.3 | 6%                        | 17%  | 4%   | <b>15%</b>  | 17%      |
| <i>Pediatrics</i>            | 117                        | 134.4 | 22%                       | 36%  | 20%  | <b>34%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 99                         | 143.9 | 22%                       | 43%  | 19%  | <b>40%</b>  | 27%      |
| <b>Psychiatry</b>            | 173                        | 137.5 | 9%                        | 10%  | 7%   | <b>8%</b>   | 2%       |


## Physician Age Distribution, 1999 New York County




## New York State




## Physician Race/Ethnicity Distribution, 1999 New York County



## New York State



# Niagara




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 120        | 82%                    | 96.6        | 14,618.8 | 55.5                   | <b>44.7</b> | 80.3     |
| <i>Family Practice</i>       | 42         | 90%                    | 33.8        | 2,509.4  | 19.4                   | <b>15.6</b> | 13.8     |
| <i>General Practice</i>      | 6          | 60%                    | 5.7         | 759.9    | 2.8                    | <b>2.6</b>  | 4.2      |
| <i>Internal Medicine</i>     | 51         | 80%                    | 37.7        | 7,762.0  | 23.6                   | <b>17.4</b> | 42.7     |
| <i>Pediatrics</i>            | 21         | 76%                    | 19.4        | 3,587.5  | 9.7                    | <b>9.0</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 14         | 62%                    | 12.7        | 2,472.4  | 6.5                    | <b>5.9</b>  | 13.6     |
| <b>Psychiatry</b>            | 15         | 67%                    | 13.2        | 4,341.5  | 6.9                    | <b>6.1</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 14                         | 2.2  | 13%                       | 2%   | 16%  | <b>5%</b>   | 14%      |
| <i>Family Practice</i>       | 7                          | 3.9  | 20%                       | 13%  | 23%  | <b>16%</b>  | 20%      |
| <i>General Practice</i>      | -1                         | -1.2 | -14%                      | -17% | -12%   | <b>-16%</b> | -27%     |
| <i>Internal Medicine</i>     | 6                          | -2.7 | 13%                       | -7%  | 16%  | <b>-5%</b>  | 17%      |
| <i>Pediatrics</i>            | 2                          | 2.2  | 11%                       | 13%  | 13%  | <b>16%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 4                          | 3.2  | 40%                       | 34%  | 43%  | <b>37%</b>  | 27%      |
| <b>Psychiatry</b>            | 6                          | 5.8  | 67%                       | 77%  | 71%  | <b>82%</b>  | 2%       |


## Physician Age Distribution, 1999 Niagara County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Niagara County



## New York State



# Oneida




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 176        | 58%                    | 148.6       | 14,618.8 | 76.6                   | <b>64.7</b> | 80.3     |
| <i>Family Practice</i>       | 66         | 73%                    | 57.1        | 2,509.4  | 28.7                   | <b>24.9</b> | 13.8     |
| <i>General Practice</i>      | 14         | 61%                    | 10.3        | 759.9    | 6.1                    | <b>4.5</b>  | 4.2      |
| <i>Internal Medicine</i>     | 72         | 51%                    | 63.1        | 7,762.0  | 31.3                   | <b>27.5</b> | 42.7     |
| <i>Pediatrics</i>            | 24         | 35%                    | 18.0        | 3,587.5  | 10.4                   | <b>7.8</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 20         | 50%                    | 19.1        | 2,472.4  | 8.7                    | <b>8.3</b>  | 13.6     |
| <b>Psychiatry</b>            | 47         | 63%                    | 38.5        | 4,341.5  | 20.5                   | <b>16.7</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 17                         | 11.1  | 11%                       | 8%   | 16%  | <b>14%</b>  | 14%      |
| <i>Family Practice</i>       | 16                         | 13.5  | 32%                       | 31%  | 39%  | <b>37%</b>  | 20%      |
| <i>General Practice</i>      | -14                        | -15.1 | -50%                      | -59% | -47%   | <b>-57%</b> | -27%     |
| <i>Internal Medicine</i>     | 7                          | 7.8   | 11%                       | 14%  | 16%  | <b>20%</b>  | 17%      |
| <i>Pediatrics</i>            | 8                          | 4.7   | 50%                       | 35%  | 58%  | <b>42%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 4                          | 4.0   | 25%                       | 27%  | 31%  | <b>33%</b>  | 27%      |
| <b>Psychiatry</b>            | -3                         | -6.9  | -6%                       | -15% | -1%  | <b>-11%</b> | 2%       |


## Physician Age Distribution, 1999 Oneida County




## New York State



## Physician Race/Ethnicity Distribution, 1999 Oneida County




## New York State





# Onondaga




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 440        | 68%                    | 364.1       | 14,618.8 | 96.4                   | <b>79.8</b> | 80.3     |
| <i>Family Practice</i>       | 157        | 77%                    | 132.5       | 2,509.4  | 34.4                   | <b>29.0</b> | 13.8     |
| <i>General Practice</i>      | 18         | 67%                    | 13.4        | 759.9    | 3.9                    | <b>2.9</b>  | 4.2      |
| <i>Internal Medicine</i>     | 153        | 64%                    | 130.0       | 7,762.0  | 33.5                   | <b>28.5</b> | 42.7     |
| <i>Pediatrics</i>            | 112        | 60%                    | 88.3        | 3,587.5  | 24.5                   | <b>19.3</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 72         | 77%                    | 64.1        | 2,472.4  | 15.8                   | <b>14.0</b> | 13.6     |
| <b>Psychiatry</b>            | 105        | 74%                    | 77.7        | 4,341.5  | 23.0                   | <b>17.0</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 92                         | 91.4 | 26%                       | 34%  | 30%  | <b>37%</b>  | 14%      |
| <i>Family Practice</i>       | 54                         | 50.2 | 52%                       | 61%  | 57%  | <b>66%</b>  | 20%      |
| <i>General Practice</i>      | 6                          | 1.0  | 50%                       | 8%   | 54%  | <b>11%</b>  | -27%     |
| <i>Internal Medicine</i>     | 21                         | 29.4 | 16%                       | 29%  | 19%  | <b>33%</b>  | 17%      |
| <i>Pediatrics</i>            | 11                         | 10.9 | 11%                       | 14%  | 14%  | <b>17%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 10                         | 15.9 | 16%                       | 33%  | 19%  | <b>37%</b>  | 27%      |
| <b>Psychiatry</b>            | 2                          | 2.8  | 2%                        | 4%   | 5%   | <b>7%</b>   | 2%       |


## Physician Age Distribution, 1999 Onondaga County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Onondaga County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Ontario




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 73         | 61%                    | 61.6        | 14,618.8 | 73.2                   | <b>61.7</b> | 80.3     |
| <i>Family Practice</i>       | 19         | 53%                    | 16.1        | 2,509.4  | 19.0                   | <b>16.1</b> | 13.8     |
| <i>General Practice</i>      | 3          | 50%                    | 2.8         | 759.9    | 3.0                    | <b>2.8</b>  | 4.2      |
| <i>Internal Medicine</i>     | 39         | 74%                    | 32.0        | 7,762.0  | 39.1                   | <b>32.0</b> | 42.7     |
| <i>Pediatrics</i>            | 12         | 33%                    | 10.8        | 3,587.5  | 12.0                   | <b>10.8</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 12         | 58%                    | 11.2        | 2,472.4  | 12.0                   | <b>11.2</b> | 13.6     |
| <b>Psychiatry</b>            | 14         | 57%                    | 10.0        | 4,341.5  | 14.0                   | <b>10.0</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 13                         | 5.4  | 22%                       | 10%  | 20%  | <b>9%</b>   | 14%      |
| <i>Family Practice</i>       | 9                          | 6.8  | 90%                       | 73%  | 88%  | <b>72%</b>  | 20%      |
| <i>General Practice</i>      | 1                          | 0.7  | 50%                       | 34%  | 49%  | <b>32%</b>  | -27%     |
| <i>Internal Medicine</i>     | 3                          | -0.9 | 8%                        | -3%  | 7%   | <b>-4%</b>  | 17%      |
| <i>Pediatrics</i>            | 0                          | -1.1 | 0%                        | -9%  | -1%  | <b>-10%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 1                          | 1.4  | 9%                        | 14%  | 8%   | <b>13%</b>  | 27%      |
| <b>Psychiatry</b>            | 0                          | -2.7 | 0%                        | -22% | -1%  | <b>-22%</b> | 2%       |


## Physician Age Distribution, 1999 Ontario County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Ontario County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Orange




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 211        | 69%                    | 180.6       | 14,618.8 | 63.1                   | <b>54.0</b> | 80.3     |
| <i>Family Practice</i>       | 29         | 54%                    | 23.9        | 2,509.4  | 8.7                    | <b>7.1</b>  | 13.8     |
| <i>General Practice</i>      | 18         | 72%                    | 12.5        | 759.9    | 5.4                    | <b>3.8</b>  | 4.2      |
| <i>Internal Medicine</i>     | 101        | 69%                    | 89.4        | 7,762.0  | 30.2                   | <b>26.7</b> | 42.7     |
| <i>Pediatrics</i>            | 63         | 75%                    | 54.8        | 3,587.5  | 18.9                   | <b>16.4</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 43         | 72%                    | 40.6        | 2,472.4  | 12.9                   | <b>12.1</b> | 13.6     |
| <b>Psychiatry</b>            | 78         | 79%                    | 62.8        | 4,341.5  | 23.3                   | <b>18.8</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 11                         | 4.8  | 6%                        | 3%   | 2%   | <b>-1%</b>  | 14%      |
| <i>Family Practice</i>       | -4                         | -6.6 | -12%                      | -22% | -15%   | <b>-25%</b> | 20%      |
| <i>General Practice</i>      | -7                         | -8.5 | -28%                      | -40% | -31%   | <b>-43%</b> | -27%     |
| <i>Internal Medicine</i>     | 12                         | 12.9 | 13%                       | 17%  | 9%   | <b>12%</b>  | 17%      |
| <i>Pediatrics</i>            | 10                         | 6.9  | 19%                       | 14%  | 14%  | <b>10%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 9                          | 9.0  | 26%                       | 28%  | 22%  | <b>24%</b>  | 27%      |
| <b>Psychiatry</b>            | 5                          | -1.8 | 7%                        | -3%  | 3%   | <b>-6%</b>  | 2%       |


## Physician Age Distribution, 1999 Orange County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Orange County



## New York State



# Orleans



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 22         | 73%                    | 19.3        | 14,618.8 | 48.9                   | <b>42.8</b> | 80.3     |
| <i>Family Practice</i>       | 10         | 70%                    | 9.3         | 2,509.4  | 22.2                   | <b>20.7</b> | 13.8     |
| <i>General Practice</i>      | 2          | 50%                    | 1.2         | 759.9    | 4.4                    | <b>2.6</b>  | 4.2      |
| <i>Internal Medicine</i>     | 7          | 86%                    | 5.9         | 7,762.0  | 15.5                   | <b>13.1</b> | 42.7     |
| <i>Pediatrics</i>            | 3          | 67%                    | 2.9         | 3,587.5  | 6.7                    | <b>6.5</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 3          | 50%                    | 3.0         | 2,472.4  | 6.7                    | <b>6.7</b>  | 13.6     |
| <b>Psychiatry</b>            | 2          | 100%                   | 1.3         | 4,341.5  | 4.4                    | <b>2.9</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 10                         | 6.7  | 83%                       | 54%  | 83%  | <b>54%</b>  | 14%      |
| <i>Family Practice</i>       | 5                          | 3.6  | 100%                      | 63%  | 100%   | <b>62%</b>  | 20%      |
| <i>General Practice</i>      | 2                          | 1.2  | --                        | --   | --   | --          | -27%     |
| <i>Internal Medicine</i>     | 3                          | 1.9  | 75%                       | 47%  | 75%  | <b>47%</b>  | 17%      |
| <i>Pediatrics</i>            | 0                          | 0.1  | 0%                        | 4%   | 0%   | <b>4%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | 1                          | 0.9  | 50%                       | 46%  | 50%  | <b>46%</b>  | 27%      |
| <b>Psychiatry</b>            | 0                          | -0.3 | 0%                        | -19% | 0%   | <b>-19%</b> | 2%       |

## Physician Age Distribution, 1999

### Orleans County




### New York State




## Physician Race/Ethnicity Distribution, 1999

### Orleans County




### New York State





# Oswego




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 49         | 66%                    | 44.6        | 14,618.8 | 39.6                   | <b>36.0</b> | 80.3     |
| <i>Family Practice</i>       | 16         | 50%                    | 14.3        | 2,509.4  | 12.9                   | <b>11.5</b> | 13.8     |
| <i>General Practice</i>      | 5          | 60%                    | 3.9         | 759.9    | 4.0                    | <b>3.2</b>  | 4.2      |
| <i>Internal Medicine</i>     | 21         | 75%                    | 19.8        | 7,762.0  | 17.0                   | <b>16.0</b> | 42.7     |
| <i>Pediatrics</i>            | 7          | 83%                    | 6.6         | 3,587.5  | 5.7                    | <b>5.4</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 4          | 50%                    | 3.6         | 2,472.4  | 3.2                    | <b>2.9</b>  | 13.6     |
| <b>Psychiatry</b>            | 3          | 67%                    | 2.8         | 4,341.5  | 2.4                    | <b>2.2</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 8                          | 8.7  | 20%                       | 24%  | 21%  | <b>25%</b>  | 14%      |
| <i>Family Practice</i>       | 3                          | 2.7  | 23%                       | 24%  | 24%  | <b>25%</b>  | 20%      |
| <i>General Practice</i>      | -2                         | -1.9 | -29%                      | -33% | -28%   | <b>-32%</b> | -27%     |
| <i>Internal Medicine</i>     | 9                          | 9.4  | 75%                       | 90%  | 77%  | <b>91%</b>  | 17%      |
| <i>Pediatrics</i>            | -2                         | -1.6 | -22%                      | -19% | -21%   | <b>-19%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | -0.5 | 0%                        | -12% | 1%   | <b>-11%</b> | 27%      |
| <b>Psychiatry</b>            | 0                          | -0.1 | 0%                        | -5%  | 1%   | <b>-4%</b>  | 2%       |


## Physician Age Distribution, 1999 Oswego County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Oswego County



## New York State



# Otsego




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 57         | 68%                    | 45.1        | 14,618.8 | 94.0                   | <b>74.4</b> | 80.3     |
| <i>Family Practice</i>       | 12         | 83%                    | 8.9         | 2,509.4  | 19.8                   | <b>14.6</b> | 13.8     |
| <i>General Practice</i>      | 2          | 100%                   | 1.3         | 759.9    | 3.3                    | <b>2.1</b>  | 4.2      |
| <i>Internal Medicine</i>     | 32         | 75%                    | 26.9        | 7,762.0  | 52.8                   | <b>44.3</b> | 42.7     |
| <i>Pediatrics</i>            | 11         | 27%                    | 8.1         | 3,587.5  | 18.1                   | <b>13.4</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 10         | 50%                    | 10.0        | 2,472.4  | 16.5                   | <b>16.5</b> | 13.6     |
| <b>Psychiatry</b>            | 13         | 54%                    | 11.6        | 4,341.5  | 21.4                   | <b>19.1</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 18                         | 14.7 | 46%                       | 48%  | 47%  | <b>50%</b>  | 14%      |
| <i>Family Practice</i>       | 9                          | 5.9  | 300%                      | 203% | 304%   | <b>206%</b> | 20%      |
| <i>General Practice</i>      | -2                         | -2.1 | -50%                      | -62% | -50%   | <b>-62%</b> | -27%     |
| <i>Internal Medicine</i>     | 6                          | 8.6  | 23%                       | 47%  | 24%  | <b>48%</b>  | 17%      |
| <i>Pediatrics</i>            | 5                          | 2.3  | 83%                       | 39%  | 85%  | <b>40%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 2                          | 4.0  | 25%                       | 67%  | 26%  | <b>69%</b>  | 27%      |
| <b>Psychiatry</b>            | 5                          | 4.0  | 63%                       | 53%  | 64%  | <b>55%</b>  | 2%       |


## Physician Age Distribution, 1999 Otsego County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Otsego County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Putnam




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 65         | 76%                    | 56.7        | 14,618.8 | 68.5                   | <b>59.8</b> | 80.3     |
| <i>Family Practice</i>       | 10         | 75%                    | 8.0         | 2,509.4  | 10.5                   | <b>8.4</b>  | 13.8     |
| <i>General Practice</i>      | 3          | 100%                   | 2.1         | 759.9    | 3.2                    | <b>2.2</b>  | 4.2      |
| <i>Internal Medicine</i>     | 34         | 74%                    | 30.1        | 7,762.0  | 35.8                   | <b>31.7</b> | 42.7     |
| <i>Pediatrics</i>            | 18         | 78%                    | 16.5        | 3,587.5  | 19.0                   | <b>17.4</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 11         | 70%                    | 9.7         | 2,472.4  | 11.6                   | <b>10.2</b> | 13.6     |
| <b>Psychiatry</b>            | 12         | 67%                    | 9.7         | 4,341.5  | 12.7                   | <b>10.2</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 10                         | 4.6  | 18%                       | 9%   | 12%  | <b>3%</b>   | 14%      |
| <i>Family Practice</i>       | 4                          | 2.3  | 67%                       | 40%  | 58%  | <b>33%</b>  | 20%      |
| <i>General Practice</i>      | 1                          | -0.2 | 50%                       | -10% | 42%  | <b>-14%</b> | -27%     |
| <i>Internal Medicine</i>     | -2                         | -3.4 | -6%                       | -10% | -10%   | <b>-15%</b> | 17%      |
| <i>Pediatrics</i>            | 7                          | 6.0  | 64%                       | 57%  | 55%  | <b>49%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | -2                         | -2.0 | -15%                      | -17% | -20%   | <b>-22%</b> | 27%      |
| <b>Psychiatry</b>            | -7                         | -6.0 | -37%                      | -38% | -40%   | <b>-41%</b> | 2%       |


## Physician Age Distribution, 1999 Putnam County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Putnam County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Queens



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 1,796      | 89%                    | 1,453.8     | 14,618.8 | 89.8                   | <b>72.7</b> | 80.3     |
| <i>Family Practice</i>       | 203        | 87%                    | 167.5       | 2,509.4  | 10.1                   | <b>8.4</b>  | 13.8     |
| <i>General Practice</i>      | 136        | 87%                    | 93.1        | 759.9    | 6.8                    | <b>4.7</b>  | 4.2      |
| <i>Internal Medicine</i>     | 984        | 89%                    | 803.4       | 7,762.0  | 49.2                   | <b>40.2</b> | 42.7     |
| <i>Pediatrics</i>            | 473        | 90%                    | 389.9       | 3,587.5  | 23.6                   | <b>19.5</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 243        | 93%                    | 207.5       | 2,472.4  | 12.1                   | <b>10.4</b> | 13.6     |
| <b>Psychiatry</b>            | 349        | 86%                    | 262.2       | 4,341.5  | 17.4                   | <b>13.1</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 267                        | 164.4 | 17%                       | 13%  | 15%  | <b>11%</b>  | 14%      |
| <i>Family Practice</i>       | 36                         | 29.2  | 22%                       | 21%  | 19%  | <b>19%</b>  | 20%      |
| <i>General Practice</i>      | 6                          | -28.7 | 5%                        | -24% | 3%   | <b>-25%</b> | -27%     |
| <i>Internal Medicine</i>     | 152                        | 119.7 | 18%                       | 18%  | 16%  | <b>15%</b>  | 17%      |
| <i>Pediatrics</i>            | 73                         | 44.0  | 18%                       | 13%  | 16%  | <b>11%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 57                         | 57.0  | 31%                       | 38%  | 28%  | <b>35%</b>  | 27%      |
| <b>Psychiatry</b>            | -21                        | -11.3 | -6%                       | -4%  | -7%  | <b>-6%</b>  | 2%       |

## Physician Age Distribution, 1999

### Queens County




### New York State




## Physician Race/Ethnicity Distribution, 1999

### Queens County




### New York State





# Rensselaer




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 105        | 69%                    | 88.5        | 14,618.8 | 69.3                   | <b>58.5</b> | 80.3     |
| <i>Family Practice</i>       | 32         | 62%                    | 27.8        | 2,509.4  | 21.1                   | <b>18.3</b> | 13.8     |
| <i>General Practice</i>      | 8          | 33%                    | 5.2         | 759.9    | 5.3                    | <b>3.4</b>  | 4.2      |
| <i>Internal Medicine</i>     | 42         | 74%                    | 36.8        | 7,762.0  | 27.7                   | <b>24.3</b> | 42.7     |
| <i>Pediatrics</i>            | 23         | 78%                    | 18.8        | 3,587.5  | 15.2                   | <b>12.4</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 14         | 79%                    | 13.3        | 2,472.4  | 9.2                    | <b>8.8</b>  | 13.6     |
| <b>Psychiatry</b>            | 10         | 70%                    | 7.3         | 4,341.5  | 6.6                    | <b>4.8</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 6                          | -1.7 | 6%                        | -2%  | 8%   | <b>0%</b>   | 14%      |
| <i>Family Practice</i>       | -6                         | -6.7 | -16%                      | -19% | -14%   | <b>-18%</b> | 20%      |
| <i>General Practice</i>      | 3                          | -0.4 | 60%                       | -7%  | 63%  | <b>-5%</b>  | -27%     |
| <i>Internal Medicine</i>     | 7                          | 5.4  | 20%                       | 17%  | 22%  | <b>20%</b>  | 17%      |
| <i>Pediatrics</i>            | 2                          | -0.1 | 10%                       | 0%   | 12%  | <b>2%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | 5                          | 4.5  | 56%                       | 51%  | 59%  | <b>54%</b>  | 27%      |
| <b>Psychiatry</b>            | 1                          | -0.4 | 11%                       | -5%  | 13%  | <b>-3%</b>  | 2%       |


## Physician Age Distribution, 1999 Rensselaer County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Rensselaer County



## New York State



# Richmond




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 388        | 86%                    | 323.1       | 14,618.8 | 93.9                   | <b>78.2</b> | 80.3     |
| <i>Family Practice</i>       | 29         | 75%                    | 23.9        | 2,509.4  | 7.0                    | <b>5.8</b>  | 13.8     |
| <i>General Practice</i>      | 18         | 67%                    | 14.9        | 759.9    | 4.4                    | <b>3.6</b>  | 4.2      |
| <i>Internal Medicine</i>     | 231        | 86%                    | 192.0       | 7,762.0  | 55.9                   | <b>46.5</b> | 42.7     |
| <i>Pediatrics</i>            | 110        | 91%                    | 92.2        | 3,587.5  | 26.6                   | <b>22.3</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 74         | 90%                    | 67.3        | 2,472.4  | 17.9                   | <b>16.3</b> | 13.6     |
| <b>Psychiatry</b>            | 89         | 85%                    | 72.3        | 4,341.5  | 21.5                   | <b>17.5</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 69                         | 57.1 | 22%                       | 21%  | 17%  | <b>16%</b>  | 14%      |
| <i>Family Practice</i>       | 13                         | 10.4 | 81%                       | 77%  | 74%  | <b>70%</b>  | 20%      |
| <i>General Practice</i>      | 1                          | -1.2 | 6%                        | -8%  | 1%   | <b>-11%</b> | -27%     |
| <i>Internal Medicine</i>     | 33                         | 32.3 | 17%                       | 20%  | 12%  | <b>15%</b>  | 17%      |
| <i>Pediatrics</i>            | 22                         | 15.8 | 25%                       | 21%  | 20%  | <b>16%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 19                         | 24.9 | 35%                       | 59%  | 29%  | <b>52%</b>  | 27%      |
| <b>Psychiatry</b>            | -5                         | -1.1 | -5%                       | -2%  | -9%  | <b>-6%</b>  | 2%       |


## Physician Age Distribution, 1999 Richmond County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Richmond County



## New York State



# Rockland




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 287        | 77%                    | 234.2       | 14,618.8 | 101.0                  | <b>82.5</b> | 80.3     |
| <i>Family Practice</i>       | 28         | 50%                    | 24.0        | 2,509.4  | 9.9                    | <b>8.5</b>  | 13.8     |
| <i>General Practice</i>      | 25         | 73%                    | 13.7        | 759.9    | 8.8                    | <b>4.8</b>  | 4.2      |
| <i>Internal Medicine</i>     | 136        | 75%                    | 112.4       | 7,762.0  | 47.9                   | <b>39.6</b> | 42.7     |
| <i>Pediatrics</i>            | 98         | 87%                    | 84.1        | 3,587.5  | 34.5                   | <b>29.6</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 41         | 83%                    | 34.5        | 2,472.4  | 14.4                   | <b>12.1</b> | 13.6     |
| <b>Psychiatry</b>            | 139        | 79%                    | 105.0       | 4,341.5  | 48.9                   | <b>37.0</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 46                         | 7.5   | 19%                       | 3%   | 16%  | <b>0%</b>   | 14%      |
| <i>Family Practice</i>       | 7                          | 3.8   | 33%                       | 19%  | 30%  | <b>16%</b>  | 20%      |
| <i>General Practice</i>      | -6                         | -16.0 | -19%                      | -54% | -22%   | <b>-55%</b> | -27%     |
| <i>Internal Medicine</i>     | 16                         | 1.6   | 13%                       | 1%   | 10%  | <b>-1%</b>  | 17%      |
| <i>Pediatrics</i>            | 29                         | 17.8  | 42%                       | 27%  | 38%  | <b>23%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | -2                         | -7.2  | -5%                       | -17% | -7%  | <b>-20%</b> | 27%      |
| <b>Psychiatry</b>            | -1                         | -5.6  | -1%                       | -5%  | -4%  | <b>-8%</b>  | 2%       |


## Physician Age Distribution, 1999 Rockland County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Rockland County



## Physician Race/Ethnicity Distribution, 1999 New York State



# St. Lawrence




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 62         | 50%                    | 56.2        | 14,618.8 | 54.9                   | <b>49.8</b> | 80.3     |
| <i>Family Practice</i>       | 19         | 50%                    | 17.9        | 2,509.4  | 16.8                   | <b>15.9</b> | 13.8     |
| <i>General Practice</i>      | 7          | 67%                    | 4.8         | 759.9    | 6.2                    | <b>4.2</b>  | 4.2      |
| <i>Internal Medicine</i>     | 30         | 50%                    | 27.5        | 7,762.0  | 26.6                   | <b>24.3</b> | 42.7     |
| <i>Pediatrics</i>            | 6          | 33%                    | 6.0         | 3,587.5  | 5.3                    | <b>5.3</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 13         | 42%                    | 12.9        | 2,472.4  | 11.5                   | <b>11.5</b> | 13.6     |
| <b>Psychiatry</b>            | 13         | 46%                    | 11.7        | 4,341.5  | 11.5                   | <b>10.3</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 11                         | 9.0  | 22%                       | 19%  | 24%  | <b>21%</b>  | 14%      |
| <i>Family Practice</i>       | 3                          | 4.4  | 19%                       | 32%  | 21%  | <b>35%</b>  | 20%      |
| <i>General Practice</i>      | -5                         | -7.5 | -42%                      | -61% | -41%   | <b>-60%</b> | -27%     |
| <i>Internal Medicine</i>     | 11                         | 9.8  | 58%                       | 55%  | 61%  | <b>58%</b>  | 17%      |
| <i>Pediatrics</i>            | 2                          | 2.1  | 50%                       | 55%  | 53%  | <b>58%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 4                          | 4.7  | 44%                       | 57%  | 47%  | <b>59%</b>  | 27%      |
| <b>Psychiatry</b>            | -5                         | -4.3 | -28%                      | -27% | -26%   | <b>-26%</b> | 2%       |


## Physician Age Distribution, 1999 St. Lawrence County




## New York State



## Physician Race/Ethnicity Distribution, 1999 St. Lawrence County




## New York State





# Saratoga




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 103        | 62%                    | 89.3        | 14,618.8 | 51.6                   | <b>44.7</b> | 80.3     |
| <i>Family Practice</i>       | 48         | 53%                    | 43.7        | 2,509.4  | 24.0                   | <b>21.9</b> | 13.8     |
| <i>General Practice</i>      | 10         | 100%                   | 8.1         | 759.9    | 5.0                    | <b>4.1</b>  | 4.2      |
| <i>Internal Medicine</i>     | 24         | 65%                    | 20.0        | 7,762.0  | 12.0                   | <b>10.0</b> | 42.7     |
| <i>Pediatrics</i>            | 21         | 62%                    | 17.5        | 3,587.5  | 10.5                   | <b>8.7</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 18         | 67%                    | 15.7        | 2,472.4  | 9.0                    | <b>7.8</b>  | 13.6     |
| <b>Psychiatry</b>            | 32         | 56%                    | 26.3        | 4,341.5  | 16.0                   | <b>13.2</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 12                         | 9.3  | 13%                       | 12%  | 10%  | <b>8%</b>   | 14%      |
| <i>Family Practice</i>       | 6                          | 6.1  | 14%                       | 16%  | 11%  | <b>13%</b>  | 20%      |
| <i>General Practice</i>      | -1                         | -2.8 | -9%                       | -26% | -12%   | <b>-28%</b> | -27%     |
| <i>Internal Medicine</i>     | 1                          | 1.8  | 4%                        | 10%  | 1%   | <b>7%</b>   | 17%      |
| <i>Pediatrics</i>            | 6                          | 4.2  | 40%                       | 32%  | 36%  | <b>28%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 10                         | 7.6  | 125%                      | 95%  | 118%   | <b>90%</b>  | 27%      |
| <b>Psychiatry</b>            | 8                          | 5.6  | 33%                       | 27%  | 29%  | <b>23%</b>  | 2%       |


## Physician Age Distribution, 1999 Saratoga County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Saratoga County



## New York State



# Schenectady




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 105        | 78%                    | 84.9        | 14,618.8 | 73.0                   | <b>59.0</b> | 80.3     |
| <i>Family Practice</i>       | 47         | 86%                    | 37.8        | 2,509.4  | 32.7                   | <b>26.3</b> | 13.8     |
| <i>General Practice</i>      | 5          | 80%                    | 2.9         | 759.9    | 3.5                    | <b>2.0</b>  | 4.2      |
| <i>Internal Medicine</i>     | 38         | 78%                    | 31.4        | 7,762.0  | 26.4                   | <b>21.8</b> | 42.7     |
| <i>Pediatrics</i>            | 15         | 53%                    | 12.9        | 3,587.5  | 10.4                   | <b>8.9</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 26         | 72%                    | 23.3        | 2,472.4  | 18.1                   | <b>16.2</b> | 13.6     |
| <b>Psychiatry</b>            | 15         | 67%                    | 10.6        | 4,341.5  | 10.4                   | <b>7.3</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 25                         | 19.8 | 31%                       | 30%  | 36%  | <b>35%</b>  | 14%      |
| <i>Family Practice</i>       | 13                         | 12.6 | 38%                       | 50%  | 43%  | <b>55%</b>  | 20%      |
| <i>General Practice</i>      | 2                          | 0.4  | 67%                       | 18%  | 72%  | <b>22%</b>  | -27%     |
| <i>Internal Medicine</i>     | 14                         | 11.5 | 58%                       | 58%  | 64%  | <b>63%</b>  | 17%      |
| <i>Pediatrics</i>            | -4                         | -4.7 | -21%                      | -27% | -18%   | <b>-24%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 1                          | 1.3  | 4%                        | 6%   | 7%   | <b>9%</b>   | 27%      |
| <b>Psychiatry</b>            | -8                         | -9.5 | -35%                      | -47% | -33%   | <b>-45%</b> | 2%       |


## Physician Age Distribution, 1999 Schenectady County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Schenectady County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Schoharie




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 21         | 50%                    | 17.7        | 14,618.8 | 65.5                   | <b>55.2</b> | 80.3     |
| <i>Family Practice</i>       | 13         | 42%                    | 10.1        | 2,509.4  | 40.6                   | <b>31.6</b> | 13.8     |
| <i>General Practice</i>      | 2          | 50%                    | 1.8         | 759.9    | 6.2                    | <b>5.5</b>  | 4.2      |
| <i>Internal Medicine</i>     | 5          | 60%                    | 4.8         | 7,762.0  | 15.6                   | <b>15.0</b> | 42.7     |
| <i>Pediatrics</i>            | 1          | 100%                   | 1.0         | 3,587.5  | 3.1                    | <b>3.1</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 0          | --                     | 0.0         | 2,472.4  | 0.0                    | <b>0.0</b>  | 13.6     |
| <b>Psychiatry</b>            | 0          | --                     | 0.0         | 4,341.5  | 0.0                    | <b>0.0</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |       | Percent Change per 100,000 Population, 1995-1999 |              |          |
|------------------------------|----------------------------|------|---------------------------|-------|--|--------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs  | Physicians                                       | County FTEs  | NYS FTEs |
| <b>Primary Care</b>          | 1                          | -0.3 | 5%                        | -1%   | 7%   | <b>0%</b>    | 14%      |
| <i>Family Practice</i>       | 1                          | -0.5 | 8%                        | -5%   | 10%  | <b>-3%</b>   | 20%      |
| <i>General Practice</i>      | -1                         | -1.4 | -33%                      | -44%  | -32%   | <b>-43%</b>  | -27%     |
| <i>Internal Medicine</i>     | 1                          | 1.3  | 25%                       | 36%   | 27%  | <b>38%</b>   | 17%      |
| <i>Pediatrics</i>            | 0                          | 0.4  | 0%                        | 64%   | 2%   | <b>67%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | 0.0  | --                        | --    | --   | --           | 27%      |
| <b>Psychiatry</b>            | -2                         | -0.8 | -100%                     | -100% | -100%  | <b>-100%</b> | 2%       |


## Physician Age Distribution, 1999 Schoharie County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Schoharie County



## New York State



# Schuyler




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 14         | 43%                    | 12.4        | 14,618.8 | 72.8                   | <b>64.6</b> | 80.3     |
| <i>Family Practice</i>       | 8          | 37%                    | 6.5         | 2,509.4  | 41.6                   | <b>33.9</b> | 13.8     |
| <i>General Practice</i>      | 0          | --                     | 0.0         | 759.9    | 0.0                    | <b>0.0</b>  | 4.2      |
| <i>Internal Medicine</i>     | 4          | 50%                    | 4.0         | 7,762.0  | 20.8                   | <b>20.7</b> | 42.7     |
| <i>Pediatrics</i>            | 2          | 50%                    | 1.9         | 3,587.5  | 10.4                   | <b>10.0</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 1          | 0%                     | 1.0         | 2,472.4  | 5.2                    | <b>5.2</b>  | 13.6     |
| <b>Psychiatry</b>            | 0          | --                     | 0.0         | 4,341.5  | 0.0                    | <b>0.0</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 3                          | 3.5  | 27%                       | 40%  | 27%  | <b>39%</b>  | 14%      |
| <i>Family Practice</i>       | 0                          | 0.4  | 0%                        | 6%   | 0%   | <b>6%</b>   | 20%      |
| <i>General Practice</i>      | 0                          | 0.0  | --                        | --   | --   | --          | -27%     |
| <i>Internal Medicine</i>     | 2                          | 2.1  | 100%                      | 109% | 99%  | <b>108%</b> | 17%      |
| <i>Pediatrics</i>            | 1                          | 1.1  | 100%                      | 125% | 99%  | <b>124%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | -0.1 | 0%                        | -13% | 0%   | <b>-13%</b> | 27%      |
| <b>Psychiatry</b>            | 0                          | 0.0  | --                        | --   | --   | --          | 2%       |


## Physician Age Distribution, 1999 Schuyler County




## New York State



## Physician Race/Ethnicity Distribution, 1999 Schuyler County




## New York State





# Seneca




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 9          | 89%                    | 7.5         | 14,618.8 | 28.2                   | <b>23.4</b> | 80.3     |
| <i>Family Practice</i>       | 5          | 80%                    | 4.9         | 2,509.4  | 15.7                   | <b>15.3</b> | 13.8     |
| <i>General Practice</i>      | 2          | 100%                   | 0.6         | 759.9    | 6.3                    | <b>1.8</b>  | 4.2      |
| <i>Internal Medicine</i>     | 2          | 100%                   | 2.0         | 7,762.0  | 6.3                    | <b>6.3</b>  | 42.7     |
| <i>Pediatrics</i>            | 0          | --                     | 0.0         | 3,587.5  | 0.0                    | <b>0.0</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 0          | --                     | 0.0         | 2,472.4  | 0.0                    | <b>0.0</b>  | 13.6     |
| <b>Psychiatry</b>            | 2          | 50%                    | 1.5         | 4,341.5  | 6.3                    | <b>4.5</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |       | Percent Change per 100,000 Population, 1995-1999 |              |          |
|------------------------------|----------------------------|------|---------------------------|-------|--|--------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs  | Physicians                                       | County FTEs  | NYS FTEs |
| <b>Primary Care</b>          | -2                         | -4.0 | -18%                      | -35%  | -17%   | <b>-34%</b>  | 14%      |
| <i>Family Practice</i>       | 1                          | 0.9  | 25%                       | 23%   | 27%  | <b>25%</b>   | 20%      |
| <i>General Practice</i>      | -1                         | -2.9 | -33%                      | -84%  | -32%   | <b>-83%</b>  | -27%     |
| <i>Internal Medicine</i>     | -1                         | -0.9 | -33%                      | -30%  | -32%   | <b>-29%</b>  | 17%      |
| <i>Pediatrics</i>            | -1                         | -1.1 | -100%                     | -100% | -100%  | <b>-100%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | 0.0  | --                        | --    | --   | --           | 27%      |
| <b>Psychiatry</b>            | -6                         | -4.7 | -75%                      | -76%  | -75%   | <b>-76%</b>  | 2%       |


## Physician Age Distribution, 1999 Seneca County




## New York State




## Physician Race/Ethnicity Distribution, 1999 Seneca County



## New York State



# Steuben




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 65         | 43%                    | 53.2        | 14,618.8 | 66.5                   | <b>54.5</b> | 80.3     |
| <i>Family Practice</i>       | 27         | 38%                    | 21.7        | 2,509.4  | 27.6                   | <b>22.2</b> | 13.8     |
| <i>General Practice</i>      | 2          | 0%                     | 1.1         | 759.9    | 2.0                    | <b>1.1</b>  | 4.2      |
| <i>Internal Medicine</i>     | 27         | 54%                    | 23.2        | 7,762.0  | 27.6                   | <b>23.8</b> | 42.7     |
| <i>Pediatrics</i>            | 9          | 33%                    | 7.2         | 3,587.5  | 9.2                    | <b>7.4</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 9          | 56%                    | 8.6         | 2,472.4  | 9.2                    | <b>8.8</b>  | 13.6     |
| <b>Psychiatry</b>            | 9          | 67%                    | 7.8         | 4,341.5  | 9.2                    | <b>8.0</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 8                          | -0.4 | 14%                       | -1%  | 16%  | <b>1%</b>   | 14%      |
| <i>Family Practice</i>       | 10                         | 5.8  | 59%                       | 37%  | 62%  | <b>39%</b>  | 20%      |
| <i>General Practice</i>      | -3                         | -3.6 | -60%                      | -77% | -59%   | <b>-76%</b> | -27%     |
| <i>Internal Medicine</i>     | 0                          | -2.2 | 0%                        | -9%  | 2%   | <b>-7%</b>  | 17%      |
| <i>Pediatrics</i>            | 1                          | -0.4 | 13%                       | -5%  | 15%  | <b>-3%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | -0.2 | 0%                        | -2%  | 2%   | <b>0%</b>   | 27%      |
| <b>Psychiatry</b>            | 3                          | 1.7  | 50%                       | 28%  | 53%  | <b>30%</b>  | 2%       |


## Physician Age Distribution, 1999 Steuben County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Steuben County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Suffolk




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 1,173      | 81%                    | 972.1       | 14,618.8 | 84.8                   | <b>70.2</b> | 80.3     |
| <i>Family Practice</i>       | 345        | 79%                    | 281.3       | 2,509.4  | 24.9                   | <b>20.3</b> | 13.8     |
| <i>General Practice</i>      | 64         | 81%                    | 48.8        | 759.9    | 4.6                    | <b>3.5</b>  | 4.2      |
| <i>Internal Medicine</i>     | 506        | 81%                    | 422.6       | 7,762.0  | 36.6                   | <b>30.5</b> | 42.7     |
| <i>Pediatrics</i>            | 258        | 84%                    | 219.5       | 3,587.5  | 18.6                   | <b>15.9</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 186        | 80%                    | 164.3       | 2,472.4  | 13.4                   | <b>11.9</b> | 13.6     |
| <b>Psychiatry</b>            | 331        | 84%                    | 258.4       | 4,341.5  | 23.9                   | <b>18.7</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 157                        | 101.8 | 15%                       | 12%  | 13%  | <b>9%</b>   | 14%      |
| <i>Family Practice</i>       | 66                         | 45.1  | 24%                       | 19%  | 21%  | <b>16%</b>  | 20%      |
| <i>General Practice</i>      | -15                        | -26.9 | -19%                      | -36% | -21%   | <b>-37%</b> | -27%     |
| <i>Internal Medicine</i>     | 61                         | 48.0  | 14%                       | 13%  | 11%  | <b>10%</b>  | 17%      |
| <i>Pediatrics</i>            | 45                         | 35.4  | 21%                       | 19%  | 18%  | <b>16%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 33                         | 28.7  | 22%                       | 21%  | 18%  | <b>18%</b>  | 27%      |
| <b>Psychiatry</b>            | -9                         | -23.8 | -3%                       | -8%  | -5%  | <b>-11%</b> | 2%       |


## Physician Age Distribution, 1999 Suffolk County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Suffolk County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Sullivan




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 41         | 67%                    | 34.3        | 14,618.8 | 59.1                   | <b>49.4</b> | 80.3     |
| <i>Family Practice</i>       | 10         | 44%                    | 6.8         | 2,509.4  | 14.4                   | <b>9.9</b>  | 13.8     |
| <i>General Practice</i>      | 5          | 75%                    | 4.3         | 759.9    | 7.2                    | <b>6.2</b>  | 4.2      |
| <i>Internal Medicine</i>     | 20         | 70%                    | 17.2        | 7,762.0  | 28.8                   | <b>24.8</b> | 42.7     |
| <i>Pediatrics</i>            | 6          | 83%                    | 5.9         | 3,587.5  | 8.7                    | <b>8.5</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 3          | 100%                   | 3.0         | 2,472.4  | 4.3                    | <b>4.3</b>  | 13.6     |
| <b>Psychiatry</b>            | 8          | 75%                    | 7.6         | 4,341.5  | 11.5                   | <b>11.0</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | -1                         | -8.1 | -2%                       | -19% | -1%  | <b>-18%</b> | 14%      |
| <i>Family Practice</i>       | -4                         | -7.1 | -29%                      | -51% | -28%   | <b>-50%</b> | 20%      |
| <i>General Practice</i>      | 1                          | 0.2  | 25%                       | 6%   | 26%  | <b>7%</b>   | -27%     |
| <i>Internal Medicine</i>     | 2                          | -0.3 | 11%                       | -2%  | 12%  | <b>-1%</b>  | 17%      |
| <i>Pediatrics</i>            | 0                          | -1.0 | 0%                        | -14% | 1%   | <b>-13%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | -0.1 | 0%                        | -2%  | 1%   | <b>-1%</b>  | 27%      |
| <b>Psychiatry</b>            | 0                          | 0.7  | 0%                        | 11%  | 1%   | <b>12%</b>  | 2%       |


**Physician Age Distribution, 1999**  
**Sullivan County**




**New York State**



**Physician Race/Ethnicity Distribution, 1999**  
**Sullivan County**




**New York State**





# Tioga




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 21         | 60%                    | 18.4        | 14,618.8 | 40.2                   | <b>35.2</b> | 80.3     |
| <i>Family Practice</i>       | 14         | 77%                    | 12.6        | 2,509.4  | 26.8                   | <b>24.1</b> | 13.8     |
| <i>General Practice</i>      | 1          | 100%                   | 0.1         | 759.9    | 1.9                    | <b>0.2</b>  | 4.2      |
| <i>Internal Medicine</i>     | 5          | 20%                    | 4.7         | 7,762.0  | 9.6                    | <b>9.1</b>  | 42.7     |
| <i>Pediatrics</i>            | 1          | 0%                     | 1.0         | 3,587.5  | 1.9                    | <b>1.9</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 0          | --                     | 0.0         | 2,472.4  | 0.0                    | <b>0.0</b>  | 13.6     |
| <b>Psychiatry</b>            | 0          | --                     | 0.0         | 4,341.5  | 0.0                    | <b>0.0</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |       | Percent Change per 100,000 Population, 1995-1999 |              |          |
|------------------------------|----------------------------|------|---------------------------|-------|--|--------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs  | Physicians                                       | County FTEs  | NYS FTEs |
| <b>Primary Care</b>          | 3                          | 1.7  | 17%                       | 10%   | 18%  | <b>11%</b>   | 14%      |
| <i>Family Practice</i>       | 4                          | 3.1  | 40%                       | 32%   | 41%  | <b>34%</b>   | 20%      |
| <i>General Practice</i>      | -1                         | -1.9 | -50%                      | -95%  | -49%   | <b>-95%</b>  | -27%     |
| <i>Internal Medicine</i>     | -1                         | -0.5 | -17%                      | -9%   | -16%   | <b>-8%</b>   | 17%      |
| <i>Pediatrics</i>            | 1                          | 1.0  | --                        | --    | --   | <b>--</b>    | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | 0.0  | --                        | --    | --   | <b>--</b>    | 27%      |
| <b>Psychiatry</b>            | -2                         | -2.3 | -100%                     | -100% | -100%  | <b>-100%</b> | 2%       |


### Physician Age Distribution, 1999 Tioga County




### New York State




### Physician Race/Ethnicity Distribution, 1999 Tioga County



### New York State



# Tompkins



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 76         | 43%                    | 63.3        | 14,618.8 | 77.8                   | <b>64.8</b> | 80.3     |
| <i>Family Practice</i>       | 32         | 52%                    | 25.9        | 2,509.4  | 32.8                   | <b>26.6</b> | 13.8     |
| <i>General Practice</i>      | 4          | 25%                    | 3.6         | 759.9    | 4.1                    | <b>3.7</b>  | 4.2      |
| <i>Internal Medicine</i>     | 27         | 35%                    | 23.1        | 7,762.0  | 27.6                   | <b>23.7</b> | 42.7     |
| <i>Pediatrics</i>            | 13         | 46%                    | 10.7        | 3,587.5  | 13.3                   | <b>10.9</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 10         | 70%                    | 9.6         | 2,472.4  | 10.2                   | <b>9.8</b>  | 13.6     |
| <b>Psychiatry</b>            | 20         | 55%                    | 15.3        | 4,341.5  | 20.5                   | <b>15.7</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 12                         | 4.3  | 19%                       | 7%   | 19%  | <b>7%</b>   | 14%      |
| <i>Family Practice</i>       | 4                          | 0.5  | 14%                       | 2%   | 14%  | <b>2%</b>   | 20%      |
| <i>General Practice</i>      | -3                         | -2.2 | -43%                      | -39% | -43%   | <b>-39%</b> | -27%     |
| <i>Internal Medicine</i>     | 9                          | 5.9  | 50%                       | 34%  | 50%  | <b>34%</b>  | 17%      |
| <i>Pediatrics</i>            | 2                          | 0.1  | 18%                       | 1%   | 18%  | <b>1%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | 2                          | 1.6  | 25%                       | 20%  | 25%  | <b>20%</b>  | 27%      |
| <b>Psychiatry</b>            | 4                          | 1.0  | 25%                       | 7%   | 25%  | <b>7%</b>   | 2%       |

## Physician Age Distribution, 1999

### Tompkins County




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Tompkins County



### New York State



# Ulster




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 140        | 68%                    | 112.8       | 14,618.8 | 83.7                   | <b>67.4</b> | 80.3     |
| <i>Family Practice</i>       | 65         | 73%                    | 53.9        | 2,509.4  | 38.9                   | <b>32.2</b> | 13.8     |
| <i>General Practice</i>      | 14         | 69%                    | 10.5        | 759.9    | 8.4                    | <b>6.3</b>  | 4.2      |
| <i>Internal Medicine</i>     | 40         | 55%                    | 32.2        | 7,762.0  | 23.9                   | <b>19.3</b> | 42.7     |
| <i>Pediatrics</i>            | 21         | 75%                    | 16.2        | 3,587.5  | 12.6                   | <b>9.7</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 17         | 65%                    | 16.2        | 2,472.4  | 10.2                   | <b>9.7</b>  | 13.6     |
| <b>Psychiatry</b>            | 41         | 73%                    | 32.2        | 4,341.5  | 24.5                   | <b>19.3</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 20                         | 6.6  | 17%                       | 6%   | 17%  | <b>6%</b>   | 14%      |
| <i>Family Practice</i>       | 10                         | 6.9  | 18%                       | 15%  | 18%  | <b>15%</b>  | 20%      |
| <i>General Practice</i>      | 0                          | -2.6 | 0%                        | -20% | 0%   | <b>-20%</b> | -27%     |
| <i>Internal Medicine</i>     | 6                          | 0.6  | 18%                       | 2%   | 18%  | <b>2%</b>   | 17%      |
| <i>Pediatrics</i>            | 4                          | 1.6  | 24%                       | 11%  | 23%  | <b>10%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 8                          | 7.9  | 89%                       | 96%  | 89%  | <b>96%</b>  | 27%      |
| <b>Psychiatry</b>            | 7                          | 3.0  | 21%                       | 10%  | 20%  | <b>10%</b>  | 2%       |


**Physician Age Distribution, 1999**  
**Ulster County**




**New York State**




**Physician Race/Ethnicity Distribution, 1999**  
**Ulster County**



**New York State**



# Warren




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 61         | 59%                    | 52.4        | 14,618.8 | 99.3                   | <b>85.3</b> | 80.3     |
| <i>Family Practice</i>       | 24         | 54%                    | 21.0        | 2,509.4  | 39.1                   | <b>34.2</b> | 13.8     |
| <i>General Practice</i>      | 4          | 75%                    | 1.7         | 759.9    | 6.5                    | <b>2.7</b>  | 4.2      |
| <i>Internal Medicine</i>     | 19         | 53%                    | 17.5        | 7,762.0  | 30.9                   | <b>28.4</b> | 42.7     |
| <i>Pediatrics</i>            | 14         | 71%                    | 12.3        | 3,587.5  | 22.8                   | <b>20.0</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 8          | 38%                    | 7.9         | 2,472.4  | 13.0                   | <b>12.8</b> | 13.6     |
| <b>Psychiatry</b>            | 10         | 50%                    | 7.9         | 4,341.5  | 16.3                   | <b>12.9</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 16                         | 11.6 | 36%                       | 29%  | 36%  | <b>29%</b>  | 14%      |
| <i>Family Practice</i>       | 3                          | 3.3  | 14%                       | 18%  | 14%  | <b>18%</b>  | 20%      |
| <i>General Practice</i>      | 0                          | -1.8 | 0%                        | -53% | 0%   | <b>-53%</b> | -27%     |
| <i>Internal Medicine</i>     | 10                         | 9.0  | 111%                      | 107% | 111%   | <b>107%</b> | 17%      |
| <i>Pediatrics</i>            | 3                          | 1.2  | 27%                       | 11%  | 27%  | <b>11%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 2                          | 1.6  | 33%                       | 26%  | 33%  | <b>26%</b>  | 27%      |
| <b>Psychiatry</b>            | 4                          | 1.6  | 67%                       | 26%  | 67%  | <b>26%</b>  | 2%       |


**Physician Age Distribution, 1999**  
**Warren County**




**New York State**



**Physician Race/Ethnicity Distribution, 1999**  
**Warren County**




**New York State**





# Washington



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 28         | 50%                    | 25.5        | 14,618.8 | 46.6                   | <b>42.4</b> | 80.3     |
| <i>Family Practice</i>       | 8          | 57%                    | 7.6         | 2,509.4  | 13.3                   | <b>12.6</b> | 13.8     |
| <i>General Practice</i>      | 2          | 50%                    | 1.7         | 759.9    | 3.3                    | <b>2.7</b>  | 4.2      |
| <i>Internal Medicine</i>     | 12         | 45%                    | 10.3        | 7,762.0  | 20.0                   | <b>17.1</b> | 42.7     |
| <i>Pediatrics</i>            | 6          | 50%                    | 6.0         | 3,587.5  | 10.0                   | <b>9.9</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 5          | 25%                    | 5.0         | 2,472.4  | 8.3                    | <b>8.3</b>  | 13.6     |
| <b>Psychiatry</b>            | 2          | 50%                    | 1.6         | 4,341.5  | 3.3                    | <b>2.7</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 2                          | 0.3  | 8%                        | 1%   | 9%   | <b>2%</b>   | 14%      |
| <i>Family Practice</i>       | 0                          | 0.2  | 0%                        | 3%   | 1%   | <b>4%</b>   | 20%      |
| <i>General Practice</i>      | -1                         | -1.3 | -33%                      | -45% | -33%   | <b>-44%</b> | -27%     |
| <i>Internal Medicine</i>     | 2                          | 0.7  | 20%                       | 7%   | 21%  | <b>8%</b>   | 17%      |
| <i>Pediatrics</i>            | 1                          | 0.7  | 20%                       | 13%  | 21%  | <b>14%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 3                          | 2.9  | 150%                      | 143% | 153%   | <b>146%</b> | 27%      |
| <b>Psychiatry</b>            | 1                          | 0.5  | 100%                      | 40%  | 102%   | <b>42%</b>  | 2%       |

## Physician Age Distribution, 1999

### Washington County




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Washington County



### New York State



# Wayne




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 49         | 57%                    | 38.3        | 14,618.8 | 51.3                   | <b>40.1</b> | 80.3     |
| <i>Family Practice</i>       | 14         | 58%                    | 11.1        | 2,509.4  | 14.7                   | <b>11.6</b> | 13.8     |
| <i>General Practice</i>      | 4          | 75%                    | 1.6         | 759.9    | 4.2                    | <b>1.7</b>  | 4.2      |
| <i>Internal Medicine</i>     | 20         | 75%                    | 18.0        | 7,762.0  | 20.9                   | <b>18.9</b> | 42.7     |
| <i>Pediatrics</i>            | 11         | 18%                    | 7.5         | 3,587.5  | 11.5                   | <b>7.9</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 6          | 40%                    | 5.2         | 2,472.4  | 6.3                    | <b>5.4</b>  | 13.6     |
| <b>Psychiatry</b>            | 5          | 40%                    | 4.7         | 4,341.5  | 5.2                    | <b>4.9</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 9                          | 0.6  | 23%                       | 2%   | 20%  | <b>0%</b>   | 14%      |
| <i>Family Practice</i>       | 1                          | -1.1 | 8%                        | -9%  | 6%   | <b>-11%</b> | 20%      |
| <i>General Practice</i>      | 0                          | -1.2 | 0%                        | -42% | -2%  | <b>-43%</b> | -27%     |
| <i>Internal Medicine</i>     | 3                          | 1.7  | 18%                       | 10%  | 15%  | <b>8%</b>   | 17%      |
| <i>Pediatrics</i>            | 5                          | 1.2  | 83%                       | 18%  | 80%  | <b>16%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 3                          | 2.1  | 100%                      | 69%  | 96%  | <b>66%</b>  | 27%      |
| <b>Psychiatry</b>            | 2                          | 1.3  | 67%                       | 41%  | 63%  | <b>38%</b>  | 2%       |


## Physician Age Distribution, 1999 Wayne County




## Physician Age Distribution, 1999 New York State




## Physician Race/Ethnicity Distribution, 1999 Wayne County



## Physician Race/Ethnicity Distribution, 1999 New York State



# Westchester



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |              |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|--------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs  | NYS FTEs |
| <b>Primary Care</b>          | 1,241      | 80%                    | 1,014.0     | 14,618.8 | 137.0                  | <b>112.0</b> | 80.3     |
| <i>Family Practice</i>       | 130        | 68%                    | 102.5       | 2,509.4  | 14.4                   | <b>11.3</b>  | 13.8     |
| <i>General Practice</i>      | 60         | 78%                    | 39.4        | 759.9    | 6.6                    | <b>4.4</b>   | 4.2      |
| <i>Internal Medicine</i>     | 699        | 82%                    | 581.4       | 7,762.0  | 77.2                   | <b>64.2</b>  | 42.7     |
| <i>Pediatrics</i>            | 352        | 81%                    | 290.7       | 3,587.5  | 38.9                   | <b>32.1</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 211        | 78%                    | 182.9       | 2,472.4  | 23.3                   | <b>20.2</b>  | 13.6     |
| <b>Psychiatry</b>            | 601        | 85%                    | 428.3       | 4,341.5  | 66.4                   | <b>47.3</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 332                        | 254.1 | 37%                       | 33%  | 34%  | <b>31%</b>  | 14%      |
| <i>Family Practice</i>       | 26                         | 17.6  | 25%                       | 21%  | 23%  | <b>19%</b>  | 20%      |
| <i>General Practice</i>      | 1                          | -7.9  | 2%                        | -17% | 0%   | <b>-18%</b> | -27%     |
| <i>Internal Medicine</i>     | 164                        | 133.8 | 31%                       | 30%  | 29%  | <b>28%</b>  | 17%      |
| <i>Pediatrics</i>            | 141                        | 110.9 | 67%                       | 62%  | 64%  | <b>59%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 46                         | 36.5  | 28%                       | 25%  | 26%  | <b>23%</b>  | 27%      |
| <b>Psychiatry</b>            | 55                         | 35.0  | 10%                       | 9%   | 8%   | <b>7%</b>   | 2%       |

## Physician Age Distribution, 1999

### Westchester County




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Westchester County



### New York State



# Wyoming



## Physician Supply, 1999


| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 22         | 82%                    | 19.8        | 14,618.8 | 49.8                   | <b>44.9</b> | 80.3     |
| <i>Family Practice</i>       | 10         | 70%                    | 8.5         | 2,509.4  | 22.6                   | <b>19.3</b> | 13.8     |
| <i>General Practice</i>      | 2          | 50%                    | 1.8         | 759.9    | 4.5                    | <b>4.1</b>  | 4.2      |
| <i>Internal Medicine</i>     | 8          | 100%                   | 7.5         | 7,762.0  | 18.1                   | <b>17.0</b> | 42.7     |
| <i>Pediatrics</i>            | 2          | 100%                   | 2.0         | 3,587.5  | 4.5                    | <b>4.5</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 3          | 33%                    | 3.0         | 2,472.4  | 6.8                    | <b>6.8</b>  | 13.6     |
| <b>Psychiatry</b>            | 1          | 100%                   | 1.0         | 4,341.5  | 2.3                    | <b>2.3</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 5                          | 2.7  | 29%                       | 16%  | 29%  | <b>15%</b>  | 14%      |
| <i>Family Practice</i>       | 4                          | 2.5  | 67%                       | 41%  | 66%  | <b>41%</b>  | 20%      |
| <i>General Practice</i>      | -5                         | -5.1 | -71%                      | -74% | -71%   | <b>-74%</b> | -27%     |
| <i>Internal Medicine</i>     | 4                          | 3.2  | 100%                      | 73%  | 100%   | <b>72%</b>  | 17%      |
| <i>Pediatrics</i>            | 2                          | 2.0  | --                        | --   | --   | <b>--</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | -0.3 | 0%                        | -9%  | 0%   | <b>-9%</b>  | 27%      |
| <b>Psychiatry</b>            | 0                          | 0.0  | 0%                        | -2%  | 0%   | <b>-2%</b>  | 2%       |

## Physician Age Distribution, 1999

### Wyoming County




### New York State




## Physician Race/Ethnicity Distribution, 1999

### Wyoming County




### New York State





# Yates




## Physician Supply, 1999

| Specialty                    | Counts     |                        |             |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-------------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | County FTEs | NYS FTEs | Physicians             | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 15         | 67%                    | 12.4        | 14,618.8 | 61.1                   | <b>50.5</b> | 80.3     |
| <i>Family Practice</i>       | 10         | 60%                    | 8.3         | 2,509.4  | 40.7                   | <b>33.8</b> | 13.8     |
| <i>General Practice</i>      | 1          | 0%                     | 1.0         | 759.9    | 4.1                    | <b>4.1</b>  | 4.2      |
| <i>Internal Medicine</i>     | 4          | 100%                   | 3.1         | 7,762.0  | 16.3                   | <b>12.6</b> | 42.7     |
| <i>Pediatrics</i>            | 0          | --                     | 0.0         | 3,587.5  | 0.0                    | <b>0.0</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 0          | --                     | 0.0         | 2,472.4  | 0.0                    | <b>0.0</b>  | 13.6     |
| <b>Psychiatry</b>            | 2          | 50%                    | 2.0         | 4,341.5  | 8.1                    | <b>8.2</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | County FTEs | NYS FTEs |
| <b>Primary Care</b>          | 4                          | 1.1  | 36%                       | 9%   | 33%  | <b>7%</b>   | 14%      |
| <i>Family Practice</i>       | 4                          | 2.5  | 67%                       | 42%  | 63%  | <b>39%</b>  | 20%      |
| <i>General Practice</i>      | 0                          | -0.2 | 0%                        | -14% | -2%  | <b>-16%</b> | -27%     |
| <i>Internal Medicine</i>     | 0                          | -1.2 | 0%                        | -29% | -2%  | <b>-30%</b> | 17%      |
| <i>Pediatrics</i>            | 0                          | 0.0  | --                        | --   | --   | --          | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | 0.0  | --                        | --   | --   | --          | 27%      |
| <b>Psychiatry</b>            | -1                         | -1.1 | -33%                      | -36% | -35%   | <b>-37%</b> | 2%       |


**Physician Age Distribution, 1999**  
**Yates County**




**New York State**



**Physician Race/Ethnicity Distribution, 1999**  
**Yates County**




**New York State**



## CITY PROFILES



# New York City



## Physician Supply, 1999


| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 8,104      | 86%                    | 6,474.3   | 14,618.8 | 109.1                  | <b>87.2</b> | 80.3     |
| <i>Family Practice</i>       | 735        | 82%                    | 585.3     | 2,509.4  | 9.9                    | <b>7.9</b>  | 13.8     |
| <i>General Practice</i>      | 519        | 81%                    | 366.4     | 759.9    | 7.0                    | <b>4.9</b>  | 4.2      |
| <i>Internal Medicine</i>     | 4,768      | 88%                    | 3,843.8   | 7,762.0  | 64.2                   | <b>51.7</b> | 42.7     |
| <i>Pediatrics</i>            | 2,082      | 87%                    | 1,678.9   | 3,587.5  | 28.0                   | <b>22.6</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 1,268      | 87%                    | 1,095.3   | 2,472.4  | 17.1                   | <b>14.7</b> | 13.6     |
| <b>Psychiatry</b>            | 3,176      | 89%                    | 2,322.3   | 4,341.5  | 42.8                   | <b>31.3</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 778                        | 695.3 | 11%                       | 12%  | 9%   | <b>11%</b>  | 14%      |
| <i>Family Practice</i>       | 147                        | 106.3 | 25%                       | 22%  | 24%  | <b>21%</b>  | 20%      |
| <i>General Practice</i>      | 9                          | -96.3 | 2%                        | -21% | 1%   | <b>-22%</b> | -27%     |
| <i>Internal Medicine</i>     | 447                        | 533.2 | 10%                       | 16%  | 9%   | <b>15%</b>  | 17%      |
| <i>Pediatrics</i>            | 175                        | 152.1 | 9%                        | 10%  | 8%   | <b>9%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | 199                        | 292.3 | 19%                       | 36%  | 17%  | <b>35%</b>  | 27%      |
| <b>Psychiatry</b>            | 115                        | 83.6  | 4%                        | 4%   | 3%   | <b>3%</b>   | 2%       |

## Physician Age Distribution, 1999

### New York City




### New York State




## Physician Race/Ethnicity Distribution, 1999


### New York City



### New York State



# Buffalo



## Physician Supply, 1999


| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |              |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|--------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs    | NYS FTEs |
| <b>Primary Care</b>          | 627        | 79%                    | 506.1     | 14,618.8 | 212.1                  | <b>171.2</b> | 80.3     |
| <i>Family Practice</i>       | 134        | 78%                    | 113.2     | 2,509.4  | 45.3                   | <b>38.3</b>  | 13.8     |
| <i>General Practice</i>      | 29         | 70%                    | 20.1      | 759.9    | 9.8                    | <b>6.8</b>   | 4.2      |
| <i>Internal Medicine</i>     | 319        | 78%                    | 257.1     | 7,762.0  | 107.9                  | <b>87.0</b>  | 42.7     |
| <i>Pediatrics</i>            | 145        | 85%                    | 115.7     | 3,587.5  | 49.0                   | <b>39.1</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 98         | 88%                    | 85.7      | 2,472.4  | 33.2                   | <b>29.0</b>  | 13.6     |
| <b>Psychiatry</b>            | 132        | 73%                    | 97.1      | 4,341.5  | 44.7                   | <b>32.8</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |       | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|-------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs  | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 72                         | 77.7  | 13%                       | 18%  | 20%  | <b>25%</b>  | 14%      |
| <i>Family Practice</i>       | 24                         | 30.7  | 22%                       | 37%  | 29%  | <b>45%</b>  | 20%      |
| <i>General Practice</i>      | -12                        | -15.5 | -29%                      | -44% | -25%   | <b>-40%</b> | -27%     |
| <i>Internal Medicine</i>     | 25                         | 31.1  | 9%                        | 14%  | 15%  | <b>20%</b>  | 17%      |
| <i>Pediatrics</i>            | 35                         | 31.5  | 32%                       | 37%  | 40%  | <b>46%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 9                          | 15.1  | 10%                       | 21%  | 17%  | <b>28%</b>  | 27%      |
| <b>Psychiatry</b>            | -7                         | -7.2  | -5%                       | -7%  | 1%   | <b>-1%</b>  | 2%       |

## Physician Age Distribution, 1999

### Buffalo




### New York State




## Physician Race/Ethnicity Distribution, 1999

### Buffalo




### New York State





# Rochester



## Physician Supply, 1999


| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |              |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|--------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs    | NYS FTEs |
| <b>Primary Care</b>          | 617        | 76%                    | 501.8     | 14,618.8 | 287.7                  | <b>233.9</b> | 80.3     |
| <i>Family Practice</i>       | 84         | 77%                    | 61.6      | 2,509.4  | 39.2                   | <b>28.7</b>  | 13.8     |
| <i>General Practice</i>      | 9          | 67%                    | 5.8       | 759.9    | 4.2                    | <b>2.7</b>   | 4.2      |
| <i>Internal Medicine</i>     | 363        | 83%                    | 303.5     | 7,762.0  | 169.3                  | <b>141.5</b> | 42.7     |
| <i>Pediatrics</i>            | 161        | 62%                    | 130.9     | 3,587.5  | 75.1                   | <b>61.0</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 108        | 74%                    | 89.1      | 2,472.4  | 50.4                   | <b>41.6</b>  | 13.6     |
| <b>Psychiatry</b>            | 152        | 72%                    | 114.4     | 4,341.5  | 70.9                   | <b>53.3</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 12                         | 60.9 | 2%                        | 14%  | 6%   | <b>18%</b>  | 14%      |
| <i>Family Practice</i>       | 3                          | 1.3  | 4%                        | 2%   | 8%   | <b>6%</b>   | 20%      |
| <i>General Practice</i>      | -6                         | -8.1 | -40%                      | -58% | -38%   | <b>-56%</b> | -27%     |
| <i>Internal Medicine</i>     | -6                         | 37.2 | -2%                       | 14%  | 2%   | <b>19%</b>  | 17%      |
| <i>Pediatrics</i>            | 21                         | 30.5 | 15%                       | 30%  | 20%  | <b>36%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | -9                         | 7.1  | -8%                       | 9%   | -4%  | <b>13%</b>  | 27%      |
| <b>Psychiatry</b>            | -15                        | -6.4 | -9%                       | -5%  | -5%  | <b>-1%</b>  | 2%       |

## Physician Age Distribution, 1999

### Rochester




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Rochester



### New York State



# Yonkers



## Physician Supply, 1999


| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |              |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|--------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs    | NYS FTEs |
| <b>Primary Care</b>          | 269        | 83%                    | 218.8     | 14,618.8 | 140.5                  | <b>114.3</b> | 80.3     |
| <i>Family Practice</i>       | 56         | 82%                    | 41.6      | 2,509.4  | 29.2                   | <b>21.7</b>  | 13.8     |
| <i>General Practice</i>      | 18         | 88%                    | 11.6      | 759.9    | 9.4                    | <b>6.0</b>   | 4.2      |
| <i>Internal Medicine</i>     | 130        | 83%                    | 111.6     | 7,762.0  | 67.9                   | <b>58.3</b>  | 42.7     |
| <i>Pediatrics</i>            | 65         | 80%                    | 54.1      | 3,587.5  | 34.0                   | <b>28.3</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 36         | 83%                    | 31.9      | 2,472.4  | 18.8                   | <b>16.7</b>  | 13.6     |
| <b>Psychiatry</b>            | 58         | 86%                    | 44.0      | 4,341.5  | 30.3                   | <b>23.0</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 44                         | 25.6 | 20%                       | 13%  | 19%  | <b>13%</b>  | 14%      |
| <i>Family Practice</i>       | 12                         | 8.2  | 27%                       | 25%  | 27%  | <b>24%</b>  | 20%      |
| <i>General Practice</i>      | -6                         | -6.8 | -25%                      | -37% | -25%   | <b>-37%</b> | -27%     |
| <i>Internal Medicine</i>     | 18                         | 8.9  | 16%                       | 9%   | 15%  | <b>8%</b>   | 17%      |
| <i>Pediatrics</i>            | 20                         | 15.3 | 44%                       | 39%  | 44%  | <b>39%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | -2.5 | 0%                        | -7%  | -1%  | <b>-8%</b>  | 27%      |
| <b>Psychiatry</b>            | 13                         | 5.8  | 29%                       | 15%  | 28%  | <b>14%</b>  | 2%       |

## Physician Age Distribution, 1999

### Yonkers




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Yonkers



### New York State



# Syracuse




## Physician Supply, 1999

| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |              |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|--------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs    | NYS FTEs |
| <b>Primary Care</b>          | 268        | 69%                    | 216.7     | 14,618.8 | 178.0                  | <b>143.9</b> | 80.3     |
| <i>Family Practice</i>       | 71         | 82%                    | 56.8      | 2,509.4  | 47.2                   | <b>37.7</b>  | 13.8     |
| <i>General Practice</i>      | 9          | 57%                    | 7.1       | 759.9    | 6.0                    | <b>4.7</b>   | 4.2      |
| <i>Internal Medicine</i>     | 117        | 68%                    | 97.4      | 7,762.0  | 77.7                   | <b>64.7</b>  | 42.7     |
| <i>Pediatrics</i>            | 71         | 59%                    | 55.5      | 3,587.5  | 47.2                   | <b>36.9</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 48         | 76%                    | 41.4      | 2,472.4  | 31.9                   | <b>27.5</b>  | 13.6     |
| <b>Psychiatry</b>            | 79         | 74%                    | 58.3      | 4,341.5  | 52.5                   | <b>38.7</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 54                         | 54.2 | 25%                       | 33%  | 31%  | <b>39%</b>  | 14%      |
| <i>Family Practice</i>       | 35                         | 27.7 | 97%                       | 95%  | 106%   | <b>103%</b> | 20%      |
| <i>General Practice</i>      | 3                          | 0.4  | 50%                       | 6%   | 56%  | <b>10%</b>  | -27%     |
| <i>Internal Medicine</i>     | 13                         | 20.2 | 13%                       | 26%  | 17%  | <b>32%</b>  | 17%      |
| <i>Pediatrics</i>            | 3                          | 6.0  | 4%                        | 12%  | 9%   | <b>17%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | 5.1  | 0%                        | 14%  | 4%   | <b>19%</b>  | 27%      |
| <b>Psychiatry</b>            | -4                         | -1.9 | -5%                       | -3%  | -1%  | <b>1%</b>   | 2%       |


## Physician Age Distribution, 1999 Syracuse




## New York State




## Physician Race/Ethnicity Distribution, 1999 Syracuse



## New York State



# Albany



## Physician Supply, 1999


| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |              |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|--------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs    | NYS FTEs |
| <b>Primary Care</b>          | 206        | 70%                    | 168.5     | 14,618.8 | 219.2                  | <b>179.3</b> | 80.3     |
| <i>Family Practice</i>       | 37         | 68%                    | 29.9      | 2,509.4  | 39.4                   | <b>31.8</b>  | 13.8     |
| <i>General Practice</i>      | 5          | 40%                    | 4.1       | 759.9    | 5.3                    | <b>4.4</b>   | 4.2      |
| <i>Internal Medicine</i>     | 123        | 73%                    | 102.8     | 7,762.0  | 130.9                  | <b>109.4</b> | 42.7     |
| <i>Pediatrics</i>            | 41         | 70%                    | 31.7      | 3,587.5  | 43.6                   | <b>33.8</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 38         | 76%                    | 34.1      | 2,472.4  | 40.4                   | <b>36.3</b>  | 13.6     |
| <b>Psychiatry</b>            | 72         | 70%                    | 57.0      | 4,341.5  | 76.6                   | <b>60.6</b>  | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 48                         | 47.1 | 30%                       | 39%  | 36%  | <b>45%</b>  | 14%      |
| <i>Family Practice</i>       | 14                         | 14.3 | 61%                       | 92%  | 68%  | <b>101%</b> | 20%      |
| <i>General Practice</i>      | 1                          | 0.4  | 25%                       | 10%  | 31%  | <b>14%</b>  | -27%     |
| <i>Internal Medicine</i>     | 17                         | 20.4 | 16%                       | 25%  | 21%  | <b>30%</b>  | 17%      |
| <i>Pediatrics</i>            | 16                         | 12.0 | 64%                       | 61%  | 71%  | <b>68%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 2                          | 6.6  | 6%                        | 24%  | 10%  | <b>29%</b>  | 27%      |
| <b>Psychiatry</b>            | -5                         | 1.6  | -6%                       | 3%   | -2%  | <b>8%</b>   | 2%       |

## *Physician Age Distribution, 1999*

### **Albany**




### **New York State**




## *Physician Race/Ethnicity Distribution, 1999*

### **Albany**




### **New York State**





# New Rochelle




## Physician Supply, 1999

| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |              |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|--------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs    | NYS FTEs |
| <b>Primary Care</b>          | 131        | 82%                    | 104.1     | 14,618.8 | 193.9                  | <b>154.1</b> | 80.3     |
| <i>Family Practice</i>       | 8          | 57%                    | 5.4       | 2,509.4  | 11.8                   | <b>8.0</b>   | 13.8     |
| <i>General Practice</i>      | 7          | 57%                    | 3.5       | 759.9    | 10.4                   | <b>5.1</b>   | 4.2      |
| <i>Internal Medicine</i>     | 83         | 88%                    | 68.9      | 7,762.0  | 122.9                  | <b>101.9</b> | 42.7     |
| <i>Pediatrics</i>            | 33         | 82%                    | 26.4      | 3,587.5  | 48.9                   | <b>39.0</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 21         | 90%                    | 17.4      | 2,472.4  | 31.1                   | <b>25.8</b>  | 13.6     |
| <b>Psychiatry</b>            | 41         | 85%                    | 28.6      | 4,341.5  | 60.7                   | <b>42.4</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 62                         | 46.5 | 90%                       | 81%  | 90%  | <b>81%</b>  | 14%      |
| <i>Family Practice</i>       | 2                          | -1.2 | 33%                       | -17% | 33%  | <b>-18%</b> | 20%      |
| <i>General Practice</i>      | 6                          | 3.5  | 600%                      | --   | 600%   | <b>--</b>   | -27%     |
| <i>Internal Medicine</i>     | 35                         | 30.8 | 73%                       | 81%  | 73%  | <b>81%</b>  | 17%      |
| <i>Pediatrics</i>            | 19                         | 13.4 | 136%                      | 103% | 136%   | <b>103%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | -1.8 | 0%                        | -9%  | 0%   | <b>-10%</b> | 27%      |
| <b>Psychiatry</b>            | 10                         | 4.6  | 32%                       | 19%  | 32%  | <b>19%</b>  | 2%       |


**Physician Age Distribution, 1999**  
**New Rochelle**




**New York State**




**Physician Race/Ethnicity Distribution, 1999**  
**New Rochelle**



**New York State**



# Mount Vernon




## Physician Supply, 1999

| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 72         | 85%                    | 60.7      | 14,618.8 | 107.6                  | <b>90.7</b> | 80.3     |
| <i>Family Practice</i>       | 3          | 67%                    | 2.2       | 2,509.4  | 4.5                    | <b>3.3</b>  | 13.8     |
| <i>General Practice</i>      | 5          | 80%                    | 3.8       | 759.9    | 7.5                    | <b>5.7</b>  | 4.2      |
| <i>Internal Medicine</i>     | 50         | 85%                    | 42.7      | 7,762.0  | 74.7                   | <b>63.8</b> | 42.7     |
| <i>Pediatrics</i>            | 14         | 93%                    | 12.0      | 3,587.5  | 20.9                   | <b>17.9</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 13         | 77%                    | 11.8      | 2,472.4  | 19.4                   | <b>17.7</b> | 13.6     |
| <b>Psychiatry</b>            | 11         | 64%                    | 7.4       | 4,341.5  | 16.4                   | <b>11.1</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 29                         | 20.5 | 67%                       | 51%  | 68%  | <b>52%</b>  | 14%      |
| <i>Family Practice</i>       | 2                          | 1.6  | 200%                      | 294% | 201%   | <b>295%</b> | 20%      |
| <i>General Practice</i>      | 3                          | 1.6  | 150%                      | 71%  | 151%   | <b>72%</b>  | -27%     |
| <i>Internal Medicine</i>     | 15                         | 10.8 | 43%                       | 34%  | 43%  | <b>34%</b>  | 17%      |
| <i>Pediatrics</i>            | 9                          | 6.5  | 180%                      | 119% | 181%   | <b>120%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 3                          | 2.3  | 30%                       | 25%  | 30%  | <b>25%</b>  | 27%      |
| <b>Psychiatry</b>            | 1                          | 0.2  | 10%                       | 3%   | 10%  | <b>4%</b>   | 2%       |


**Physician Age Distribution, 1999**  
**Mount Vernon**




**New York State**




**Physician Race/Ethnicity Distribution, 1999**  
**Mount Vernon**



**New York State**



# Schenectady




## Physician Supply, 1999

| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |              |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|--------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs    | NYS FTEs |
| <b>Primary Care</b>          | 116        | 79%                    | 95.8      | 14,618.8 | 190.8                  | <b>157.6</b> | 80.3     |
| <i>Family Practice</i>       | 54         | 84%                    | 44.8      | 2,509.4  | 88.8                   | <b>73.7</b>  | 13.8     |
| <i>General Practice</i>      | 5          | 80%                    | 3.5       | 759.9    | 8.2                    | <b>5.8</b>   | 4.2      |
| <i>Internal Medicine</i>     | 38         | 81%                    | 31.4      | 7,762.0  | 62.5                   | <b>51.6</b>  | 42.7     |
| <i>Pediatrics</i>            | 19         | 63%                    | 16.2      | 3,587.5  | 31.3                   | <b>26.6</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 27         | 73%                    | 24.3      | 2,472.4  | 44.4                   | <b>39.9</b>  | 13.6     |
| <b>Psychiatry</b>            | 15         | 67%                    | 10.6      | 4,341.5  | 24.7                   | <b>17.4</b>  | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 27                         | 22.8 | 30%                       | 31%  | 36%  | <b>37%</b>  | 14%      |
| <i>Family Practice</i>       | 15                         | 15.7 | 38%                       | 54%  | 45%  | <b>61%</b>  | 20%      |
| <i>General Practice</i>      | 1                          | 0.2  | 25%                       | 6%   | 31%  | <b>11%</b>  | -27%     |
| <i>Internal Medicine</i>     | 15                         | 11.9 | 65%                       | 61%  | 73%  | <b>69%</b>  | 17%      |
| <i>Pediatrics</i>            | -4                         | -5.1 | -17%                      | -24% | -14%   | <b>-20%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | 3                          | 2.8  | 13%                       | 13%  | 18%  | <b>18%</b>  | 27%      |
| <b>Psychiatry</b>            | -7                         | -9.0 | -32%                      | -46% | -29%   | <b>-44%</b> | 2%       |


**Physician Age Distribution, 1999**  
**Schenectady**




**New York State**




**Physician Race/Ethnicity Distribution, 1999**  
**Schenectady**



**New York State**



# Utica



## Physician Supply, 1999


| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 60         | 63%                    | 48.9      | 14,618.8 | 102.1                  | <b>83.1</b> | 80.3     |
| <i>Family Practice</i>       | 21         | 84%                    | 17.7      | 2,509.4  | 35.7                   | <b>30.2</b> | 13.8     |
| <i>General Practice</i>      | 3          | 67%                    | 2.6       | 759.9    | 5.1                    | <b>4.3</b>  | 4.2      |
| <i>Internal Medicine</i>     | 24         | 59%                    | 19.3      | 7,762.0  | 40.9                   | <b>32.9</b> | 42.7     |
| <i>Pediatrics</i>            | 12         | 33%                    | 9.3       | 3,587.5  | 20.4                   | <b>15.8</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 11         | 45%                    | 10.3      | 2,472.4  | 18.7                   | <b>17.4</b> | 13.6     |
| <b>Psychiatry</b>            | 27         | 58%                    | 23.2      | 4,341.5  | 46.0                   | <b>39.4</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 13                         | 8.9  | 28%                       | 22%  | 37%  | <b>31%</b>  | 14%      |
| <i>Family Practice</i>       | 9                          | 7.7  | 75%                       | 77%  | 88%  | <b>90%</b>  | 20%      |
| <i>General Practice</i>      | -5                         | -5.5 | -63%                      | -68% | -60%   | <b>-66%</b> | -27%     |
| <i>Internal Medicine</i>     | 3                          | 3.0  | 14%                       | 18%  | 23%  | <b>27%</b>  | 17%      |
| <i>Pediatrics</i>            | 6                          | 3.7  | 100%                      | 67%  | 115%   | <b>80%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | -2                         | -2.6 | -15%                      | -20% | -9%  | <b>-14%</b> | 27%      |
| <b>Psychiatry</b>            | -3                         | -4.8 | -10%                      | -17% | -3%  | <b>-11%</b> | 2%       |

## Physician Age Distribution, 1999

### Utica




### New York State




## Physician Race/Ethnicity Distribution, 1999

### Utica




### New York State





# Niagara Falls




## Physician Supply, 1999

| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 38         | 73%                    | 29.7      | 14,618.8 | 67.9                   | <b>53.0</b> | 80.3     |
| <i>Family Practice</i>       | 13         | 85%                    | 9.5       | 2,509.4  | 23.2                   | <b>16.9</b> | 13.8     |
| <i>General Practice</i>      | 4          | 33%                    | 4.0       | 759.9    | 7.2                    | <b>7.2</b>  | 4.2      |
| <i>Internal Medicine</i>     | 14         | 63%                    | 9.6       | 7,762.0  | 25.0                   | <b>17.1</b> | 42.7     |
| <i>Pediatrics</i>            | 7          | 71%                    | 6.6       | 3,587.5  | 12.5                   | <b>11.8</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 2          | 50%                    | 2.0       | 2,472.4  | 3.6                    | <b>3.6</b>  | 13.6     |
| <b>Psychiatry</b>            | 11         | 73%                    | 9.6       | 4,341.5  | 19.7                   | <b>17.1</b> | 23.9     |


## Changes in Physician Supply, 1995-1999

| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | -1                         | -5.7 | -3%                       | -16% | 2%   | <b>-12%</b> | 14%      |
| <i>Family Practice</i>       | 0                          | -0.8 | 0%                        | -8%  | 5%   | <b>-3%</b>  | 20%      |
| <i>General Practice</i>      | 1                          | 0.8  | 33%                       | 24%  | 40%  | <b>30%</b>  | -27%     |
| <i>Internal Medicine</i>     | -1                         | -4.3 | -7%                       | -31% | -2%  | <b>-28%</b> | 17%      |
| <i>Pediatrics</i>            | -1                         | -1.4 | -13%                      | -18% | -8%  | <b>-14%</b> | 17%      |
| <b>Obstetrics/Gynecology</b> | -3                         | -2.8 | -60%                      | -58% | -58%   | <b>-56%</b> | 27%      |
| <b>Psychiatry</b>            | 4                          | 3.4  | 57%                       | 55%  | 65%  | <b>62%</b>  | 2%       |


**Physician Age Distribution, 1999**  
**Niagara Falls**




**New York State**




**Physician Race/Ethnicity Distribution, 1999**  
**Niagara Falls**



**New York State**



# Troy



## Physician Supply, 1999


| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |             |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|-------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 61         | 67%                    | 51.1      | 14,618.8 | 119.1                  | <b>99.8</b> | 80.3     |
| <i>Family Practice</i>       | 13         | 62%                    | 9.7       | 2,509.4  | 25.4                   | <b>18.8</b> | 13.8     |
| <i>General Practice</i>      | 3          | 0%                     | 1.6       | 759.9    | 5.9                    | <b>3.0</b>  | 4.2      |
| <i>Internal Medicine</i>     | 31         | 68%                    | 28.6      | 7,762.0  | 60.5                   | <b>55.8</b> | 42.7     |
| <i>Pediatrics</i>            | 14         | 79%                    | 11.3      | 3,587.5  | 27.3                   | <b>22.1</b> | 19.7     |
| <b>Obstetrics/Gynecology</b> | 11         | 82%                    | 10.3      | 2,472.4  | 21.5                   | <b>20.1</b> | 13.6     |
| <b>Psychiatry</b>            | 9          | 78%                    | 6.3       | 4,341.5  | 17.6                   | <b>12.3</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 6                          | 1.1  | 11%                       | 2%   | 14%  | <b>5%</b>   | 14%      |
| <i>Family Practice</i>       | -1                         | -2.9 | -7%                       | -23% | -4%  | <b>-21%</b> | 20%      |
| <i>General Practice</i>      | -1                         | -2.7 | -25%                      | -63% | -23%   | <b>-62%</b> | -27%     |
| <i>Internal Medicine</i>     | 6                          | 6.2  | 24%                       | 28%  | 28%  | <b>31%</b>  | 17%      |
| <i>Pediatrics</i>            | 2                          | 0.5  | 17%                       | 5%   | 20%  | <b>8%</b>   | 17%      |
| <b>Obstetrics/Gynecology</b> | 3                          | 1.7  | 38%                       | 20%  | 41%  | <b>23%</b>  | 27%      |
| <b>Psychiatry</b>            | 1                          | -1.2 | 13%                       | -16% | 16%  | <b>-14%</b> | 2%       |

## Physician Age Distribution, 1999

### Troy




### New York State




## Physician Race/Ethnicity Distribution, 1999


### Troy



### New York State



# White Plains



## Physician Supply, 1999


| Specialty                    | Counts     |                        |           |          | Per 100,000 Population |              |          |
|------------------------------|------------|------------------------|-----------|----------|------------------------|--------------|----------|
|                              | Physicians | Percent Trained in NYS | City FTEs | NYS FTEs | Physicians             | City FTEs    | NYS FTEs |
| <b>Primary Care</b>          | 148        | 79%                    | 118.6     | 14,618.8 | 294.6                  | <b>236.1</b> | 80.3     |
| <i>Family Practice</i>       | 4          | 100%                   | 2.6       | 2,509.4  | 8.0                    | <b>5.2</b>   | 13.8     |
| <i>General Practice</i>      | 7          | 83%                    | 5.3       | 759.9    | 13.9                   | <b>10.6</b>  | 4.2      |
| <i>Internal Medicine</i>     | 100        | 80%                    | 79.8      | 7,762.0  | 199.0                  | <b>158.8</b> | 42.7     |
| <i>Pediatrics</i>            | 37         | 73%                    | 30.9      | 3,587.5  | 73.6                   | <b>61.5</b>  | 19.7     |
| <b>Obstetrics/Gynecology</b> | 37         | 76%                    | 30.8      | 2,472.4  | 73.6                   | <b>61.4</b>  | 13.6     |
| <b>Psychiatry</b>            | 121        | 77%                    | 85.6      | 4,341.5  | 240.8                  | <b>170.4</b> | 23.9     |

## Changes in Physician Supply, 1995-1999


| Specialty                    | Absolute Change, 1995-1999 |      | Percent Change, 1995-1999 |      | Percent Change per 100,000 Population, 1995-1999 |             |          |
|------------------------------|----------------------------|------|---------------------------|------|--|-------------|----------|
|                              | Physicians                 | FTEs | Physicians                | FTEs | Physicians                                       | City FTEs   | NYS FTEs |
| <b>Primary Care</b>          | 31                         | 19.1 | 26%                       | 19%  | 25%  | <b>17%</b>  | 14%      |
| <i>Family Practice</i>       | 1                          | 0.2  | 33%                       | 7%   | 31%  | <b>5%</b>   | 20%      |
| <i>General Practice</i>      | 4                          | 2.8  | 133%                      | 112% | 130%   | <b>109%</b> | -27%     |
| <i>Internal Medicine</i>     | 22                         | 15.9 | 28%                       | 25%  | 26%  | <b>23%</b>  | 17%      |
| <i>Pediatrics</i>            | 4                          | 0.3  | 12%                       | 1%   | 10%  | <b>-1%</b>  | 17%      |
| <b>Obstetrics/Gynecology</b> | 0                          | -4.2 | 0%                        | -12% | -1%  | <b>-13%</b> | 27%      |
| <b>Psychiatry</b>            | -14                        | -0.4 | -10%                      | 0%   | -12%   | <b>-2%</b>  | 2%       |

## Physician Age Distribution, 1999

### White Plains




### New York State




## Physician Race/Ethnicity Distribution, 1999

### White Plains



### New York State



# **APPENDIX A:**

## **1997-2000 NEW YORK STATE PHYSICIAN LICENSURE RE-REGISTRATION SURVEY**





PHYSICIAN SURVEY  
1997-2000

**This questionnaire is part of your registration application. Complete and return it with the registration form and fee.**

Your responses to this survey are confidential. Item 1 asks for your NYS license number. This is clearly indicated on the enclosed registration application.

## Instructions

- Use a No. 2 pencil only.
- Make dark marks that completely fill the circle.
- Erase cleanly any answer you wish to change.
- Do not make any stray marks on this form.



CORRECT MARK

INCORRECT MARKS

## DATE COMPLETING SURVEY:

| A                         |                           | B                         |                            |
|---------------------------|---------------------------|---------------------------|----------------------------|
| <input type="radio"/> Jan | <input type="radio"/> May | <input type="radio"/> Sep | <input type="radio"/> 1997 |
| <input type="radio"/> Feb | <input type="radio"/> Jun | <input type="radio"/> Oct | <input type="radio"/> 1998 |
| <input type="radio"/> Mar | <input type="radio"/> Jul | <input type="radio"/> Nov | <input type="radio"/> 1999 |
| <input type="radio"/> Apr | <input type="radio"/> Aug | <input type="radio"/> Dec | <input type="radio"/> 2000 |

**NYS LICENSE NO.**

[illegible]

**2 GENDER**

Male ☐ Female ☐

## YR OF BIRTH

[illegible]

**15** Did you complete an accredited residency program in your:

|                             |  |                               |  |
|-----------------------------|--|-------------------------------|--|
| <b>A. Primary Specialty</b> | <input type="radio"/> Yes <input type="radio"/> No | <b>B. Secondary Specialty</b> | <input type="radio"/> Yes <input type="radio"/> No |
|-----------------------------|--|-------------------------------|--|

16 Do you have an American Board of Medical Specialties Certification, or a Certification of Special Qualification, or a Certificate of Added Qualification or an AOA Certification?

A. Primary Specialty      B. Secondary Specialty

☐ Yes   ☐ No      ☐ Yes   ☐ No

| CONTINUING MEDICAL EDUCATION   |  |                       |                       |                       |                       |
|--|--|-----------------------|-----------------------|-----------------------|-----------------------|
| How many CME hours did you obtain from the following sources during the past year? |  | Hours                 |                       |                       |                       |
|  |  | 0                     | 1-10                  | 10-19                 | 20+                   |
| Hospital sponsored programs  |  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Medical School   |  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Medical Society  |  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Self-instruction   |  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Specialty Society  |  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Other  |  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

18 Number of hospitals in New York State at which you have admitting privileges:

☐ None ☐ Two ☐ Four or more

☐ One ☐ Three

**19** Mark the response that best describes your patient care practice status or activities:

- ☐ I am not taking or seeing additional or new patients
- ☐ I could see/take a few additional/new patients
- ☐ I could see/take many additional/new patients
- ☐ Not Applicable

**RACIAL/ETHNIC ORIGIN**

**MARK ONE**

☐ Native American or Alaskan Native

☐ Asian or Pacific Islander

☐ Black/African American (Not Hispanic)

☐ Hispanic/Latino (Puerto Rican)

☐ Hispanic/Latino (All other)

☐ White (Not Hispanic)

| PRACTICE SPECIALTY(IES)<br>IN WHICH YOU SPEND MOST OF YOUR<br>PROFESSIONAL TIME |   |
|---|---|
| MARK ONE PRIMARY AND IF APPLICABLE, ONE SECONDARY                               |   |
| Primary   | Secondary   |
| <input type="radio"/>   | <input type="radio"/> Allergy & Immunology                  |
| <input type="radio"/>   | <input type="radio"/> Anesthesiology                        |
| <input type="radio"/>   | <input type="radio"/> Dermatology                           |
| <input type="radio"/>   | <input type="radio"/> Emergency Medicine                    |
| <input type="radio"/>   | <input type="radio"/> Family Practice                       |
| <input type="radio"/>   | <input type="radio"/> General Practice                      |
| <input type="radio"/>   | <input type="radio"/> Internal Medicine (General)           |
| <input type="radio"/>   | <input type="radio"/> Cardiovascular Disease                |
| <input type="radio"/>   | <input type="radio"/> Critical Care                         |
| <input type="radio"/>   | <input type="radio"/> Endocrinology and Metabolism          |
| <input type="radio"/>   | <input type="radio"/> Gastroenterology                      |
| <input type="radio"/>   | <input type="radio"/> Geriatrics                            |
| <input type="radio"/>   | <input type="radio"/> Infectious Disease                    |
| <input type="radio"/>   | <input type="radio"/> Medical Oncology                      |
| <input type="radio"/>   | <input type="radio"/> Nephrology                            |
| <input type="radio"/>   | <input type="radio"/> Pulmonary Disease                     |
| <input type="radio"/>   | <input type="radio"/> Rheumatology                          |
| <input type="radio"/>   | <input type="radio"/> Other Internal Medicine Sub-specialty |
| <input type="radio"/>   | <input type="radio"/> Neurology                             |
| <input type="radio"/>   | <input type="radio"/> Obstetrics and Gynecology             |
| <input type="radio"/>   | <input type="radio"/> Gynecology (Only)                     |
| <input type="radio"/>   | <input type="radio"/> Occupational Medicine                 |
| <input type="radio"/>   | <input type="radio"/> Ophthalmology                         |
| <input type="radio"/>   | <input type="radio"/> Otolaryngology                        |
| <input type="radio"/>   | <input type="radio"/> Pathology (General)                   |
| <input type="radio"/>   | <input type="radio"/> Pathology (Sub-specialty)             |
| <input type="radio"/>   | <input type="radio"/> Pediatrics (General)                  |
| <input type="radio"/>   | <input type="radio"/> Pediatric Sub-specialty               |
| <input type="radio"/>   | <input type="radio"/> Physical Medicine and Rehabilitation  |
| <input type="radio"/>   | <input type="radio"/> Preventive Medicine                   |
| <input type="radio"/>   | <input type="radio"/> Psychiatry-Adult                      |
| <input type="radio"/>   | <input type="radio"/> Psychiatry-Child & Adolescent         |
| <input type="radio"/>   | <input type="radio"/> Radiology-Diagnostic                  |
| <input type="radio"/>   | <input type="radio"/> Radiology-Therapeutic                 |
| <input type="radio"/>   | <input type="radio"/> Surgery (General)                     |
| <input type="radio"/>   | <input type="radio"/> Surgery, Neurological                 |
| <input type="radio"/>   | <input type="radio"/> Surgery, Orthopedic                   |
| <input type="radio"/>   | <input type="radio"/> Surgery, Plastic                      |
| <input type="radio"/>   | <input type="radio"/> Surgery, Thoracic                     |
| <input type="radio"/>   | <input type="radio"/> Other Surgical Sub-specialty          |
| <input type="radio"/>   | <input type="radio"/> Urology                               |
| <input type="radio"/>   | <input type="radio"/> Other                                 |



က

## CURRENT WORK STATUS IN MEDICINE

- ☐ Full-Time (30 hours or more per week)  
☐ Part-Time (less than 30 hours per week)  
☐ Inactive in Medicine  
☐ Retired

**NOTE:** If you are inactive in medicine or retired, STOP HERE and return the questionnaire to the State Education Department.

## 6

## CURRENT TRAINING STATUS

- Resident ☒ Fellow ☐ Neither ☐

## 7

## CURRENT ACTIVITIES IN MEDICINE

Please indicate hours per week in medicine for which the major activity is:

[illegible]

## LOCATION OF SCHOOLING

| Residence on graduation from High School | Location of Medical School from which You Graduated | Location of most recent Residency Training |
|--|---|--|
| <input type="radio"/>                    | <input type="radio"/>                               | <input type="radio"/> New York State       |
| <input type="radio"/>                    | <input type="radio"/>                               | <input type="radio"/> Other United States  |
| <input type="radio"/>                    | <input type="radio"/>                               | <input type="radio"/> Canada               |
| <input type="radio"/>                    | <input type="radio"/>                               | <input type="radio"/> Other Foreign        |

## 9

## MEDICAL SCHOOL

- ☐ Allopathic

NEW YORK STATE,  
indicate school:

- ☐ Albany Medical College
- ☐ Albert Einstein (Yeshiva University)
- ☐ Columbia University
- ☐ Cornell University
- ☐ Mount Sinai School of Medicine
- ☐ New York College of Osteopathic Medicine
- ☐ New York Medical College
- ☐ New York University
- ☐ SUNY Brooklyn
- ☐ SUNY at Buffalo
- ☐ SUNY at Stony Brook
- ☐ SUNY Syracuse
- ☐ University of Rochester

## 10

### PATIENT CARE: Practice Locations

Location of sites where you spend the most time providing direct patient care. Print the address of your practice location(s) including your 5-digit zip code. Also, indicate the average hours per week you spend at each practice location.

### A. Principal Location

[illegible]

### B. Secondary Location

[illegible]

三

## PATIENT CARE: Practice Settings

What best describes the patient care practices in question 10? Mark one circle for principal and one for secondary practice location where applicable.

| Physician             | Secondary  |
|-----------------------|--|
| <input type="radio"/> | <input type="radio"/> Solo Practice                                  |
| <input type="radio"/> | <input type="radio"/> Group Practice—Partner/Owner                   |
| <input type="radio"/> | <input type="radio"/> Group Practice—Employee/Staff                  |
| <input type="radio"/> | <input type="radio"/> Free-Standing Health Center or Clinic (D & TC) |
| <input type="radio"/> | <input type="radio"/> Urgent Care Center                             |
| <input type="radio"/> | <input type="radio"/> HMO  |
| <input type="radio"/> | <input type="radio"/> Hospital-Inpatient                             |
| <input type="radio"/> | <input type="radio"/> Hospital-Ambulatory Care                       |
| <input type="radio"/> | <input type="radio"/> Hospital-Emergency Room                        |
| <input type="radio"/> | <input type="radio"/> Nursing Home                                   |
| <input type="radio"/> | <input type="radio"/> Home Health                                    |
| <input type="radio"/> | <input type="radio"/> State or Local Health Dept.                    |
| <input type="radio"/> | <input type="radio"/> Other Setting                                  |

## 12

11. If your principal location in question #11 is a solo or group practice, percent of your patients that are enrolled in managed care, preferred provider, or other pre-payment arrangements:

- ☐ None  
☐ 1-10%  
☐ 11-25%  
☐ 26-50%  
☐ 51-75%  
☐ 76-100%  
☐ Don't know

## 31

What percent of your patients have the following primary source of payment?

|         | Medicare              | Medicaid              | Self-Pay              | All Other             |
|---------|-----------------------|-----------------------|-----------------------|-----------------------|
| 0-9%    | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 10-19%  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 20-29%  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 30-39%  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 40-49%  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 50-59%  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 60-69%  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 70-79%  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 80-89%  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 90-100% | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

# **APPENDIX B:**

## **TECHNICAL DATA DETAILS**



## TECHNICAL DATA DETAILS

Included in this appendix are technical details that should be considered when using this report.

### *New York State Physician Licensure Re-registration Survey*

Data from the Center for Health Workforce Studies' 1997-1999 *New York State Physician Licensure Re-registration Survey* are the backbone of this report. Physicians in New York are required to re-register their licenses with the Education Department every 2 years on a rolling basis. In the re-registration packet sent to each physician, a survey is included with questions related to sociodemographic characteristics, medical education and training, and practice patterns. During the 1997-1999 cycle, 57% of the physicians who re-registered their licenses completed the survey. For the purposes of this report, these data were supplemented with additional data from a variety of sources to account for the physicians who did not respond to the survey. The data in this report represent all physicians practicing in family practice, general practice, internal medicine, pediatrics, obstetrics/gynecology, and psychiatry in the state.


### *Identification of Primary Care Physicians*

As of December 31, 1999, there were 72,160 physicians licensed in New York State. Since the focus of this report was primary care physicians, identification of these physicians was a priority. Figure B-1 presents the steps in process of the identification of these physicians. The first step was to exclude the 6,738 physicians who practice outside of the borders of the state, leaving 65,422 physicians who practice in the state. Next, 5,211 physicians were excluded who were either medical residents or fellows in training, leaving 60,211 post-graduate physicians. Next, 4,670 retired, inactive, or otherwise non-patient care physicians were excluded, leaving 55,541 active patient care physicians. Next, 28,941 non-primary care, non-OB/GYNs, and non-psychiatrist physicians were excluded, leaving 26,600 primary care, OBGYN, psychiatrist patient care physicians. Finally, an adjustment to a standard Full-Time-Equivalent (see below for the adjustment details) was made reducing the number of physicians to 21,433.

### *FTE Adjustment*

In order to create a standard measure of supply, physicians were assigned FTE values based on the number of hours they spend in direct patient care per week. The FTE standard used was 40 hours per week spent in direct patient care. For those physicians who reported spending 40 hours per week in direct patient care or more, a value of 1.0 was assigned; i.e., the maximum FTE value for any particular physician was 1.0.

**Figure B-1. Primary Care Physician Identification in New York State, 1999**



### ***Population Data***

The population data used to calculate the ratios of physicians and physician FTEs per population were obtained from the United States Census Bureau. For the County, AHEC, and State level ratios, county level data, the “County Population Estimates and Demographic Components of Population Change: Annual Time Series, July 1, 1990 to July 1, 1999” report for New York <[http://www.census.gov/population/estimates/county/co-99-8/99C8\\_36.txt](http://www.census.gov/population/estimates/county/co-99-8/99C8_36.txt)> (14 February 2001) was accessed -- these data were aggregated up to the AHEC and State levels. For the City level profiles, the “Annual Time Series of Population Estimates, 1991 to 1999, and 1990 Census Population For Places and County Subdivisions (Minor Civil Divisions)” report for New York <[http://www.cache.census.gov/population/estimates/metro-city/scful/SC99F\\_NY.txt](http://www.cache.census.gov/population/estimates/metro-city/scful/SC99F_NY.txt)> (14 February 2001) was accessed.

# **APPENDIX C:**

## **ITEM RESPONSE RATES**





# ITEM RESPONSE RATES

Figure C-1 presents the item response rates for the variables that make up this report. With respect to patient care hours, the item response rate was just over 52%. While this is a somewhat low item response rate, for the physicians with missing patient care hour information, data points were estimated taking into account the gender, age, and specialty of the physician. Very few physician (less than < 0.05%) were missing information on the age of the physician and somewhat more (17.20%) were missing information on the race/ethnicity of the physician. Age and race/ethnicity missing values were not imputed, but rather distributions were reported for those with valid responses only. It should also be noted that percentage distributions for age and race may not sum to 100% due to rounding.

*Figure C-1. Item Response Rates*

| Variable           | Responses | Rate   |
|--------------------|-----------|--------|
| Patient Care Hours | 14,002    | 52.64% |
| Age                | 26,590    | 99.96% |
| Race/Ethnicity     | 22,025    | 82.80% |



# **APPENDIX D:**

## **COMPONENTS OF GEOGRAPHICAL REGIONS**



## **GEOGRAPHICAL AREAS**

In this appendix, the make-up of the geographical areas used in this report are presented.

### ***AHEC Regions***

In New York, the Area Health Education Regions are simple aggregates of counties. The 7 AHEC regions consist of the following counties:

#### **Western AHEC**

Allegany, Cattaraugus, Chautauqua, Genesee, Livingston, Monroe, Ontario, Orleans, Steuben, Wayne, Wyoming, Yates

#### **Erie/Niagara AHEC**

Erie, Niagara

#### **Northern AHEC**

Clinton, Franklin, Herkimer, Jefferson, Lewis, Oneida, Oswego, St. Lawrence

#### **South Central AHEC**

Broome, Cayuga, Chemung, Chenango, Cortland, Madison, Onondaga, Schuyler, Seneca, Tioga, Tompkins

#### **Adirondack AHEC**

Essex, Fulton, Hamilton, Montgomery, Saratoga, Schenectady, Warren, Washington

#### **Hudson AHEC**

Albany, Columbia, Delaware, Dutchess, Greene, Orange, Otsego, Putnam, Rensselaer, Rockland, Schoharie, Sullivan, Ulster

#### **New York Metropolitan AHEC**

Bronx, Kings, Nassau, New York, Queens, Richmond, Suffolk, Westchester

### ***Cities with Population Greater than 50,000 in 1999***

In this report, cities were defined by the zipcodes which make them up. Thus, the cities consisted of the following zipcodes:

#### **Albany**

12201, 12202, 12203, 12204, 12205, 12206, 12207, 12208, 12209, 12210, 12211, 12212

**Albany (cont.)**

12214, 12220, 12222, 12223, 12224, 12225, 12226, 12227, 12228, 12229, 12230, 12231, 12232, 12233, 12234, 12235, 12236, 12237, 12238, 12239, 12240, 12241, 12242, 12243, 12244, 12245, 12246, 12247, 12248, 12249, 12250, 12252, 12255, 12256, 12257, 12260, 12261, 12262, 12288

**Buffalo**

14201, 14202, 14203, 14204, 14205, 14206, 14207, 14208, 14209, 14210, 14211, 14212, 14213, 14214, 14215, 14216, 14217, 14218, 14219, 14220, 14221, 14222, 14223, 14224, 14225, 14226, 14227, 14228, 14231, 14233, 14240, 14241, 14260, 14261, 14263, 14264, 14265, 14267, 14269, 14270, 14272, 14273, 14276, 14280

**Mount Vernon**

10550, 10551, 10552, 10553, 10557, 10558, 10559

**New Rochelle**

10801, 10802, 10803, 10804, 10805

**New York City**

10001, 10002, 10003, 10004, 10005, 10006, 10007, 10008, 10009, 10010, 10011, 10012, 10013, 10014, 10015, 10016, 10017, 10018, 10019, 10020, 10021, 10022, 10023, 10024, 10025, 10026, 10027, 10028, 10029, 10030, 10031, 10032, 10033, 10034, 10035, 10036, 10037, 10038, 10039, 10040, 10041, 10043, 10044, 10045, 10046, 10047, 10048, 10055, 10060, 10079, 10080, 10081, 10087, 10090, 10094, 10095, 10096, 10098, 10099, 10101, 10102, 10103, 10104, 10105, 10106, 10107, 10108, 10109, 10110, 10111, 10112, 10113, 10114, 10115, 10116, 10117, 10118, 10119, 10120, 10121, 10122, 10123, 10124, 10125, 10126, 10128, 10129, 10130, 10131, 10132, 10133, 10138, 10149, 10150, 10151, 10152, 10153, 10154, 10155, 10156, 10157, 10158, 10159, 10160, 10161, 10162, 10163, 10164, 10165, 10166, 10167, 10168, 10169, 10170, 10171, 10172, 10173, 10174, 10175, 10176, 10177, 10178, 10184, 10185, 10196, 10199, 10203, 10211, 10212, 10213, 10242, 10249, 10256, 10257, 10258, 10259, 10260, 10261, 10265, 10268, 10269, 10270, 10271, 10272, 10273, 10274, 10275, 10276, 10277, 10278, 10279, 10280, 10281, 10282, 10285, 10286, 10292, 10301, 10302, 10303, 10304, 10305, 10306, 10307, 10308, 10309, 10310, 10311, 10312, 10313, 10314, 10451, 10452, 10453, 10454, 10455, 10456, 10457, 10458, 10459,

**New York City (cont.)**

10460, 10461, 10462, 10463, 10464, 10465, 10466, 10467, 10468, 10469, 10470, 10471, 10472, 10473, 10474, 10475, 11004, 11005, 11101, 11102, 11103, 11104, 11105, 11106, 11120, 11201, 11202, 11203, 11204, 11205, 11206, 11207, 11208, 11209, 11210, 11211, 11212, 11213, 11214, 11215, 11216, 11217, 11218, 11219, 11220, 11221, 11222, 11223, 11224, 11225, 11226, 11228, 11229, 11230, 11231, 11232, 11233, 11234, 11235, 11236, 11237, 11238, 11239, 11240, 11241, 11242, 11243, 11244, 11245, 11247, 11248, 11251, 11252, 11254, 11255, 11256, 11351, 11352, 11353, 11354, 11355, 11356, 11357, 11358, 11359, 11360, 11361, 11362, 11363, 11364, 11365, 11366, 11367, 11368, 11369, 11370, 11371, 11372, 11373, 11374, 11375, 11377, 11378, 11379, 11380, 11381, 11385, 11386, 11388, 11402, 11405, 11406, 11407, 11408, 11411, 11412, 11413, 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421, 11422, 11423, 11424, 11425, 11426, 11427, 11428, 11429, 11430, 11431, 11432, 11433, 11434, 11435, 11436, 11439, 11440, 11441, 11446, 11447, 11450, 11451, 11452, 11460, 11474, 11484, 11486, 11690, 11691, 11692, 11693, 11694, 11695, 11696, 11697

**Niagara Falls**

10301, 10302, 10303, 10304, 10305

**Rochester**

14601, 14602, 14603, 14604, 14605, 14606, 14607, 14608, 14609, 14610, 14611, 14612, 14613, 14614, 14615, 14616, 14617, 14618, 14619, 14620, 14621, 14622, 14623, 14624, 14625, 14626, 14627, 14638, 14639, 14642, 14643, 14644, 14645, 14646, 14647, 14649, 14650, 14651, 14652, 14653, 14660, 14664, 14673, 14683, 14692, 14694

**Schenectady**

12008, 12301, 12302, 12303, 12304, 12305, 12306, 12307, 12308, 12309, 12325, 12345

**Syracuse**

13201, 13202, 13203, 13204, 13205, 13206, 13207, 13208, 13209, 13210, 13211, 13212, 13214, 13215, 13217, 13218, 13219, 13220, 13221, 13224, 13225, 13235, 13244, 13250, 13251, 13252, 13260, 13261, 13290

**Troy**

12179, 12180, 12181, 12182, 12183

**Utica**

13501, 13502, 13503, 13504, 13505, 13509

**White Plains**

10601, 10602, 10603, 10604, 10605, 10606, 10607, 10610, 10625, 10629, 10633, 10650

**Yonkers**

10701, 10702, 10703, 10704, 10705, 10706, 10707, 10708, 10709, 10710



# **APPENDIX E:**

## **SUMMARY TABLES**



**New York State Physicians: FTE Counts**

|                       | <b>Family<br/>Practice<br/>FTEs</b> | <b>General<br/>Practice<br/>FTEs</b> | <b>Internal<br/>Medicine<br/>FTEs</b> | <b>Pediatrics<br/>FTEs</b> | <b>Obstetrics/<br/>Gynecology<br/>FTEs</b> | <b>Psychiatry<br/>FTEs</b> |
|-----------------------|-------------------------------------|--------------------------------------|---------------------------------------|----------------------------|--|----------------------------|
| State Totals          | 2,509.4                             | 759.9                                | 7,762.0                               | 3,587.5                    | 2,472.4                                    | 4,341.5                    |
| <b>AHEC Regions</b>   |                                     |                                      |                                       |                            |  |                            |
| Adirondack            | 148.7                               | 23.9                                 | 105.1                                 | 61.7                       | 59.4                                       | 54.1                       |
| Erie/Niagara          | 216.5                               | 33.6                                 | 357.0                                 | 178.8                      | 125.2                                      | 129.0                      |
| Hudson                | 315.7                               | 80.2                                 | 614.6                                 | 316.2                      | 207.4                                      | 385.4                      |
| New York Metropolitan | 1,149.5                             | 528.1                                | 5,652.3                               | 2,599.6                    | 1,727.1                                    | 3,364.4                    |
| Northern              | 148.3                               | 29.1                                 | 173.7                                 | 62.2                       | 59.7                                       | 75.4                       |
| South Central         | 395.6                               | 30.3                                 | 303.3                                 | 151.1                      | 126.4                                      | 155.4                      |
| Western               | 235.2                               | 34.7                                 | 556.0                                 | 218.0                      | 167.2                                      | 177.8                      |
| <b>Counties</b>       |                                     |                                      |                                       |                            |  |                            |
| Albany County         | 70.4                                | 16.6                                 | 144.3                                 | 60.3                       | 44.1                                       | 72.7                       |
| Allegany County       | 10.5                                | 3.4                                  | 7.8                                   | 1.0                        | 1.0  | 0.0                        |
| Bronx County          | 94.1                                | 42.5                                 | 429.1                                 | 247.8                      | 100.0                                      | 164.3                      |
| Broome County         | 44.5                                | 5.1                                  | 71.5                                  | 23.4                       | 21.8                                       | 32.5                       |
| Cattaraugus County    | 14.7                                | 2.6                                  | 11.4                                  | 8.4                        | 4.5  | 2.8                        |
| Cayuga County         | 4.0                                 | 0.9                                  | 16.7                                  | 4.7                        | 7.5  | 2.9                        |
| Chautauqua County     | 17.9                                | 7.7                                  | 32.8                                  | 5.8                        | 8.7  | 6.5                        |
| Chemung County        | 19.1                                | 3.2                                  | 30.5                                  | 12.1                       | 10.5                                       | 18.6                       |
| Chenango County       | 15.3                                | 0.0                                  | 4.9                                   | 1.9                        | 1.0  | 1.4                        |
| Clinton County        | 16.1                                | 2.7                                  | 18.3                                  | 9.1                        | 8.1  | 10.9                       |
| Columbia County       | 16.6                                | 2.0                                  | 19.1                                  | 5.1                        | 1.1  | 3.4                        |
| Cortland County       | 10.1                                | 1.0                                  | 6.9                                   | 4.0                        | 4.0  | 3.4                        |
| Delaware County       | 11.4                                | 1.6                                  | 7.0                                   | 1.9                        | 1.9  | 2.9                        |
| Dutchess County       | 49.6                                | 7.5                                  | 86.5                                  | 40.8                       | 30.3                                       | 70.2                       |
| Erie County           | 182.6                               | 27.9                                 | 319.2                                 | 159.3                      | 112.4                                      | 115.7                      |
| Essex County          | 13.3                                | 2.0                                  | 3.3                                   | 1.7                        | 1.0  | 0.8                        |
| Franklin County       | 8.8                                 | 1.2                                  | 15.1                                  | 4.6                        | 2.0  | 5.4                        |
| Fulton County         | 12.6                                | 5.8                                  | 14.6                                  | 4.1                        | 1.6  | 3.0                        |
| Genesee County        | 7.3                                 | 0.1                                  | 13.0                                  | 3.0                        | 3.5  | 3.7                        |
| Greene County         | 4.2                                 | 1.0                                  | 7.7                                   | 2.6                        | 3.0  | 0.0                        |
| Hamilton County       | 2.8                                 | 0.9                                  | 0.0                                   | 1.0                        | 1.0  | 0.0                        |
| Herkimer County       | 12.0                                | 1.0                                  | 8.9                                   | 5.5                        | 3.6  | 1.8                        |
| Jefferson County      | 9.8                                 | 4.1                                  | 17.1                                  | 12.2                       | 6.0  | 4.4                        |
| Kings County          | 174.9                               | 84.2                                 | 956.0                                 | 447.7                      | 239.3                                      | 280.5                      |
| Lewis County          | 12.3                                | 1.0                                  | 3.8                                   | 0.0                        | 4.3  | 0.0                        |
| Livingston County     | 14.5                                | 2.6                                  | 5.0                                   | 3.7                        | 2.9  | 0.0                        |
| Madison County        | 20.1                                | 2.4                                  | 8.9                                   | 3.2                        | 6.9  | 2.1                        |
| Monroe County         | 95.3                                | 8.9                                  | 396.2                                 | 165.7                      | 115.7                                      | 138.1                      |
| Montgomery County     | 9.8                                 | 1.0                                  | 8.0                                   | 6.3                        | 4.0  | 4.0                        |
| Nassau County         | 178.7                               | 72.3                                 | 797.7                                 | 405.3                      | 283.9                                      | 352.0                      |
| New York County       | 126.1                               | 132.1                                | 1,468.6                               | 506.0                      | 481.9                                      | 1,546.3                    |
| Niagara County        | 33.8                                | 5.7                                  | 37.7                                  | 19.4                       | 12.7                                       | 13.2                       |
| Oneida County         | 57.1                                | 10.3                                 | 63.1                                  | 18.0                       | 19.1                                       | 38.5                       |
| Onondaga County       | 132.5                               | 13.4                                 | 130.0                                 | 88.3                       | 64.1                                       | 77.7                       |
| Ontario County        | 16.1                                | 2.8                                  | 32.0                                  | 10.8                       | 11.2                                       | 10.0                       |
| Orange County         | 23.9                                | 12.5                                 | 89.4                                  | 54.8                       | 40.6                                       | 62.8                       |
| Orleans County        | 9.3                                 | 1.2                                  | 5.9                                   | 2.9                        | 3.0  | 1.3                        |
| Oswego County         | 14.3                                | 3.9                                  | 19.8                                  | 6.6                        | 3.6  | 2.8                        |
| Otsego County         | 8.9                                 | 1.3                                  | 26.9                                  | 8.1                        | 10.0                                       | 11.6                       |
| Putnam County         | 8.0                                 | 2.1                                  | 30.1                                  | 16.5                       | 9.7  | 9.7                        |
| Queens County         | 167.5                               | 93.1                                 | 803.4                                 | 389.9                      | 207.5                                      | 262.2                      |
| Rensselaer County     | 27.8                                | 5.2                                  | 36.8                                  | 18.8                       | 13.3                                       | 7.3                        |
| Richmond County       | 23.9                                | 14.9                                 | 192.0                                 | 92.2                       | 67.3                                       | 72.3                       |

| <b>New York State Physicians: FTE Counts (cont.)</b> |                                     |                                      |                                       |                            |  |                            |
|--|-------------------------------------|--------------------------------------|---------------------------------------|----------------------------|--|----------------------------|
|  | <b>Family<br/>Practice<br/>FTEs</b> | <b>General<br/>Practice<br/>FTEs</b> | <b>Internal<br/>Medicine<br/>FTEs</b> | <b>Pediatrics<br/>FTEs</b> | <b>Obstetrics/<br/>Gynecology<br/>FTEs</b> | <b>Psychiatry<br/>FTEs</b> |
| Rockland County                                      | 24.0                                | 13.7                                 | 112.4                                 | 84.1                       | 34.5                                       | 105.0                      |
| St. Lawrence County                                  | 17.9                                | 4.8                                  | 27.5                                  | 6.0                        | 12.9                                       | 11.7                       |
| Saratoga County                                      | 43.7                                | 8.1                                  | 20.0                                  | 17.5                       | 15.7                                       | 26.3                       |
| Schenectady County                                   | 37.8                                | 2.9                                  | 31.4                                  | 12.9                       | 23.3                                       | 10.6                       |
| Schoharie County                                     | 10.1                                | 1.8                                  | 4.8                                   | 1.0                        | 0.0  | 0.0                        |
| Schuyler County                                      | 6.5                                 | 0.0                                  | 4.0                                   | 1.9                        | 1.0  | 0.0                        |
| Seneca County  | 4.9                                 | 0.6                                  | 2.0                                   | 0.0                        | 0.0  | 1.5                        |
| Steuben County                                       | 21.7                                | 1.1                                  | 23.2                                  | 7.2                        | 8.6  | 7.8                        |
| Suffolk County                                       | 281.3                               | 48.8                                 | 422.6                                 | 219.5                      | 164.3                                      | 258.4                      |
| Sullivan County                                      | 6.8                                 | 4.3                                  | 17.2                                  | 5.9                        | 3.0  | 7.6                        |
| Tioga County   | 12.6                                | 0.1                                  | 4.7                                   | 1.0                        | 0.0  | 0.0                        |
| Tompkins County                                      | 25.9                                | 3.6                                  | 23.1                                  | 10.7                       | 9.6  | 15.3                       |
| Ulster County  | 53.9                                | 10.5                                 | 32.2                                  | 16.2                       | 16.2                                       | 32.2                       |
| Warren County  | 21.0                                | 1.7                                  | 17.5                                  | 12.3                       | 7.9  | 7.9                        |
| Washington County                                    | 7.6                                 | 1.7                                  | 10.3                                  | 6.0                        | 5.0  | 1.6                        |
| Wayne County   | 11.1                                | 1.6                                  | 18.0                                  | 7.5                        | 5.2  | 4.7                        |
| Westchester County                                   | 102.5                               | 39.4                                 | 581.4                                 | 290.7                      | 182.9                                      | 428.3                      |
| Wyoming County                                       | 8.5                                 | 1.8                                  | 7.5                                   | 2.0                        | 3.0  | 1.0                        |
| Yates County   | 8.3                                 | 1.0                                  | 3.1                                   | 0.0                        | 0.0  | 2.0                        |
| <b>Selected Cities</b>                               |                                     |                                      |                                       |                            |  |                            |
| Albany   | 29.9                                | 4.1                                  | 102.8                                 | 31.7                       | 34.1                                       | 57.0                       |
| Buffalo  | 113.2                               | 20.1                                 | 257.1                                 | 115.7                      | 85.7                                       | 97.1                       |
| Mount Vernon   | 2.2                                 | 3.8                                  | 42.7                                  | 12.0                       | 11.8                                       | 7.4                        |
| New Rochelle   | 5.4                                 | 3.5                                  | 68.9                                  | 26.4                       | 17.4                                       | 28.6                       |
| New York City  | 585.3                               | 366.4                                | 3,843.8                               | 1,678.9                    | 1,095.3                                    | 2,322.3                    |
| Niagara Falls  | 9.5                                 | 4.0                                  | 9.6                                   | 6.6                        | 2.0  | 9.6                        |
| Rochester  | 61.6                                | 5.8                                  | 303.5                                 | 130.9                      | 89.1                                       | 114.4                      |
| Schenectady  | 44.8                                | 3.5                                  | 31.4                                  | 16.2                       | 24.3                                       | 10.6                       |
| Syracuse   | 56.8                                | 7.1                                  | 97.4                                  | 55.5                       | 41.4                                       | 58.3                       |
| Troy   | 9.7                                 | 1.6                                  | 28.6                                  | 11.3                       | 10.3                                       | 6.3                        |
| Utica  | 17.7                                | 2.6                                  | 19.3                                  | 9.3                        | 10.3                                       | 23.2                       |
| White Plains   | 2.6                                 | 5.3                                  | 79.8                                  | 30.9                       | 30.8                                       | 85.6                       |
| Yonkers  | 41.6                                | 11.6                                 | 111.6                                 | 54.1                       | 31.9                                       | 44.0                       |

**New York State Physicians: FTEs per 100,000 Population**

|                       | <b>Family<br/>Practice</b>                 | <b>General<br/>Practice</b>                | <b>Internal<br/>Medicine</b>               | <b>Pediatrics</b>                          | <b>Obstetrics/<br/>Gynecology</b>          | <b>Psychiatry</b>                          |
|-----------------------|--|--|--|--|--|--|
|                       | <b>FTEs per<br/>100,000<br/>Population</b> | <b>FTEs per<br/>100,000<br/>Population</b> | <b>FTEs per<br/>100,000<br/>Population</b> | <b>FTEs per<br/>100,000<br/>Population</b> | <b>FTEs per<br/>100,000<br/>Population</b> | <b>FTEs per<br/>100,000<br/>Population</b> |
| State Totals          | 13.8                                       | 4.2  | 42.7                                       | 19.7                                       | 13.6                                       | 23.9                                       |
| <b>AHEC Regions</b>   |  |  |  |  |  |  |
| Adirondack            | 24.3                                       | 3.9  | 17.2                                       | 10.1                                       | 9.7  | 8.9  |
| Erie/Niagara          | 19.0                                       | 2.9  | 31.3                                       | 15.7                                       | 11.0                                       | 11.3                                       |
| Hudson                | 16.5                                       | 4.2  | 32.1                                       | 16.5                                       | 10.9                                       | 20.2                                       |
| New York Metropolitan | 10.4                                       | 4.8  | 51.3                                       | 23.6                                       | 15.7                                       | 30.5                                       |
| Northern              | 18.6                                       | 3.7  | 21.8                                       | 7.8  | 7.5  | 9.5  |
| South Central         | 24.7                                       | 2.5  | 25.4                                       | 12.6                                       | 10.6                                       | 13.0                                       |
| Western               | 15.5                                       | 2.3  | 36.6                                       | 14.4                                       | 11.0                                       | 11.7                                       |
| <b>Counties</b>       |  |  |  |  |  |  |
| Albany County         | 24.1                                       | 5.7  | 49.4                                       | 20.6                                       | 15.1                                       | 24.9                                       |
| Allegany County       | 20.7                                       | 6.7  | 15.5                                       | 2.0  | 2.0  | 0.0  |
| Bronx County          | 7.9  | 3.6  | 35.9                                       | 20.8                                       | 8.4  | 13.8                                       |
| Broome County         | 22.8                                       | 2.6  | 36.6                                       | 12.0                                       | 11.2                                       | 16.6                                       |
| Cattaraugus County    | 17.4                                       | 3.0  | 13.4                                       | 9.9  | 5.4  | 3.3  |
| Cayuga County         | 4.8  | 1.0  | 20.5                                       | 5.8  | 9.2  | 3.6  |
| Chautauqua County     | 13.1                                       | 5.6  | 23.9                                       | 4.2  | 6.3  | 4.7  |
| Chemung County        | 20.8                                       | 3.5  | 33.3                                       | 13.1                                       | 11.5                                       | 20.2                                       |
| Chenango County       | 30.2                                       | 0.0  | 9.7  | 3.7  | 2.0  | 2.7  |
| Clinton County        | 20.2                                       | 3.4  | 23.0                                       | 11.4                                       | 10.2                                       | 13.7                                       |
| Columbia County       | 26.3                                       | 3.2  | 30.4                                       | 8.2  | 1.7  | 5.4  |
| Cortland County       | 21.0                                       | 2.1  | 14.3                                       | 8.4  | 8.3  | 7.1  |
| Delaware County       | 24.6                                       | 3.3  | 15.1                                       | 4.1  | 4.0  | 6.2  |
| Dutchess County       | 18.5                                       | 2.8  | 32.2                                       | 15.2                                       | 11.3                                       | 26.2                                       |
| Erie County           | 19.7                                       | 3.0  | 34.5                                       | 17.2                                       | 12.1                                       | 12.5                                       |
| Essex County          | 35.4                                       | 5.3  | 8.7  | 4.5  | 2.7  | 2.1  |
| Franklin County       | 18.1                                       | 2.5  | 31.1                                       | 9.5  | 4.1  | 11.1                                       |
| Fulton County         | 23.8                                       | 10.9                                       | 27.7                                       | 7.8  | 2.9  | 5.6  |
| Genesee County        | 12.0                                       | 0.2  | 21.4                                       | 5.0  | 5.7  | 6.1  |
| Greene County         | 8.7  | 2.0  | 15.8                                       | 5.3  | 6.2  | 0.0  |
| Hamilton County       | 53.6                                       | 16.4                                       | 0.0  | 19.3                                       | 19.3                                       | 0.0  |
| Herkimer County       | 18.9                                       | 1.6  | 14.1                                       | 8.7  | 5.6  | 2.8  |
| Jefferson County      | 8.9  | 3.7  | 15.6                                       | 11.1                                       | 5.5  | 4.0  |
| Kings County          | 7.7  | 3.7  | 42.1                                       | 19.7                                       | 10.5                                       | 12.4                                       |
| Lewis County          | 44.9                                       | 3.7  | 13.9                                       | 0.0  | 15.9                                       | 0.0  |
| Livingston County     | 22.0                                       | 3.9  | 7.6  | 5.6  | 4.4  | 0.0  |
| Madison County        | 28.3                                       | 3.3  | 12.5                                       | 4.4  | 9.7  | 3.0  |
| Monroe County         | 13.4                                       | 1.3  | 55.6                                       | 23.3                                       | 16.2                                       | 19.4                                       |
| Montgomery County     | 19.5                                       | 2.0  | 15.9                                       | 12.5                                       | 7.9  | 7.9  |
| Nassau County         | 13.7                                       | 5.5  | 61.1                                       | 31.1                                       | 21.8                                       | 27.0                                       |
| New York County       | 8.1  | 8.5  | 94.6                                       | 32.6                                       | 31.1                                       | 99.6                                       |
| Niagara County        | 15.6                                       | 2.6  | 17.4                                       | 9.0  | 5.9  | 6.1  |
| Oneida County         | 24.9                                       | 4.5  | 27.5                                       | 7.8  | 8.3  | 16.7                                       |
| Onondaga County       | 29.0                                       | 2.9  | 28.5                                       | 19.3                                       | 14.0                                       | 17.0                                       |
| Ontario County        | 16.1                                       | 2.8  | 32.0                                       | 10.8                                       | 11.2                                       | 10.0                                       |
| Orange County         | 7.1  | 3.8  | 26.7                                       | 16.4                                       | 12.1                                       | 18.8                                       |
| Orleans County        | 20.7                                       | 2.6  | 13.1                                       | 6.5  | 6.7  | 2.9  |
| Oswego County         | 11.5                                       | 3.2  | 16.0                                       | 5.4  | 2.9  | 2.2  |
| Otsego County         | 14.6                                       | 2.1  | 44.3                                       | 13.4                                       | 16.5                                       | 19.1                                       |
| Putnam County         | 8.4  | 2.2  | 31.7                                       | 17.4                                       | 10.2                                       | 10.2                                       |
| Queens County         | 8.4  | 4.7  | 40.2                                       | 19.5                                       | 10.4                                       | 13.1                                       |

**New York State Physicians: FTEs per 100,000 Population (cont.)**

|                        | <b>Family<br/>Practice</b>                 | <b>General<br/>Practice</b>                | <b>Internal<br/>Medicine</b>               | <b>Pediatrics</b>                          | <b>Obstetrics/<br/>Gynecology</b>          | <b>Psychiatry</b>                          |
|------------------------|--|--|--|--|--|--|
|                        | <b>FTEs per<br/>100,000<br/>Population</b> | <b>FTEs per<br/>100,000<br/>Population</b> | <b>FTEs per<br/>100,000<br/>Population</b> | <b>FTEs per<br/>100,000<br/>Population</b> | <b>FTEs per<br/>100,000<br/>Population</b> | <b>FTEs per<br/>100,000<br/>Population</b> |
| Rensselaer County      | 18.3                                       | 3.4  | 24.3                                       | 12.4                                       | 8.8  | 4.8  |
| Richmond County        | 5.8  | 3.6  | 46.5                                       | 22.3                                       | 16.3                                       | 17.5                                       |
| Rockland County        | 8.5  | 4.8  | 39.6                                       | 29.6                                       | 12.1                                       | 37.0                                       |
| St. Lawrence County    | 15.9                                       | 4.2  | 24.3                                       | 5.3  | 11.5                                       | 10.3                                       |
| Saratoga County        | 21.9                                       | 4.1  | 10.0                                       | 8.7  | 7.8  | 13.2                                       |
| Schenectady County     | 26.3                                       | 2.0  | 21.8                                       | 8.9  | 16.2                                       | 7.3  |
| Schoharie County       | 31.6                                       | 5.5  | 15.0                                       | 3.1  | 0.0  | 0.0  |
| Schuyler County        | 33.9                                       | 0.0  | 20.7                                       | 10.0                                       | 5.2  | 0.0  |
| Seneca County          | 15.3                                       | 1.8  | 6.3  | 0.0  | 0.0  | 4.5  |
| Steuben County         | 22.2                                       | 1.1  | 23.8                                       | 7.4  | 8.8  | 8.0  |
| Suffolk County         | 20.3                                       | 3.5  | 30.5                                       | 15.9                                       | 11.9                                       | 18.7                                       |
| Sullivan County        | 9.9  | 6.2  | 24.8                                       | 8.5  | 4.3  | 11.0                                       |
| Tioga County           | 24.1                                       | 0.2  | 9.1  | 1.9  | 0.0  | 0.0  |
| Tompkins County        | 26.6                                       | 3.7  | 23.7                                       | 10.9                                       | 9.8  | 15.7                                       |
| Ulster County          | 32.2                                       | 6.3  | 19.3                                       | 9.7  | 9.7  | 19.3                                       |
| Warren County          | 34.2                                       | 2.7  | 28.4                                       | 20.0                                       | 12.8                                       | 12.9                                       |
| Washington County      | 12.6                                       | 2.7  | 17.1                                       | 9.9  | 8.3  | 2.7  |
| Wayne County           | 11.6                                       | 1.7  | 18.9                                       | 7.9  | 5.4  | 4.9  |
| Westchester County     | 11.3                                       | 4.4  | 64.2                                       | 32.1                                       | 20.2                                       | 47.3                                       |
| Wyoming County         | 19.3                                       | 4.1  | 17.0                                       | 4.5  | 6.8  | 2.3  |
| Yates County           | 33.8                                       | 4.1  | 12.6                                       | 0.0  | 0.0  | 8.2  |
| <b>Selected Cities</b> |  |  |  |  |  |  |
| Albany                 | 31.8                                       | 4.4  | 109.4                                      | 33.8                                       | 36.3                                       | 60.6                                       |
| Buffalo                | 38.3                                       | 6.8  | 87.0                                       | 39.1                                       | 29.0                                       | 32.8                                       |
| Mount Vernon           | 3.3  | 5.7  | 63.8                                       | 17.9                                       | 17.7                                       | 11.1                                       |
| New Rochelle           | 8.0  | 5.1  | 101.9                                      | 39.0                                       | 25.8                                       | 42.4                                       |
| New York City          | 7.9  | 4.9  | 51.7                                       | 22.6                                       | 14.7                                       | 31.3                                       |
| Niagara Falls          | 16.9                                       | 7.2  | 17.1                                       | 11.8                                       | 3.6  | 17.1                                       |
| Rochester              | 28.7                                       | 2.7  | 141.5                                      | 61.0                                       | 41.6                                       | 53.3                                       |
| Schenectady            | 73.7                                       | 5.8  | 51.6                                       | 26.6                                       | 39.9                                       | 17.4                                       |
| Syracuse               | 37.7                                       | 4.7  | 64.7                                       | 36.9                                       | 27.5                                       | 38.7                                       |
| Troy                   | 18.8                                       | 3.0  | 55.8                                       | 22.1                                       | 20.1                                       | 12.3                                       |
| Utica                  | 30.2                                       | 4.3  | 32.9                                       | 15.8                                       | 17.4                                       | 39.4                                       |
| White Plains           | 5.2  | 10.6                                       | 158.8                                      | 61.5                                       | 61.4                                       | 170.4                                      |
| Yonkers                | 21.7                                       | 6.0  | 58.3                                       | 28.3                                       | 16.7                                       | 23.0                                       |